

BIDITUP LIVE ON-SITE AUCTION

Tuesday, January 25th, 2005
Beginning at 10:30 am, EST
359 State Avenue NW
Massillon, OH 44647



Assets No Longer Required in the Continuing Operations



WORLD KITCHEN, INC.

Stamping Plant with Late Model Presses, Willet Transfer Systems, Coil Feed Lines, Die Manipulator/Storage/Handling System, Complete Tool Room - Tremendous Selection of Tooling, CNC Vertical Machining Center, Paint Lines and Support Equipment

Industrial Real Estate: 243,127(+/-) Sq. Ft.
Industrial Building on 18.48 Acres

- (9) Straight Side Presses
- (19) Open Back Inclinable Presses
- High Speed Dieing Press
- Pneumatic Toggle Press
- Transfer Systems
- Master Die Sets
- (11) Hydraulic Presses
- (15) Motorized Reels
- (2) Servo Feeds
- (12) Air Feeders/Straighteners
- Coil Upender
- (7) Material Waxers
- (5) Paint Lines
- (2) Annealing Furnaces
- (2) Wash/Rinse/De-Ionize Systems
- Vertical Machining Center
- CNC Vertical Mill
- (5) Vertical Mills
- (6) Grinders
- (3) Lathes
- (4) Band Saws
- Multi Slide
- Testing Equipment
- (2) Ovens/Furnaces
- Horizontal Mill
- (2) Drills
- (13) Jib Cranes/Hoists
- Dry Blast Cabinet
- (2) Radial Arm Drills
- Pneumatic Press
- H-Frame Shop Press
- (5) Welders
- (9) Forklifts
- (7) Manlifts
- (34) Pallet Lifts
- Pallet Racking
- (4) Pallet Wrappers
- (3) Air Compressors
- Motorized Conveyors
- (11) Gluers/Sealers
- Packaging Equipment
- Misc. & More!

BIDITUP WORLDWIDE: www.biditup.com





1990

3 AVAILABLE

1990 250-TON NIAGARA STRAIGHT SIDE DOUBLE CRANK, MDL. PN-250-144-48



1995

2 AVAILABLE

1995 & 1993 220-TON NIAGARA STRAIGHT SIDE DOUBLE CRANK PRESSES, MDL. SC2-200-60-48

(9) STRAIGHT SIDE PRESSES

- 3 **1990 250-TON NIAGARA STRAIGHT SIDE DOUBLE CRANK, MDL. PN-250-144-48**, Stroke 9", SPM 25-50 Variable, Bed 48"x 144", Slide 48"x 144", Windows 28", Shut Height 30", Adjustment 6", Air Counterbalance, Light Curtains, Air Clutch, Floor Standing, Pneumatic Quick Die Change System, RBB Systems/Weldotron Control, Helm Load Guard Series 4-Tonnage Monitor, S/N P53194, P52204, & P52129.
- 1 **250-TON VERSON STRAIGHT SIDE DOUBLE CRANK, MDL. 250-B2-144**, Stroke 10", SPM 25-50 Variable, Bed 48"x 144", Slide 48"x 144", Windows 28", Shut Height 34", Adjustment 8", Air Counterbalance, Light Curtains, Air Clutch, Floor Standing, Pneumatic Quick Die Change System, Helm Loadguard Trend Series 4 Monitor, S/N 25407.
- 2 **1995 & 1993 220-TON NIAGARA STRAIGHT SIDE DOUBLE CRANK PRESSES, MDL. SC2-200-60-48**, Stroke 12", SPM 30-60 Variable, Bed 48"x 60", Slide 48"x 60", Windows 24", Shut Height 30", Adjustment 10", Air Counterbalance, Light Curtains, Air Clutch, Floor Standing, Enerpac Quick Die Change System, Helm Loadguard Trend Series 4 Monitor, Link 501 Control, S/N P54140 & P53758.
- 1 **200-TON WARCO STRAIGHT SIDE DOUBLE CRANK PRESS, MDL. S2-200-144-30**, Stroke 8.5", SPM 30, Bed 30"x 144", Slide 30"x 144", Windows 21", Shut Height 37.9", Adjustment 10", Air Counterbalance, Air Clutch, Floor Standing, Pneumatic Quick Die Change System, S/N 61P2693.
- 2 **1995 100-TON NIAGARA STRAIGHT SIDE DOUBLE CRANK PRESSES, MDL. BP2-100-60-30**, Stroke 6", SPM 60-120 Variable, Bed 30"x 60", Slide 30"x 60", Windows 18.5", Shut Height 24", Adjustment 7", Air Counterbalance, Light Curtains, Air Clutch, Floor Standing, S/N 52222 & 46554.

(19) OPEN BACK INCLINABLE PRESSES

- 1 **150-TON NIAGARA OPEN BACK INCLINABLE PRESS, MDL. E-150**, Stroke 12", SPM 60, Bed 30"x 50", Slide 24"x 34", Shut Height 26", Adjustment 6", Air Counterbalance, Air Clutch, S/N 50262.
- 1 **150-TON VERSON OPEN BACK GAP FRAME PRESS, MDL. 150 OBG**, Stroke 8", SPM 35, Bed 30"x 50", Slide 24"x 34", Shut Height 22", Adjustment 6", Air Counterbalance, Air Clutch, S/N 27891.
- 4 **1997 & 1992 121-TON NIAGARA OPEN BACK INCLINABLE PRESSES, MDL. BN-110-OBS**, Stroke 7", SPM 35-65 Variable, Bed 27"x 42", Slide 21"x 28", Shut Height 21", Adjustment 5", Air Counterbalance, Light Curtains, Air Clutch, Omnilink LCD Operators Terminal, S/N P54373, P54372, P53667, & P53669. Press lines include Willet Transfer Mechanism & Controls.
- 2 **110-TON BLISS OPEN BACK INCLINABLE PRESSES, MDL. C-110**, Stroke 10", SPM 40, Bed 27"x 42", Slide 21"x 28", Shut Height 19", Adjustment 4", S/N H-61713 & H-54672.
- 1 **110-TON DANLY OPEN BACK INCLINABLE PRESS, MDL. 110**, Stroke 6", SPM 40, Bed 27"x 40", Slide 21"x 28", Shut Height 18.5", Adjustment 3.5", Air Clutch, S/N 11059300174.
- 2 **105-TON VERSON OPEN BACK INCLINABLE PRESSES, MDL. 7-1/2**, Stroke 6", SPM 45, Bed 30"x 39", Slide 16"x 24", Shut Height 19", Adjustment 8", Air Clutch, Air Cushion, S/N 9716 & 5796.
- 5 **95-TON BLISS OPEN BACK INCLINABLE PRESSES, MDL. 28**, Stroke 6", SPM 40 & 90, Bed 30"x 39", Slide 27"x 37", Shut Height 13", Adjustment 3.5", Air Cushion, Air Clutch, S/N H53162, H54759, H54760, H54761, H54765.



250-TON VERSON STRAIGHT SIDE DOUBLE CRANK, MDL. 250-B2-144



1995

2 AVAILABLE

1995 100-TON NIAGARA STRAIGHT SIDE DOUBLE CRANK PRESSES, MDL. BP2-100-60-30



150-TON NIAGARA OPEN BACK INCLINABLE PRESS, MDL. E-150



1997

4 AVAILABLE

1997 & 1992 121-TON NIAGARA OPEN BACK INCLINABLE PRESSES, MDL. BN-110-0BS



2 AVAILABLE

110-TON BLISS OPEN BACK INCLINABLE PRESS, MDL. C-110



5 AVAILABLE

95-TON BLISS OPEN BACK INCLINABLE PRESS, MDL. 28

[19] OPEN BACK INCLINABLE PRESSES

- 1- **75-TON CLEARING OPEN BACK INCLINABLE PRESS, MDL. 75,** Stroke 6", SPM 40, Bed 25"x 36", Slide 14.75"x 19.5", Shut Height 17.75", Adjustment 3", Air Clutch, S/N 51-19152-P.
- 1- **60-TON JOHNSON, MDL 60-FW-AC,** Stroke 3", SPM 100, Bed 21"x 32", Slide 11-1/2" x 13-1/4", Shut Height 12-1/2", Adjustment 3 1/2", Air Clutch, S/N 67381.

- 1- **15-TON ROUSSELLE OPEN BACK INCLINABLE PRESS, MDL. 2,** Stroke 2", SPM 170, Bed 11"x 16-1/2", Slide 5"x 6-1/2", Shut Height 7-3/4", Adjustment 1-1/2", Air Clutch, S/N 18505.

HIGH SPEED DIEING PRESS

- 1- **200-TON BRANDES PRESS,** Underdriven, Stroke 9", SPM 25-75 Variable, Bed Length 124", Between Posts 34" Left-Right, Air Clutch, S/N 152-200.



MS WILLETT SERVO TRANSFER SYSTEM

OVER \$750,000 NEW



200-TON BRANDES HIGH SPEED DIEING PRESS



1997 50-TON PH HYDRAULIC GAP PRESS



1995

7 AVAILABLE

1995 10,000 LB. AMERICAN STEEL LINE TRAVELING REEL WITH STATIONARY COIL LIFT, MDL. 1000

PNEUMATIC TOGGLE PRESS

- 1- 1998 4-TON BTM, MDL. P-4Hx10, Stroke 10".

TRANSFER SYSTEMS

- 1- MS WILLETT SERVO TRANSFER SYSTEM, 2 Axis Horizontal Clamp & Transfer, Transfer Speed 30 SPM, System Speed 20 SPM, Transfer Pitch 13", Clamp Pitch 2.020", Six Station Transfer, MW Willett Servo Controls Operating in Eight Station Transfer Cell with two Yr. 1997 121-Ton Niagara Bison Open Back Inclinable Presses.

MASTER DIE SETS

- 25- 30" X 117" TO 48" X 144" SIZES.

(11) HYDRAULIC PRESSES

- 1- 400-TON WILLIAMS & WHITE HYDRAULIC HOUSING TYPE PRESS, Stroke 33", Bed & Platen 60"x 144", Daylight 48" Between Heated Platens, 8-point Gib, 75 HP Motor & Oilgear Pump, S/N C-4192.
- 1- 1997 50-TON PH HYDRAULIC GAP PRESS, MDL. OGP-50T, Stroke 25", Bed & Slide 29"x 38", Daylight 38", Bolster Plate 3-1/2" Thick, S/N 60935.
- 2- 12-TON HANNIFIN HYDRAULIC GAP FRAME PRESSES, MDL. T-13546, Stroke 12", Bed 14-1/2" x 22", Daylight 12", 5 HP Motor & Pump, S/N T-13546-5 & T-13546-7.
- 1- 4-TON DENISON HYDRAULIC GAP FRAME MULTIPRESS, MDL. SO47LC, Stroke 12", Daylight 18", 7-1/2 HP Motor & Pump, Pressing 470 IPM, S/N 18313.
- 6- STATION DENISON ROTARY TABLE, MDL. 011-29105, Table Diameter 21"/Bolt-on Table 44" Diameter, 3 HP Motor & Pump, Self-contained Hydraulics, S/N 9428-1A.

(15) MOTORIZED REELS

- 1- 12,000 LB. SESCO REEL, MDL. 55-85, Width 30", Motorized, S/N 10941-2.
- 7- 1995 TO 1989 10,000 LB. AMERICAN STEEL LINE TRAVELING REEL WITH STATIONARY COIL LIFT, MDL. 1000, Width 42", Outside Diameter 64", Motorized, FPM 33-100 Variable, ID 16"-21", Hydraulic Expansion, S/N 9129, 9374, 9051, 9220, 8872, 9286 & 8499.
- 4- 1991 TO 1985 10,000 LB. AMERICAN STEEL LINE TRAVELING REELS WITH STATIONARY COIL LIFT, MDL. 1000, Width 36", Outside Diameter 64", Motorized, FPM 33-100 Variable, ID 16"-21", Hydraulic Expansion, S/N 6947, 7207, 7211 & 8750.
- 1- 10,000 LB. COLT TRAVELING REEL WITH STATIONARY COIL LIFT, MDL. CHDRCK-100024, Width 24", Outside Diameter 64", Motorized, S/N 1201610.
- 1- SESCO TRAVELING REEL WITH STATIONARY COIL LIFT, MDL. 55-517, Width 30", Hold Down Arm, S/N 18059.
- 1- MECON REEL, MDL. 6MDG, S/N 6-8401.



1994

7 AVAILABLE

1994 OXY DRY CORPORATION WAXERS, MDL. 702

2001 20,000 LB. CAPACITY RICO/LIGHTNING TIME SAVER DIE CART, MDL. R12509

2001



FRONT VIEW ALLEGHENY MATERIAL HANDLING DIE MANIPULATOR/SEPARATOR, MDL. DS-200-144/50



REAR VIEW ALLEGHENY MATERIAL HANDLING DIE MANIPULATOR/SEPARATOR, MDL. DS-200-144/50



LTS DIE STORAGE RACKS

- 1- **2001 20,000 LB. RICO/LIGHTNING TIME SAVER DIE CART, MDL. R12509**, Electric Type, 4 Directional Travel, TFT Color Monitor w/Cameras, Die Height 36"+ 12"/15" Elevation, Controls: Steer Caster - Clockwise/Counterclockwise, Lift - Raise/Lower, Ball Screws - Push/Pull, S/N RDHRM4D. **ALLEGHENY MATERIAL HANDLING DIE MANIPULATOR/SEPARATOR, MDL. DS-200-144/50**, Capacity: Upper Die Section 10,000 Lb. Weight, Lower Die Section 20,000 Lb. weight, Max Die Size 50"x 144", S/N 1365A. (13) **LTS DIE STORAGE RACKS**, Capacity 20,000Lb. Weight, S/N TS1421 & 9110-7.
- 1- **1994 15,000 LB. ITNAC DIE MOLD/FLIPPER SYSTEM, MDL. 15F-7.5-SL**, Weight Capacity 15,000 Lb, Sling Speed 10 FPM, Motorized Leveling, S/N 94-358.



1997

CNC

1997 HAAS VERTICAL MACHINING CENTER, MDL. VF4



1995

1995 10,000 LB. AMERICAN STEEL LINE TRAVELING REEL W/STATIONARY COIL LIFT, MDL. 1000



1994

1994 15,000 LB. PERFECTO COIL UPENDER



1997

1997 PERFECTO SERVO FEEDS



1995 12 AVAILABLE

1995 DALLAS INDUSTRIES, MDL. D200



BINKS PAINT SYSTEM



2003

5 AVAILABLE

PAINT SYSTEMS: NORDSON/2003 GRACO PRECISION MIX II CONTROL

(2) SERVO FEEDS

- 2. 1997 & 1993 PERFECTO ENTRY & EXIT SERVO FEEDS, Capacity 16" Wide x .060" Thickness, Cabinet Mounts, Cascade Rolls, S/N 93024 & 97001.

(12) AIR FEEDERS/STRAIGHTENERS

- 8. 1995 DALLAS INDUSTRIES, MDL. D200, Width 24"x Stroke 24", Cap .040" Thickness, 5-Roll Straightener, Cabinet, Air Cylinder 2" Bore Diameter, S/N 17892, 18848, 19025, 19282.
- 4. 1995 DALLAS INDUSTRIES, MDL. D200, Width 18"x Stroke 18", Cap. .060" Thickness, 5-Roll Straightener, Cabinet, Air Cylinder 2" Bore Diameter, S/N 18423, 19355.

COIL UPENDER

- 1. 1994 15,000 LB. PERFECTO COIL UPENDER, Mechanical, Width 24", OD 60", S/N 94035.

(7) MATERIAL WAXERS

- 7. 1994 OXY DRY CORPORATION MDL. 702 WAXERS, 24" Wide, Airtech Exhaust, Mist Collector, S/N 1830URH, 1831LRH.

(5) PAINT LINES

- 5. PAINT SYSTEMS: Nordson/2003 - Graco Precision Mix II Control, Nordson AB Dtam Plus PLC Control.
- 16. BINKS PAINT GUNS.
- 11. NEPTUNE PAINT MIXING TANKS.

(2) ANNEALING FURNACES

- 1. 1997 MOCO CURING OVEN, Natural Gas Fired, Three Zone, Production Rate 2,500 Parts/Hour, Normal Operating Temp 700 Deg. F, Max Operating Temp 900 Deg. F, Total Connected HP 64-1/4, S/N 7259.
- 1. MOCO CURING OVEN, Natural Gas Fired, Two Zone, Three Line System, Production Rate: Line 1 - 1800 Pieces/Hour; Line 2 - 2250 Pieces/Hour; Line 3 - 1800 Pieces/Hour, Three JL Webb Overhead Conveyor Systems, Max Operating Temp 700 Deg. F, Total Connected HP 32-2/3, S/N 3-5554-A.

(2) WASH/RINSE/DE-IONIZE SYSTEMS

- 2. 1995 RANSAHOFF WASHER/DEIONIZE RINSE/DRYER UNITS, Stainless Steel Construction, Natural Gas, Rinse #2 180 Deg F, Blow-Off 250 Deg. F, S/N H-2415 & H-2416.
- 1. KINETICO ENGINEERED SYSTEMS INC. WATER TREATMENT SYSTEM.

VERTICAL MACHINING CENTER

- 1. 1997 CNC HAAS, MDL. VF4, Travels X=50", Y=20", Z=25", 20 Position Automatic Tool Changer, 20 HP Vector Drive, RPM 7,500, Rigid Tapping, 4th Axis Option, Chip Auger, Disk Drive, 710 IPM Brushless Servo, Programmable Coolant Nozzle, S/N 12109.

CNC VERTICAL MILL

- 1. 1995 HURCO HAWK, MDL. 5D, Mfg. #950114, Table 9-1/2"x 36", Delta CNC Control, Power Draw Bar, Power Feed, S/N KD-90040355.

(5) VERTICAL MILLS

- 1. 1992 BRIDGEPORT, Table 9"x 42", 2 HP, Anilam 2-Axis DRO, S/N 258911.
- 1. BRIDGEPORT, Table 9"x 42", Trak 102 2-Axis DRO, 2 HP.
- 1. BRIDGEPORT, Table 9"x 42", Anilam Wizard 3-Axis DRO, 1-1/2 HP, S/N 213724.
- 1. LAGUN MILL, MDL. FTV-4, Anilam Wizard III Control, 4 HP, Table 11"x 58", Quill Travel 5", S/N 14799
- 1. SUPERMAX, Table 9"x 48", 2-Axis DRO, 2 HP, S/N 8006.



1995

1995 HURCO HAWK CNC VERTICAL MILL,
MDL. 5D



1992

1992 BRIDGEPORT VERTICAL MILL



KELLENBERGER ID GRINDER



BLANCHARD ROTARY GRINDER, MDL. 18



THOMPSON HYDRAULIC SURFACE GRINDER



1995

1995 CHEVALIER HYDRAULIC PRECISION SURFACE
GRINDER, MDL.FSG-1632AD



1991


1991 DOALL HORIZ. SAW, MDL. C-916M



MULTI SLIDE



ROCKWELL/WILSON HARDNESS TESTER



DIE RACKING, W/MASTER DIE SET



1991

1991 DOALL VERT. BAND SAW

**Can't Attend the Sale
in Massillon, OH?
Call 818.508.7034
to Place a Proxy Bid or Let us
Bid via Phone for You!**



MONARCH ENGINE LATHE



APPROX. 800 SECTIONS PALLET RACKING



HELIARC 352 WELDER



1995 RANSAHOFF WASHER-RINSE-DRYER



SPRAY APPLICATION BOOTH



LANTECH PALLET WRAPPER, V-SERIES



LUCIFER FURNACE, MDL. 5-182448-1A



DAKE H-FRAME SHOP PRESS



LINCOLN MDL. DC400 ELECTRIC WELDER

(6) GRINDERS

- 1- KELLENBERGER ID GRINDER, Trak 2 Axis DRO, S/N 1151/449.
- 1- BLANCHARD ROTARY GRINDER, MDL. 18, Chuck 30" Diameter, Neutrofler, S/N 2635.
- 1- THOMPSON HYDRAULIC SURFACE GRINDER, Chuck 12"x 48"
- 1- 1991 CHEVALIER HYDRAULIC PRECISION SURFACE GRINDER, MDL. FSG-1632AD, DRO, Chuck 16"x 32", Power Downfeed & Crossfeed, Max Crossfeed Travel: 16" Automatic / 18" Manual, S/N G3809001.
- 1- THOMPSON HYDRAULIC SURFACE GRINDER, Chuck 10"x 24".
- 1- BROWN & SHARPE #2 SURFACE GRINDER.

(3) LATHES

- 1- MONARCH ENGINE LATHE, Swing 20.5", 72" CC Distance, Tailstock, Steady Rest, S/N 16995.
- 1- POLAMCO ENGINE LATHE, MDL. TUM-35, Swing 8", 36" CC Distance, Tailstock, Steady Rest, S/N 2847.
- 1- ROCKWELL ENGINE LATHE, Swing 7", 36" CC Distance.

(4) BAND SAWS

- 1- 1991 DOALL VERTICAL BAND SAW, MDL. 2013V, Welder, Tilt Table, S/N 457-911820.
- 2- 1991 & 1988 DOALL HORIZONTAL SAW, MDL. C-916M, S/N 470-911163 & 438-881976.
- 1- KELLER BAND SAW.

MULTI SLIDE

- 1- MULTI SLIDE.

TESTING EQUIPMENT

- 1- ROCKWELL/WILSON HARDNESS TESTER, MDL. 103R.
- 1- CORDAX MDL. 1808 CMM.

(2) OVENS/FURNACES

- 1- GRIEVE, BLUE M, MOCO.
- 1- LUCIFER FURNACE, MDL. 5-182448-1A, Chamber 18"x 24"x 48", 2000 Deg F, S/N 2900.

HORIZONTAL MILL

- 1- MILWAUKEE HORIZONTAL MILL, S/N 15288.

(2) DRILLS

- 1- ROCKWELL SINGLE SPINDLE DRILL.
- 1- EDLUND DRILL.

(13) JIB CRANES/HOISTS

- 1- 3-TON HANDLING SYSTEMS "A" Frame.
- 1- 2-TON BUDGIT HOIST. 1-TON HOIST.
- 6- 1,000 LB. CAPACITY JIB CRANES.
- 5- MANUAL HOISTS.

DRY BLAST CABINET

- 1- BCS DUST COLLECTOR, MDL. BC101, S/N 780801-0.

(2) RADIAL ARM DRILLS

- 1- 4' X 9" CARLTON.
- 1- CINCINNATI BICKFORD/CHIPMASTER, BOX TABLE.

PNEUMATIC PRESS

- 1- 1998 4-TON BTM AIR POWERED TOGGLE PRESS, MDL. P-4HX10, Stroke 10", Ram Plate.

H-FRAME SHOP PRESS

- 1- DAKE H-FRAME.

(5) WELDERS

- 1- HELIARC 352 WELDER.
- 1- MILLER WELDER - DIAL ARC HF-P.
- 1- MICROSET WELD STATIC.
- 1- LINCOLN, MDL. DC400 ELECTRIC WELDER, w/Wire Feed, Mdl. LN7, GMA Control.
- 1- ESAB.

(9) FORKLIFTS

- 1- 12,000LB. CLARK, MDL. CGC55, LPG, Lift 112", S/N CGC470L-0045-6773FB.
- 1- 10,000LB. YALE, MDL. GLP100MFNSBE093, LPG, S/N D870505.
- 1- 8,500LB. TOYOTA, MDL. 52-6F GCU45-BCS, LPG, Side Shift, Lift 198.5", S/N 61423.
- 1- 6,350 LB. TOYOTA, MDL. 5FGC15, LPG, S/N 27077.
- 1- 6,350 LB. TOYOTA, MDL. 52FCGC030, LPG, S/N 61507.
- 1- 6,120 LB. TOYOTA, MDL. 5FGC10, LPG, S/N 71244.
- 1- 2,750 LB. TOYOTA, MDL. 7FG018, LPG, S/N 61832.
- 2- TOYOTA, LPG.



10,000 LB. YALE FORKLIFT, MDL. GLP100MFNSBE093



3,000 LB. RAYMOND ELECTRIC LIFT, MDL. 31DR30TT

(7) MANLIFTS

- 1- 3,000 LB. RAYMOND ELECTRIC LIFT, MDL. 31DR30TT, Lift 240".
- 1- 3000 LB. CLARK, MDL. EC500-530, Battery Powered, S/N E235-0100-5922FA.
- 1- 3000 LB. CLARK, MDL. NP300-30, Battery Powered, S/N NP246-143-3490FA.
- 1- 2500 LB. CLARK, MDL. NP500-25D, Battery Powered, S/N NP245-0210-4591FA.
- 1- 2500 LB. CLARK, MDL. NP12D, Battery Powered, Lift 240", S/N NP12D-1099 PM5840.
- 1- 2,000 LB. BIG JOE ELECTRIC LIFT, MDL. PDM 20-60, Lift 60", S/N 83099.
- 1- BIG JOE ELECTRIC LIFT, MDL. PD1 20.



BIG JOE ELECTRIC LIFTS



11 AVAILABLE

4,000 LB. SOUTHWORTH PALLET LIFTS

(34) PALLET LIFTS

- 11 4,000 LB. SOUTHWORTH PALLET LIFTS, Platform 42"x 54".
- 23 44" TABLE DIAMETER SOUTHWORTH PALLET PALS, SPRING SUPPORT.

PALLET RACKING

APPROX. 800 SECTIONS, 32"x 106"x 6' Tall, 32"x 106"x 8' Tall, 42"x 106"x 6' Tall, 42"x 106"x 8' Tall.

(4) PALLET WRAPPERS

- 1- 1993 LANTECH PALLET WRAPPER, V-SERIES, Turntable 72" Diameter, Entry & Exit Roller Conveyors, S/N A-0693.
- 2- LANTECH PALLET WRAPPERS, Turntable, Entry & Exit Roller Conveyors.
- 1- PALLET WRAPPER, Turntable 60" Diameter.



11 AVAILABLE

ERECT OVEYER INCLINED STEEL BELT MOTORIZED CONVEYORS

(3) AIR COMPRESSORS

- 3- KT COMPRESSOR, INGERSOLL RAND, SULLAIR.

MOTORIZED CONVEYORS

700' HYTROL MOTORIZED CONVEYOR SYSTEM LINES, Straight & Curved Sections, Width 22", Powered Rollers 1-1/4" Diameter, S/N 430312.

- 11 ERECT OVEYER INCLINED STEEL BELT MOTORIZED CONVEYORS, Length 6', Width 17".



23 AVAILABLE

44" TABLE DIAMETER SOUTHWORTH PALLET PALS, SPRING SUPPORT

(11) GLUERS/SEALERS

- 7- 3M-MATIC, MDL 200A, Adjust. Case Sealer, Type 29200.
- 2- 3M-MATIC, MDL 22A, Adjust. Case Sealers, Type 28600.
- 2- NORDSON MICRO SET MULTI SCREW SERIES 3700 GLUERS.



DOLLIES & CARTS

MISCELLANEOUS

Over 200 Lots of Rotary Tables, Vises, Tool Holders, Grinding Wheels, Belts, Drill Bits, Counterbores, Taps, Cutters, Collets, Carbide Cutters, Shim Sections, Hardware: Nuts, Bolts, Springs. Over 30 Vidmar Cabinets. Pax Lubrication Units, Chemical Solvents Inc Cleaning Tub, Mdl. Lb.142. (3) Economy 750 Lb. Pallet Lifts. (5) Kurt Vises, Allen Single Spindle Drill; Rockwell Single Spindle Drill; Baldor Grinder; 52"x 16" Wysong Foot Shear, Mdl. H1652. (40) Wire Baskets. Floor Standing Fans, Wall Mounted Fans. (3) Mist Collectors. Fairbanks Springless Scale, Dollies & Carts, Die Racking & Much More!



30 AVAILABLE

VIDMAR CABINETS



700' HYTROL MOTORIZED CONVEYOR SYSTEM LINES

PACKAGING EQUIPMENT

5- **2002-1997 5 LINES CONSISTING OF - ECONOCORP CARTON ERECTORS, MDL. 6619**, Carton Range 5"x 1"x 7" Min. to 15"x 7"x 20" Max., Hot Melt Glue, Pneumatic Infeed, Vacuum Cups, PLC Control, Speed up to 600 Cartons/Hour, S/N 6613-1 to 6613-5; **MINNESOTA AUTOMATION LABELERS, MDL. SPECIAL**, Production Rate 40 Pieces/Minute, S/N 676-915 to 680-915; **YR. 2002 LOADERS**; Hytek Conveyor Systems.



1998 ECONOCORP



PACKAGING EQUIPMENT



PACKAGING TRANSFERS

**INDUSTRIAL REAL ESTATE
TO BE SOLD AT 1:00 PM**



WORLD KITCHEN, INC.

**359 State Ave. N.W.
Massillon, OH 44647**

Building Description:

- 243,127 Sq. Ft., Consisting of 200,000 Sq. Ft. Ceiling Height from 18' to 30'.
- 20,000 Sq. Ft. Ceiling Height from 30' to 40'.
- Approximately 5,000 Sq. Ft. of Offices.
- Building was used for Manufacturing & Warehousing.

Land:

- The Improved Building Sits on 18.48 Acres.
- Additional Parcel Available Across The Street of Approx. 5 Acres.

Services:

- Rail Service, Utilities, Natural Gas, Electric, Water, & Sewer.
- Building is Equipped w/20-Ton Overhead Crane.

**••• Real Estate Sale Subject to Owner Confirmation •••
••• Subject to Prior Sale •••**



AERIAL VIEW LOOKING NORTH



AERIAL VIEW LOOKING SOUTH



WORLD KITCHEN BUILDING



UPCOMING MAJOR AUCTION

LIVE ON-SITE & BIDCAST

By Order of Howard B. Samuels. Not Individually
But Solely as Assignee of Homak Creditor's Trust

HOMAK

HOMAK MANUFACTURING CO., INC.
Thursday, January 27th, at 10:30AM CST
5151 West 73rd St., Bedford Park, IL 60638

Preview: Wednesday, January 26, 9am-4pm & Morning of Sale

**Multi-Million Dollar
Valuation!**

To Download
12-Page Auction Brochure,
go to: **WWW.BIDITUP.COM**

1990'S MANUFACTURER OF HOME SECURITY PRODUCTS, TOOL BOXES & MEDICAL DEVICES.

(2) Powder Coat Paint Lines (Complete Multi-Million Dollar State of the Art Systems) Including:
(4) Year 2000 Wagner Reclaim Powder Spray Paint Systems w/(15) Free Standing Color Stations,
(2) Advanced Curing System Washer, Dryers, Curing Ovens, Manual Spray Booth, Over 6,000 ft. of
Automatic Conveyor System • **(32) Punch Presses:** As Late As 1995, 60-340 Ton Bliss; Minster; Verson;
Rouselle; Walsh; Johnson; Steelweld • **(33) Press Brakes:** As Late as 1995, 15-750 Ton (13) 1995 Accupress
135-175 Ton; Verson; D&K; Cincinnati; Pacific • **Large Quantities of Press Brake Dies • (10) Shears:**
Up to 1/2" Cap.-Wysong; Cincinnati; Lodge & Shipley • **(86) Spot Welders:** 10-100 KVA-Standard; Acme;
Banner; American; Techna; Stanco; Peer • **Air Compressors /Dryers/Chillers:** Up to 200HP •
(20) Forklifts: 2,000-6,000 LB. Cap.-Clark; Toyota; Caterpillar; Yale • **Scissor Lifts • (12) Chicago
Rivetors • 15 Ton Double Girder Bridge Crane • Welders • Machine Shop • Packaging •
Trucks • Trailers • Plant Support Equipment • Shop and Office Furniture, Equipment & More!**



MULTI-MILLION DOLLAR STATE OF THE ART POWDER COAT LINE

For Additional Information or to Download Auction Brochure go to Website or Call:

WWW.BIDITUP.COM ▼ **818.508.7034, EXT. 18**



LIVE ON-SITE AUCTION

Assets No Longer Required in the Continuing Operations
WORLD KITCHEN, INC.

AUCTION

Tuesday, January 25th, 2005
Beginning at 10:30am, EST

PREVIEW

Monday, January 24th
9am to 4pm & Morning of Sale

LOCATION

359 State Avenue NW
Massillon, OH 44647

DIRECTIONS

From: Cleveland-Hopkins International Airport or Ohio Turnpike, travel to I-77. Travel south on I-77 to exit #136 for OH-21 (Massillon). Travel south on OH-21 for 25 miles to Lake Ave NW. Turn right onto Lake Ave NW, and travel 1/10 mile to 3rd St NW (Watch for auction signs). Turn left onto 3rd St NW and travel 1/2 mile to State Ave NW. Turn right onto State Ave NW to the plant entrance.

From: Akron-Canton Airport, travel south on I-77 to exit #104 for OH-30 (westbound). Travel west on OH-30 for seven miles to OH-21 (northbound). Travel north on OH-21 for three miles to Cherry Rd NW. Turn left onto Cherry Rd NW, and travel 1/10 mile to 3rd St NW (Watch for auction signs). Turn right onto 3rd St NW and travel 3/10 mile to State Ave NW. Turn left onto State Ave NW to the plant entrance.

TERMS & CONDITIONS

Sale Conducted by: biditup!, Subject to our customary terms of sale, (Available at the auction site on the day of the sale), and any and all amendments and modifications announced by the auctioneer at the time of the auction. The auctioneer and seller make no warranties or guarantees, expressed or implied, as to the defects in or the correctness or accuracy of the descriptions in any advertising of any item(s) being auctioned and will not be responsible for any advertising discrepancies or inaccuracies of any kind. All items sold will be on an "AS IS", "WHERE IS", and "WITH ALL FAULTS", basis "WITHOUT EXCEPTION" and "WITH REMOVAL AT BUYER'S RISK AND EXPENSE". AUCTIONEER AND SELLER MAKE NO WARRANTIES OR GUARANTEES OF ANY KIND, EXPRESSED OR IMPLIED AS TO THE NATURE, QUALITY, VALUE OR CONDITION OF THE ITEM(S) BEING AUCTIONED OR ITS (THEIR) SUITABILITY FOR ANY USE. AUCTIONEER AND SELLER EXPRESSLY AND SPECIFICALLY DISCLAIM WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. AUCTIONEER SHALL NOT BE LIABLE FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL DAMAGES. It shall be the buyer's obligation to verify information and descriptions of property prior to sale. biditup!, and its advertising agency assume no liability for errors or omissions in this brochure. The auctioneer does not warrant the age, accuracy, genuineness, authenticity, description, weight, count or measure of any listings specified herein. Although it is not likely, auction sales are subject to cancellation or postponement, and sometimes items are withdrawn from the sale, kindly contact biditup!, prior to travel as there will be no reimbursements. On the day of the sale, all successful bidders must immediately pay the full purchase price in cash, certified funds, cashiers check, wire transfer or company check with a letter from the buyer's bank guaranteeing unqualified payments to biditup! This letter is valid until 30 working days after the auction sale. Company checks without letter from bank guaranteeing unqualified payment will not be accepted. The failure to make payment promptly shall be considered default and each lot or lots so purchased will be placed for resale. The buyer must pay the total invoice price for all the lots purchased before any removal can begin. All buyers must pay applicable sales tax (unless evidence of exemption is provided to auctioneer's satisfaction). Buyers are responsible for the transportation, associated costs and risks involved in the removal of purchased item(s). Certain items may contain residual chemicals and/or hazardous materials. The purchaser(s) hereby indemnify and hold harmless the auctioneer and seller from any and all damages, claims or liability from any injuries to persons or property of any type whatsoever caused during the sale of, during the removal, or during use or operation of the purchased item(s). If you are unable to attend, please contact us regarding placing a proxy bid. PLEASE NOTE: ALL SALES ARE SUBJECT TO A BUYER'S PREMIUM.

LODGING

Hampton Inn

(Approx. 1 Miles From Site)
44 First St. SW
Massillon, OH
330.834.1144

Holiday Inn

(Approx. 6 Miles From Site)
4520 Everhard Rd. NW
North Canton, OH
330.494.2770

Four Points By Sheraton

(Approx. 7 Miles From Site)
4375 Metro Cir. NW
Canton, OH
330.494.6494

PROXY BID

Can't attend the auction in person?
Submit a proxy bid and we will bid for you. Please contact us at 818.508.7034 for more information. All sales are subject to buyer's premium.

UPCOMING AUCTIONS • WWW.BIDITUP.COM

By Order of Howard B. Samuels. Not Individually But Solely as Assignee of Homak Creditor's Trust

HOMAK MANUFACTURING COMPANY, INC.

1990's Manufacturer of Home Security Products, Tool Boxes & Medical Devices

Thursday, January 27, 2005
Bedford Park, IL

STAR TOOL COMPANY, INC.

Late Model Well Maintained CNC & Manual Tool & Die Shop.

Thursday, February 10, 2004
North Miami Beach, FL



FIRST CLASS PRE-SORT
MAIL U.S. POSTAGE
PAID
PERMIT NO. 32365
LOS ANGELES, CA

11426 Ventura Blvd.
Second Floor
Studio City, CA 91604
Phone - 818.508.7034
Fax - 818.508.3025
info@biditup.com
Steven R. Mattes, Auctioneer
OH Lic. # 63199464389
Industrial Assets, Inc.
OH Firm Lic. #621994654399