

Thursday, May 26, 2005
Beginning at 10:30 AM CST
410 Embry Drive
Leitchfield, KY 42754 USA



THE ROBERT BOSCH TOOL CORPORATION

World Famous State-of-the-Art Saw Blade Manufacturer - Assets No Longer Required in Continuing Operations



- ▼ Electrostatic Paint Lines
- Straight Side Double and Single Crank Presses
- OBI Press
- Press Accessories
- Levelers
- Blade Washers
- Hydraulic Surface Grinders
- **▼** Die Manipulator
- ▼ Vertical Mills
- ▼ Engine Lathes
- Radial Drill
- Vertical and Horizontal Band Saws
- **▼** Drill Presses
- **▼** Grinders
- ▼ H-Frame Hydraulic Presses
- ▼ Finger Brake
- Pipe Threading Equipment
- ▼ Welding Equipment
- Grit Blast & Polish Equipment
- Clean Off Furnace
- **▼** Draw Ovens
- Box Ovens
- Reclamation System
- Packaging
- Inspection Equipment
- Overhead Cranes/Hoists
- Air Compressors/Dryers/Air Handlers
- Dust Collectors
- Rolling Stock
- Miscellaneous & Much More!



ELECTROSTATIC PAINT LINES







PED Contra Flow Electric Dry Off Oven

1996 ELECTROSTATIC PAINT LINE 1

Jordan Composites Stainless Steel 3-Stage Wash System, 32" x 66" Openings, Laars Mighty Therm, 390" Overall Length x 48" Width; PED Contra Flow Electric Dry Off Oven, S/N 0960305, 8-Sided Openings: 11" Top & Bottom Width, 16" Top & Bottom Diagonals, 24" Side Walls, 122" Overall Length, 40" Overall Width; Ransburg Electrostatic Spray Booth, S/N 3000, 96" Wide x 92" Deep, Exhaust System, ARO5500110-C Spray Gun; MDL. 7 x 18 x 7 Flash Tunnel, S/N 4591-1200, 17.5" x 50" Openings; MDL. 2411 x 7 x 810 Infrared Curing Oven, S/N 4591-1200, 17.5" x 50" Openings; Approx. 1,000' Rapid Industries Auto Conveyor, S/N 0927896, Rapid lube, Ransburg High Voltage Control, Fire Detection System, Ransburg Pulse Track Speed Monitor & Control, Eagle Switch



Ransburg Electrostatic Spray Booth



Flash Tunnel and Infrared Curing Oven





L-Shaped 3-Stage Wash System

ELECTROSTATIC PAINT LINE 2

L-Shaped 3-Stage Wash System, 18" x 36" Openings, 54" Width, 19.5' and 24' Outside Lengths, 14.75' and 19' Inside Lengths; Gas Fired Dry Off Oven, (2) 18" x 36" Openings, 199" Overall Length x 68" Overall Width, Electrostatic Spray Booth, S/N N/A, 96" Wide x 92" Deep, Exhaust System, ARO5500110-C Spray Gun; L-Shaped Infrared Flash Curing Oven, 18" x 36" Openings, 85" Width, 15'8" and 31.5' Outside Lengths, 7'8" and 24.5" Inside Lengths. Approx 1,000' Automatic Conveyor Systems



Gas Fired Dry Off Oven



View of Inside Spray Booth



L-Shaped Infrared Flash Curing Oven



BIDITUP™ About BIDITUP AUCTIONS & APPRAISALS WORLDWIDE

BIDITUP is a global leader in asset conversion and provides auction, real estate, and appraisal services to a comprehensive array of markets. Services feature onsite auctions, live BidCast webcast auctions in real time, and online auctions. BIDITUP sells individual or aggregated assets across the globe, 24 hours a day, seven days a week. BIDITUP is headquartered in Los Angeles, California, and has over 20 years of experience. Whether selling an individual asset, inquiring as to the value of business assets, or liquidating an entire operation, BIDITUP prides itself on matching buyers and sellers to maximize value. More information can be found online at www.BIDITUP.com or at (818) 508-7034.

STRAIGHT SIDE DOUBLE CRANK PRESS

1988 400-Ton Bliss Straight Side Double Crank Press, MDL. SC2-400, 96" x 48" T-Slotted Bed and Ram, 8" Stroke, 31.5" Shut Height, 10" Slide Adjustment, Variable Speed 0-100 SPM, Weldotron Safe-Lite Light Curtains. Trend Series 4 Load Guard. Console Control. S/N H-70447

STRAIGHT SIDE SINGLE CRANK PRESS

200 Ton Bliss Straight Side Single Crank Press, MDL. S1-200-33-39, 33" L-R x 39"F-B T-Slotted Bed and Ram, 7"Stroke, 21" Shut Height, 10" Slide Adjustment, 30 SPM, 30" x 58" Ball Bearing Roll Off Table, S/N H33958

OBI PRESS

35 (Ton) Approx. V & O Press Company OBI Press, Cincinnati Counter, S/N 431-125

PRESS ACCESSORIES

1987 Bruderer 21-Roll Power Leveler, MDL. 50600T, 25" Capacity, Feed System, S/N 60025

1990 Coe Power Straightener/Air Feed System, MDL. CF500, 18" Capacity,18 Gauge, Dynapor Control, S/N 2389-1

Special & Automatics Straightener, 12" Capacity

1990 10,000 LB x 42" American Steel Line Motorized Coil Reel, MDL. 1000, S/N 87121189

1991 8,000 LB Dallas Motorized Coil Reel, MDL. DPR 818, 18"W1, 60" OD, 16"-20" ID, S/N 17593

1987 Bruderer 25" Capacity Servo Feed

Hytrol 24" Motorized Scrap Conveyor, MDL. TW, S/N 302654

LEVELERS

1996 Hammerle Leveler, MDL. TRM30/450, 18" Capacity, Push Button Control Module, S/N K530.300

1987 Bruderer 21-Roll Power Leveler, MDL. 50600T, 25" Capacity, Feed System, S/N 60025

Herr-Voss Leveler, MDL. 20-1.750-17-2-RH, 16" Capacity, .135" Max Gauge, .024" Min Gauge, 100 FPM, 40K Yield, Push Button Control, Counter 5/N 23047

BLADE WASHERS

Bilco Eight Brush Conveyorized Blade Washer, MDL. Series 150, 24" Capacity, Rebuilt 1999, 12" In Feed Conveyor with Production Counter, Custom Eight Station Rotary Blade Collection Table, Spare Rollers, Push Button Control, S/N 91239

Bilco Eight Brush Conveyorized Blade Washer, MDL. Series 150, 24" Capacity, Rebuilt 1999, 12" In Feed Conveyor with Production Counter, Custom Three Station Rotary Blade Collection Table, Spare Rollers, Push Button Control, S/N 88208

Bilco Eight Brush Conveyorized Blade Washer, MDL. Series 150, 24" Capacity, Push Button Control

Cleanomat Conveyorized Blade Washer, 18" Capacity, 8-Station Rotary Parts Collector

Cleanomat Conveyorized Blade Washer, 18" Capacity, 6-Station Rotary Parts Collector

Cleanomat Blade Washer, 24" Capacity

HYDRAULIC SURFACE GRINDERS

Nippei-Thompson Hydraulic Surface Ginder, 19.5" x 47.5" Magnetic Chuck, 20" Grinding Wheel Capacity, OS Walker Chuck Control, S/N 4C-68089-N

Okamoto Hydraulic Surface Grinder, MDL. PSG-84, 16" x 32" Kanetsu Magnetic Chuck, 12" Grinding Wheel Capacity, Chucktron 13955F01 Chuck Control, Balancing Attachment, S/N 8487

Clausing Hydraulic Surface Grinder, MDL. 4020, 10" x 15" Walker OS Magnetic Chuck W/Microprocessor, 12" Grinding Wheel Capacity, S/N 17H5934

Chevalier Hydraulic Surface Grinder, MDL. FSG-2A618, 6" x 18" Walker Magnetic Chuck, 8" Grinding Wheel Capacity, Neutrofier II Chuck Control

1994 Akemat Knebel GmbH & Co Adjustable Hydraulic Surface Grinder, MDL.F3, (2) 4" Adjustable Grind Wheels, AKE Terminal Controller, S/N 1963



400-Ton Bliss Straight Side Double Crank Press



American Steel Line Motorized Coil Reel



Bruderer 21-Roll Power Leveler



Bruderer 25" Capacity Servo Feed



200 Ton Bliss Straight Side Single Crank Press



8,000 LB Dallas Motorized Coil Reel



Coe Power Straightener/Feed System

HYDRAULIC SURFACE GRINDERS, DIE MANIPULATOR, VERTICAL MILLS, ENGINE LATHES, RADIAL DRILL, VERTICAL BAND SAWS, HORIZONTAL BANDSAW, DRILL PRESSES, GRINDERS, H-FRAME HYDRAULIC PRESSES, FINGER BRAKE, PIPE THREADING EQUIPMENT



1996 Hammerle Leveler



Harr-Voce Lavalar



Bilco Eight Brush Conveyorized Blade Washer



Cleanomat Conveyorized Blade Washe



Nippei-Thompson Hydraulic Surface Ginder



Okamoto Hydraulic Surface Grinder



1994 AKE Knebel GmbH & Co Grinde



Chevalier Hydraulic Surface Grinder

HYDRAULIC SURFACE GRINDERS (CONT.)

1994 Akemat Knebel GmbH & Co Adjustable Hydraulic Surface Grinder, MDL. U4B, 4" Adjustable Grind Wheel, AKE Terminal Controller, S/N 1988

DIE MANIPULATOR

ITNAC Die Manipulator, MDL. F25TSL, 72" Roll Width, 5,000 LB Capacity, S/N 94-412

VERTICAL MILLS

Sharp Vertical Mill, MDL. VH3, 10" x 50" T-Slotted Table, 4,700 RPM, Mitutoyo Linear Counter, S/N 32958

Lagun Vertical Mill, MDL. FTV-2, 10" x 50" T-Slotted Table, 4,200 RPM, Power Table, Mitutoyo Linear Counter, S/N 32958

Bridgeport Vertical Mill, MDL Series I, 9''x 48''T-Slotted Table, 2 HP, 4,200 RPM, S/N 12BR223541

Wells Index Vertical Mill, MDL. 747, 9" x 47" Table, 1 HP, 2,850 RPM, S/N 16937

ENGINE LATHES

Mazak Engine Lathe, 15" x 84" Bed, 63" Between Centers, 20" Swing Over Bed, 12" 3-Jaw Chuck, 3.25" Bar Capacity, Tail Stock, Numeric Threading

Clausing-Colchester Engine Lathe, 11" x 71" Bed, 47" Between Centers, 15" Swing Over Bed, 10" 3-Jaw Chuck, 2.25" Bar Capacity, Tail Stock, Numeric Threading, Sony DRO, S/N 6/0015/10699

Clausing-Colchester Engine Lathe, 11" x 71" Bed, 47" Between Centers, 15" Swing Over Bed, Quick Change Chuck, 2.25" Bar Capacity, Tail Stock, Numeric Threading, S/N LTR50SILFV/37806

RADIAL DRILL

1989 Sharp Radial Drill, MDL. RD-1230, 20.5" x 25"Table, 11" Column, 48" Arm, 1,500 RPM, 2 HP, MT #4 Taper Spindle, S/N 10409

VERTICAL BAND SAWS

Rockwell Variable Speed Metal Cutting Vertical Band Saw, MDL. 20, 24" 24" Table, 20" Throat, Blade Welder, S/N 1756736

Powermatic Variable Speed Metal Cutting Vertical Band Saw, MDL. 87, 24" x 24" Table, 20" Throat, Blade Welder, S/N 7987159

HORIZONTAL BAND SAW

Wellsaw Horizontal Band Saw, MDL 1000, 20" Capacity, S/N 3962R

DRILL PRESSES

(2) Clausing 22" Floor Type Drill Press, MDL. 2277, 15.5" x 18" Table, S/N 520321, 515119

GRINDERS

Queen Machine Tool 12" Double End Grinder, MDL. 4-F, 2 HP, 750 RPM, S/N 28076

Rockwell 6" Vertical Belt Grinder, MDL. 31-520, S/N GX8831

Baldor 6" Double End Grinder, 34 HP

Double End Vertical Grinder, 2.5" x 12" Grinding Area

H-FRAME HYDRAULIC PRESSES

Dake H-Frame Hydraulic Press, MDL. 5-150A, S/N 148305

15-Ton Jet H-Frame Hydraulic Press, MDL. HP15, S/N 4951

FINGER BRAKE

National Finger Brake, MDL. U4816, 16 Gauge, 48" Capacity, S/N 533-190

PIPE THREADING EQUIPMENT

Rigid Pipe Threader, MDL. 300, Foot Control

Rigid Portable Pipe Threader, MDL. Jam Proot

Rigid Quick Change

Rigid Dies & Handles

Assorted Rigid Pipe Threading Tools & Chucks

WELDING EQUIPMENT

Lincoln IdealArc Welding Power Supply, MDL. DC-250, Lincoln LN-7 Wire Feed, S/N 623959

Lincoln IdealArc Welding Power Supply, MDL. DC-250, S/N 259650

Lincwelder Welding Power Supply, MDL. DC-250, S/N 588207

(8) Acetylene Torches

GRIT BLAST & POLISH EQUIPMENT

(2) 1998 Custom Grit Blast & Dual Polishing Machine, (2) 8" Magnetic Chuck, (2) 8" Polishing Wheel, 3-Staiton Rotary Pick and Place System, Cyclone Hoppers, PSV2 Electrical Panels, S/N 1787, N/A

(3) Custom Grit Blast System, 32" Wide x 24" High x 24" Deep Blast Cabinet, Pick and Place System, (2) W/CTC Control, (1) W/MMI 240 Control, Cyclone Hopper

(2) Fully Automated Custom Rotary Polish System, (2) 3 HP 8" Polishing Wheel Stations, 8-Station Pick and Place System W/Collection Table, Dust Collection System, Push Button Control

Custom 6-Staion Rotary Pick and Place System, (2) 3-Station Rotary Tables, Dorner 2100 Series 12" Motorized Feed Conveyor, (2) Turn-Act B2931C-GR12 Pneumatic Pick and Place Arms, Push Button Control

1984 Progressive Blasting System, 30" Wide x 26" High x 24" Deep Blast Cabinet, S/N 6678

CLEAN OFF FURNACE

Controlled Pyrolysis Cleaning Furnace, MDL. PVR883400, Gas Fired, 300,000 Btu, 40" Wide x 44" High x 48" Deep, Honeywell Control

DRAW OVENS

(3) Lindberg Draw Ovens, MDL. 12/EG/3336-12, Max Temp 1,250 Degrees F, 44" x 39" Diameter, Weight Plates, Dual Cooling Tanks, S/N 24664, 23705, N/A

BOX OVENS

Lucifer Box Oven, MDL. 7022H, 2,300 Degree F Max Temp, Deep, 480v, 60Hz, 3-Phase, S/N 4667

Lindberg/Blue Box Oven, MDL. BF51794C, 1100 Degree C Max Temp, S/N R03H-376105-RH

RECLAMATION SYSTEM

Hydro Flo Inc. Carbide/Diamond Reclamation System, MDL. HVE-840, S/N 90577

Conrec Sludge Dryer, MDL. 26056E, S/N 98479

PACKAGING

1997 IPM Pallet Wrapper, MDL. 20/20 Series, Uni-Tension Film Feeder, OIS15 Digital Control, 15 Rolls of Film, S/N 96-4544

(5) StraPack Semi Automatic Strapping Machines, MDL. D52, S/N 22883118, 14568407, 29441119, 22839118, 18416108

StraPack Semi Automatic Strapping Machine, MDL. D-53, S/N 58301601

Ideal Stitch Company Wire Stitcher, MDL. IB-1240, Foot Control, S/N A-22196

Interlake Inc. Wire Stitcher, MDL. HF25P, Foot Control, S/N B31087

Interlake Inc. Wire Stitcher, MDL, H12P, Foot Control, S/N B26176

INSPECTION EQUIPMENT

(3) Custom Saw Blade Testing Systems, DVT 630 Smart Image Sensor, Advanced Illumination Thin Lite, Pneumatic Pick and Place System **Fowler Digital Micrometers**

Jones & Lamson 14" Optical Comparator, MDL. EPIC-214, 8" x 32" Table, Upright & Side Stands, Quadra-Chek 2000 Control, S/N E-43057

Jones & Lamson 14" Optical Comparator, MDL. EPIC-214, 8" x 32" Table, Fixed Scale Rotating Scale, Upright & Side Stands, S/N 1044809532



ITNAC Die Manipulato







Bridgeport Vertical Mill



Wells Index Vertical Mill



Mazak Engine Lathe























Fully Automated Custom Rotary Polish System



INSPECTION EQUIPMENT, OVERHEAD CRANES/HOISTS, AIR COMPRESSORS/DRYERS/AIR HANDLERS





Controlled Pyrolysis Cleaning Furnace









Lindberg/Blue Box Oven

Lindberg Draw Ovens







Conrec Sludge Drye







Custom Saw Blade Testing Systems











15,000 LB A-Frame Bridge Crane System







200 HP Quincy Rotary Screw Air Compressor, MDL. Q1000



100 HP Quincy Rotary Screw Air Compressor

INSPECTION EQUIPMENT (CONT.)

Jones & Lamson 14" Optical Comparator, MDL. BC-14

Starrett Calipers

Starrett Micrometers

Precision Block Sets

Starret Precision Levels

OVERHEAD CRANES/HOISTS

1990's 15,000 LB A-Frame Bridge Crane System, 7.5-Ton P&H Ready Lift, 2-Ton P&H Ready Lift, 10' Span, 20" Run

1990's 3-Ton P&H Over Head Bridge Crane, Double Girder 6,000 LB Capacity Bridge, 22' Span, 100' Run

3-Ton Yale Electric Hoist

3-Ton Coffing Electric Hoist

Budgit 3-Ton Electric Hoist

2-Ton Budget Electric Hoist

1-Ton Lynx Electric Hoist W/Lifting Chains

1/2 Ton Demag Jib Hoist

AIR COMPRESSORS/DRYERS/AIR HANDLERS

(2) 1998 200 HP Quincy Rotary Screw Air Compressor, MDL. QSI1000, S/N 90742H, 94176H

(2) 200 HP Quincy Rotary Screw Air Compressor, MDL. Q1000, Auto Dual Control, S/N 35269, 38082

(2) 100 HP Quincy Rotary Screw Air Compressor, MDL. Q490, S/N QSI490ACA332224, N/A

Joy Rotary Screw Air Compressor, MDL. 265, S/N 130530

Airtek Refrigerated Air Dryer, MDL. AR650, S/N 8702561

Zurn Refrigerated Air Dryer, MDL. R-200A, 1,000 SCFM @ 100 PSIG, S/N R-17868

Zeks Refrigerated Air Dryer, MDL. PRA1000A4, S/N 127427-M198

1996 Zeks NC Series Air Dryer, MDL. 1000NCDA400, S/N 108367-N

Hankison Air Dryer, MDL. 801200, 5 HP, 1,200 SCFM @ 100 PSIG, S/N 0314A-3-8709-009

Kellogg American Inc. Air Dryer, MDL. D16A, 1,000 SCFM @ 100 PSIG, 150 PSIG Max Pressure, S/N 870806

(2) 1,000 Gallon Compressed Air Reservoir System, Drain Master Timed Drain Valve, ConservAir E-Series Control Unit

1,000 Gallon Compressed Air Reservoir, Drain Master Timed Drain Valve

1,000 Gallon Roben Compressed Air Reservoir, S/N 87516-1

(3) 500 Gallon Compressed Air Reservoir, Drain Master Timed Drain Valve

1998 Penway Compressed Air Reservoir, S/N A11098

Carrier Air Filtration Unit, MDL. 39TVWPAB-6-BJS-AA, 16"x 20"x 2" Filter Size, S/N 3701F11466

Carrier Weather Master Split System Series, MDL. 38AH-0340610AA, Skid Mounted, S/N 5200F53512

Carrier Split System, MDL. 566DEX180000AA, S/N 2296F09942

Carrier MDL. 38AE044610, Skid Mounted, S/N U699529

(5) Lennox MDL. HS17-1353-56, S/N 5695F03939, 5694G12298, 5695F03938,5695F03941,5694G12323

Air Handler, MDL. BCS-222, 2587 Max RPM, Magnehelic Pressure Gage, Cuttler Hammer Switch, S/N 934107K-1

Air Handler, MDL. 40RR044001, S/N E395352

Lennox Ceiling Hung Air Conditioning Units

DUST COLLECTORS

1999 Torit Donaldson Down Flo Dust Collector, MDL. DFT4-32, 32-Filter System. 40 HP. S/N IG553225-001

1998 Torit Donaldson Down Flo Dust Collector, MDL. DFT3-12, 12-Filter System, S/N IG507129-001

ROLLING STOCK

1995 Toyota Fork Lift, MDL. FGC45, 9,880 LB Capacity, LPG, Hard Tires, Side Shift, 185" Max Lift Height, S/N FGC45-12208

1992 Toyota Fork Lift, MDL. 5FBC30, 5,100 LB Capacity, Electric, Hard Tires, Side Shift, 185" Lift Height, S/N 10041

1990's Clark Fork Lift, MDL. GPS20MB, 3,700 LB Capacity, LPG, Hard Tires, Side Shift, 173" Max lift Height, S/N GP138MB02746925KOF

Prime Mover Stand Up Fork Lift, MDL. RC40B, 3,730 LB Capacity, Electric, Hard Tires, 189" Height Capacity, S/N RC40B362

Chevy Van Truck, MDL Cheyenne 3500, LynCoach Van Cover 12'L x 7'W x 91"T, 83,551 Miles, VIN# 1GBHC34K8LE151669

Dayton 5,500 LB Pallet Jacks

Big Joe Hydraulic Lift Carts, MDL. 1056, 1,500 LB Capacity

Presto Die Lift Carts, 1,000 LB Capacity

Wesco Die Lift Carts, MDL. ESPL-60-2424-3W235

MISCELLANEOUS

Hundreds of 1/2-40 HP Electric Motors, Hundreds of Rolling and Stationary A-Frame Material Racks, Parts Racks and Scrap Hoppers, Tons of Steel Scrap, Plastic Carts, AO Smith 119 Gallon Industrial Water Heater, GNB Battery Charger, MDL. FER 100, Yellow Bellied Sump Sucker, Master Channel Sump Sucker, Ameriwater DI Water System, 80,000 LB Trailer Stabilizing Jacks, GSE Floor Type Digital Scale, MDL. 574, 5' x 5' Weighing Platform, S/N 110655, Citation Kerosene Pressure Washers, Compressed Nitrogen Tanks, Endress + Hauser HygroTwin 2850's, Overhead Fans and Air Conditioning Units, Hobart Battery Chargers, Motorized Conveyors, Roll Off Dumpsters Portable Lights, 50 Gallon Barrels, Oil Pumps, Push Button Flush heads, Belts, Solvent Cans, Wire Baskets, Oil Barrels, Spare Compressor Parts, Schaffer Versa Cool Shop Fans, Floor Mats, Jib Rigs, Walker Demagnetizer MDL. AXM7167-718, Magna Lock Demagnetizer MDL. HC-9, Cylinder Hones, Famco Arbor Press, MDL. 3 ½ R, 12" Troyko Rotary Table, Rotary Machine Vises, Alloris Tool Posts, Electric Jig Grinder, Bridgeport Grinding Attachments, American Aero Star Quick Change, Dividing Heads, Milling Heads, 3,4,6-Jaw Chucks, Indexing Heads, Collets, Counter Sinks, Letter & Number Stamps, Melting Pots, Drills, Reamers, Allen Wrenches, Wrenches, Tap & Die Sets, Diamond Wheels, Collets, Grinding Wheels, Bench Vises, Pipe Clamps, L-Squares, Mallets, Heavy Duty Snips, Snips, Reamers, Collets, Pipe Balances, 1/4" Hand Punch, 7-Drawer Tool Chests, Stanley Vidmar 9-Drawer Tool Chests, Root Adapter Modules, ITE Enclosed Switches, Siemens 120V Enclosed Switches, Square D Heavy Duty Safety Switches, Cuttler Hammer Transformers, Square D 480 V Transformers and Switches, Pallets of Corrugated Flats and Boxes, Shred-It Mobile Recycling Bins, Fogel Commercial Refrigerator, Pneumatic Hoses & Work Stations, Battery Chargers, Oil Seals, Pneumatic Hose, Wall Air Conditioning Units, Blue Print Cabinets, Welding Masks, Shovels, Parts Racks, Material Racking, Aluminum Ladders, Hilman Machine Rollers, Banding Carts, C-Clamps, Custom Saw Blade Testers, Graco Pressure Valves, Fuses, Bearings, Seals, Switches, Hose Clamps, Rivet Anchors, Regulators, Nuts, Clamps, Filters, Brackets, Bushings, Polish Arbors, Seal Kits, Retainer Nuts, Relays, Heater Elements, 3-Prong Plugs, Washers, Batteries, Copper Tubing, Hand Saws, Pipe Straps, Capacitors, Ball Joints, Elbows, Tees, Hose Fittings, Timers, Bearings, O-Rings, Alloy Steel Sockets, Caps, Washers, Bolts, Connectors, Brass Valves & Tees, Reducers, Unions, Socket Screws, Parts Bins & Storage, Rolls of Coated Electrical Wire, Overhead Electrical Cords, Fanuc Series Three Programmable Controllers, Fanuc Series 90-30 Standard Power Supplies, Fanuc Series One Plus CPU's, Fanuc 24 V Inputs, Fanuc RS232 Adaptor Units, ATC 328 Time Delay Relays, Turbo Braze Air Regulators, ISSC IPC 90's, Schiele S 400's, GE 115 V Inputs, Rolling Staircases, Steel Benches, Foreman's Desks, Vertical File Cabinets, Two Door Vertical Cabinets, Drafting Benches, Steel Desks, Over Head Projection Screens, Employees Lockers & Cubbies, Fire Extinguishers, Time Card Racks, Time Card Clocks, Legitronic 140XiIII Bar Code Printers, Printers, Keyboards, Telephones, Mitutoyo Mini Processors, Personal Computers, Office Chairs, Waste Baskets, Cafeteria Tables, First Aid Kits, Stretchers, Breathing Apparatuses, Gloves, Mops, Brooms, Buckets



Airtek Refrigerated Air Dryer



Zeks NC Series Air Dryer



1,000 Gallon Compressed Air Reservoir System



Air Handler



Carrier Air Filtration Unit



Carrier Weather Master Split System Series



Torit Donaldson Down Flo Dust Collector



Torit Donaldson Down Flo Dust Collector



Toyota Fork Lift



Toyota Fork Lift



Clark Fork Lift



Chevy Van Truck



Lincoln IdealArc Welding Power Supply



Sump Sucker



Lathe Collets



crap & Material Racking



om Equipment



ell PC



LIVE ON-SITE & WEBCAST AUCTION

THE ROBERT BOSCH TOOL CORPORATION

Assets No Longer Required in Continuing Operations

AUCTION

Thursday, May 26, 2005 Beginning at 10:30 AM CST

PREVIEW

Wednesday, May 25, 2005 9:00 AM to 4:00 PM CST

LOCATION

410 Embry Drive Leitchfield, KY 42754 USA

TERMS & CONDITIONS

Sale Conducted by: BIDITUP, Subject to our customary terms of sale, (Available at the auction site on the day of the sale), and any and all amendments and modifications announced by the auctioneer at the time of the auction. The auctioneer and seller make no warranties or guarantees, expressed or implied, as to the defects in or the correctness or accuracy of the descriptions in any advertising of any item(s) being auctioned and will not be responsible for any advertising discrepancies or inaccuracies of any kind. All items sold will be on an "AS IS," "WHERE IS," and "WITH ALL FAULTS," basis "WITHOUT EXCEPTION" and "WITH REMOVAL AT BUYER'S RISK AND EXPENSE", AUCTIONEER AND SELLER MAKE NO WARRANTIES OR GUARANTEES OF ANY KIND, EXPRESSED OR IMPLIED AS TO THE NATURE, QUALITY, VALUE OR CONDITION OF THE ITEM(S) BEING AUCTIONED OR ITS (THEIR)SUITABILITY FOR ANY USE. AUCTIONEER AND SELLER EXPRESSLY AND SPECIFICALLY DISCLAIM WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. AUCTIONEER SHALL NOT BE LIABLE FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL DAMAGES. It shall be the buyer's obligation to verify information and descriptions of property prior to sale. BIDITUP, and its advertising agency assume no liability for errors or omissions in this brochure. The auctioneer does not warrant the age, accuracy, genuineness, authenticity, description, weight, count or measure of any listings specified herein. Although it is not likely, auction sales are subject to cancellation or postponement, and sometimes items are withdrawn from the sale, $kindly \ contact \ BIDITUP, prior to \ travel \ as \ there \ will \ be \ no \ reimbursements. On the \ day of the \ sale, all \ successful \ bidders \ must immediately \ pay$ the full purchase price in cash, certified funds, cashiers check, wire transfer or company check with a letter from the buyer's bank guaranteeing unqualified payments to BIDITUP. This letter is valid until 30 working days after the auction sale. Company checks without letter from bank guaranteeing unqualified payment will not be accepted. The failure to make payment promptly shall be considered default and each lot or lots so purchased will be placed for resale. The buyer must pay the total invoice price for all the lots purchased before any removal can begin. All buyers must pay applicable sales tax (unless evidence of exemption is provided to auctioneer's satisfaction). Buyers are responsible for the transportation, associated costs and risks involved in the removal of purchased item(s). Certain items may contain residual chemicals and/or hazardous materials. The purchaser(s) hereby indemnify and hold harmless the auctioneer and seller from any and all damages, claims or liability from any injuries to persons or property of any type whatsoever caused during the sale of, during the removal, or during use or operation of the purchased item(s). If you are unable to attend, please contact us regarding placing a proxy bid. PLEASE NOTE: ALL SALES ARE SUBJECT TO A BUYER'S PREMIUM

LODGING

Holiday Inn Hotel

(Approx. 36 Miles From Site) 1058 N. Mulberry Street Elizabethtown, KY 270.769.2344

Ramada Inn

(Approx. 36 Miles From Site) 108 Commerce Drive Elizabethtown, KY 270.769.9839

Howard Johnson

(Approx. 36 Miles From Site) 209 Commerce Drive Elizabethtown, KY 270.769.9616

DIRECTIONS

From: Addington Field Airport – Elizabethtown, KY (Approx. 31 Miles From Auction Site)

Start out going east on Kitty Hawk Drive toward Ring Road for ½ mile. Turn right on Ring Road for 1.5 miles. Turn slight right onto US-62 West/Leitchfield Road and continue to follow US-62 West for 10 miles. Turn left onto KY-84. Turn right onto ramp. Merge onto Wendell H. Ford Western Kentucky Parkway West for 16.2 miles. Take the KY-259 exit, Exit 107, toward Brownsville/Leitchfield for .2 miles. Turn left onto KY-259/South Main Street for .8 miles. Turn slight right. Turn slight right onto US-62/KY-259/North Main Street for .2 miles. Turn right onto US-62/Mill Street for .3 miles. Turn left onto KY-920/Salt River Road for .4 miles. Turn left onto Embry Street. End at 410 Embry Drive and watch for auction signs.

From: Louisville Intl. Airport -Standiford Field (SDF) (Approx. 73 miles from Auction Site)

Go south on Terminal Drive, go straight. Turn right onto Airfreight Drive, then make a left onto Martha Moloney Drive, right onto Crittenden Drive. Take the I-264 E/Watterson Expressway ramp toward I-65. Merge onto I-65 South toward Nashville/US-61. Take the WK Parkway West exit- Exit 91- toward Owensboro/Paducah. Merge onto Wendell H Ford Western Kentucky Pkwy West. Take the KY-259 exit- exit 107- toward Brownsville/Leitchfield. Turn left onto KY-259/S Main Street. Turn Slight Right. Turn Slight Right onto US-62/KY-259/N Main Street. Turn right onto US-62/Mill Street. Turn left onto KY-920/Salt River Road. Turn left onto Embry Street. End at 410 Embry Drive and watch for auction signs.

UPCOMING AUCTIONS

INTERSTATE LITHO CORP.
Complete State-of-the-Art Printing Plant:
Web Presses, Sheet-Fed Presses, Bindery, and Prepress
Wednesday, May 18, 2005
Brentwood, NY USA

Excess Assets of RUTHERFORD CAN MACHINERY Business Moving Operations Out of State Thursday, May 19, 2005 East Rutherford, NJ USA

BIDITUP AUCTIONS & APPRAISALS WORLDWIDE WWW.BIDITUP.COM



WEBCAST

Can't attend the auction in person? You can participate and bid in real time via the Internet. Preview assets with detailed digital photos, lot catalogs, and in-depth descriptions. For more information, visit www.BIDITUP.com. Please note, all webcast participants must submit a 25% deposit and signed registration forms no later than 24 hours before a sale.



11426 Ventura Blvd Second Floor Studio City, CA 91604 Phone - 818.508.7034 Fax - 818.508.3025 info@biditup.com ASA Marshall, Auctioneer KY License #RP07050