

Tuesday, August 30, 2005 Beginning at 10:30 AM PST 1117 W. Fairmont Drive Tempe, AZ 85282, USA



Can't attend the auction in person? Bid live on WWW.BIDITUP.COM





Assets No Longer Required By

# **DYNAMIC DETAILS, INC.** World Class Manufacturer Of Printed Circuit Boards

- Shearing And Beveling Line
- Chemical Line
- Drills
- Routers
- Panel Shear
- Loaders/Unloaders
- AOI Inspection
- Printing
- Plotters

- Tacky Rolls/Panel Cleaners
- Presses
- Press Accessories/Material Handling
- Pneumatic Stampers
- Punch
- Preheaters
- Ovens
- Welders
- Oxide Lines

- Air Handling
- Boilers
- Cooling Towers
- Fume Scrubber
- Chlorine Vaporizer
- Waste Water
- Lab Equipment
- Quality Control
- And Much More!

# BIDITUP AUCTIONS & APPRAISALS WORLDWIDE

### SHEARING AND BEVELING LINE, CHEMICAL LINE, DRILLS, ROUTERS, PANEL SHEAR, LOADERS/UNLOADERS, AOI INSPECTION, PRINTING, PLOTTERS, TACKY ROLLS/PANEL CLEANERS, PRESSES, PRESS ACCESSORIES/MATERIAL HANDLING



Shoda Shearing & Beveling Line



ATI Four Spindle Router



Multiline Post Lamination Drilling Machine



Mark VI Drilling Machine



ORC Exposure Unit, MDL. OB7120



Orbotech Scanner, MDL. PC-1450

#### SHEARING AND BEVELING LINE

Shoda Autoloader, MDL. MTN-700PA, S/N 103255 Shoda Unloader, MDL. TC-700P, S/N 103325

Shoda Auto Panel Shearing & Beveling Machine, MDL. MCF-700, S/N 103081

Shoda Stacker, MDL. UTF-700, S/N 103351
DRILLS
Excellon Mark VI 4-Head Drilling Machine, 230 V, 1 Phase, 22 AMP, S/N 105
(2) Multiline X-Ray Post Lamination Drilling Machine, MDL. OPL, S/N OPL-0027, OPL-0021
<ul> <li>1999 Hitachi Single Spindle Drilling Machine, MDL.ND-1V211E/105, 125,000 RPM Spindle, 22" X 24"</li> <li>Work Area, 20 Panel Auto Loader, H-Mark-10V Numerical Control System, Xeroaqua G-Series</li> <li>Refrigerated Air Dryer, S/N K110929031 To Be Sold Via Photograph, Located In Southern CA, Call For Inspection</li> </ul>
ROUTERS
ATI Four Head Router, MDL. 425, S/N 021
PANEL SHEAR
Multiline X-Ray Panel Shear, MDL. XRS, S/N 09489
LOADERS/UNLOADERS
Wand - Horizontal Panel Loader, MDL. HVL-SF90NS2, S/N E3959
Wand - Horizontal Panel Loader, MDL. MTN-700PA
Amtech - Loader/Slip Sheeter
(2) ESI Panel Unloader/Indexer
(2) Wand 75° Panel Stacker, MDL. LS75-W, S/N 7914, 7913
Wand 75° Panel Stacker, MDL. VS-75-NS2, S/N E3960
AOI INSPECTION
(6) Orbotech Scanner, MDL. PC-1450, S/N SR47C, SR5105, SR6220, SR7229, SN368, S948B
Orbotech Scanner, MDL. PC-1132S, S/N S902C
(4) Orbotech Verifier, MDL. VRS-4I, S/N VR5313, VR5424, VR5105, VR8204
(2) Orbotech Verifier, MDL. VRS-3I, S/N VS5405, VS5406
Orbotech Verifier, MDL. VRS-3, S/N V936C
Orbotech Verifier, MDL. VRS-2, S/N 243-080
PRINTING/EXPOSURE UNITS
(3) ORC Exposure Units, 6 KW
(4) ORC Dry Film Exposure Unit, MDL. HMW 401, 1/2 Sheet, 480 V, 50 AMP, 4 KW, S/N 17495, 17183, 14715, 14716
ORC Exposure Unit, MDL. OB7120, S/N TD 00291
(3) Hi-Tech Exposure Unit, MDL. HTE3000NEL, S/N 687, 976
Hi-Tech Exposure Unit, MDL. HTE106S, S/N 957
Hikato Cutsheet Laminator MDL. 1500 B
PLOTTERS
Orbotech Laser Plotter, MDL. LP 5008 E, S/N P164
Orbotech Artwork Plotter, MDL. I-5008X, S/N P124
TACKY ROLLS/PANEL CLEANERS
Teknek 30" Tacky Roll Panel Cleaner, MDL. XCM1500P, 120V, S/N 3641
(2) Western Magnum 24" Tacky Roll Panel Cleaner, MDL. SC24GB4/40, 120 V, 2 AMP, S/N 178, 176
(2) Western Magnum Panel Cleaner, MDL. SC-24FB40/40, S/N 177, 179
(2) Dynachem Panel Cleaner, MDL. Ultracleaner 100
Teknek 30" Panel Cleaner, MDL. CM40600RM1221, 120 V, S/N 3971
Microklean Tacky Roll Panel Cleaner, MDL. MKILD
Curtin Hebert Caul Plate Washer, MDL. 835A12, S/N 0996
PRESSES
(3) French Oil 10-Opening Hydraulic Steam Press
Pacific Press 10-Opening Hydraulic Steam Press
(2) French Oil 6-Opening Hydraulic Steam Press
(2) Lauffer 7 Opening Cold Press
PRESS ACCESSORIES/MATERIAL HANDLING
American Lifts Load Lift, MDL. PB-48-015, S/N 96836-2
American Lifts Unload Lift, S/N 96836-1
Multi Ton Portable Lift, MDL. SM-2062, S/N 08118191100
Olympic Press Load Scissor Lift, MDL. OMS3060205, S/N 1858
Pathex Press Unload Scissor Lift, MDL. 5387-001, S/N 5387
Crown Prepreg Roll Lift, MDL. L5BT, S/N 33453
Lee Engineering Portable Lift, MDL. B766-2000-MOD, 2,000 LBS, S/N 102397-02
(4) CTI Scissor Lift
Pathex Press Load Boom, S/N 5387-001
Lauffer Hot Press Boom, Lauffer Cold Press Boom
CTI Core Press Loading Boom

TO SCHEDULE AN AUCTION OR APPRAISAL, CALL 818.508.7034

Tadco H.T. Plate Handler/Storage (2) Pathex Press Unload Cart

Lauffer Load Cart Lauffer Unload Cart

CTI Core Press Load Cart CTI Core Press Unload Cart

PRESS ACCESSORIES/MATERIAL HANDLING, PNEUMATIC STAMPERS, PUNCH, PREHEATERS, OVENS, WELDERS, OXIDE LINES, AIR HANDLING, BOILERS, COOLING TOWERS, FUME SCRUBBER, CHLORINE VAPORIZER, WASTE WATER, LAB EQUIPMENT, QUALITY CONTROL

### PRESS ACCESSORIES/MATERIAL HANDLING (CONTINUED...)

(4) CTI Press Load Cart
CTI Press Shuttle Cart
(2) CTI Press Teg Arm
CTI - N & P Press Motorized Conveyor
(2) G&S Industries Covered Panel Conveyor, 30" x 3', 120 V.
Kuttler - Conveyor w/ Bridge, MDL. CB-800, S/N 1522/1521
Wolsiffer Press Control System

#### **PNEUMATIC STAMPERS**

(2) RMT Manual Pneumatic Stamper, MDL, 12VSG, S/N A2033, A1679 PUNCH

CA Piccard Prepreg Sheet Punch PREHEATERS

Hakuto Inner Layer Pre Heater, 220 V., MDL. HRP800, S/N PRH-27	

#### **OVENS**

(3) EJ Calihan 500° Walk In Panel Bake Oven, MDL, 6610, 480 V, 3 PH, S/N 4183, 6610, 3182

#### WELDERS

Branson Ultrasonic Welder, MDL, 910IW, S/N YE50173G

(2) Branson Ultrasonic Welder, MDL. 8400, S/N WT80173K, WT80817K

**ETCHING LINE** 

2002 Technica Cupic Etching Line, Chlorate Regeneration Etchmaster, S/N 0961474 (Never Used, Crated and Ready For Transport) To Be Sold Via Photograph, Located In Southern CA, Call For Inspection

#### **CHEMICAL CLEAN LINE**

2002 Technica Chemical Clean Line, 24", 2-Step, S/N 0961473 (Never Used, Crated and Ready For Transport) To Be Sold Via Photograph, Located In Southern CA, Call For Inspection

#### **OXIDE LINES**

MacDermid Hollmuller Alternative Horizontal Oxide Line, 30", 3 M/Min., S/N T3-7561-98130 Finishing Services 24" Horizontal Oxide Line, MDL. C24, 5 FT./MIN, 480 V, S/N J980915 Macdermid DES Horizontal Oxide Line

#### 

Carrier Chiller Unit, MDL. 30HWB035-A-600KA, 460 V, 3 Phase, 38 AMP, S/N 0298F16754 Trane MDL. RTAA1004XL01A3CGN, 460/60/3, 214 AMP, S/N U00L05235 (2) Trane Air Handler (2) Trane Air Handler Setup, MDL. MCCA006UB000A000N, S/N K99G38908N, K99G38946N (3) Cell Air, MDL. E22160, S/N 22430, 22431 Heatcraft INC. 5 HP Air Handler Setup, S/N D98D10319 Pneumatech Descianat Air Dryer, MDL. EH-150, 150 SCFM, 115 V, S/N 9705-5126556-83493 (2) York 2 Stage A/C, MDL. H1CE180A468, S/N NHDM072260, NHDM072259 (3) York A/C G1 Print, MDL. DLCIE120E01846A, S/N NAXM026304, NAXM026303, NAXM026305 (2) York A/C G1 Print, MDL. B3CH060A46C, S/N NGEM08326, NHEM099107 York A/C G1 Print, MDL. B3CH060A46E, S/N NCDM025567 (2) York A/C G1 Print, MDL. B3CH060A46B, S/N NCDM025567 (2) York A/C Layup and Setup, MDL. D4CE048A46A, S/N NKM085068, NGKM085603 (2) York A/C Layup and Setup, MDL. D2CE060A46E, S/N NCM110338 York A/C Layup and Setup, MDL. D2CE060A46E, S/N NKBM083742, NMBM083744 York A/C Layup and Setup, MDL. D2CE060A46E, S/N NKBM064273 York A/C Layup and Setup, MDL. D3CE060A46B, S/N NKBM085007 York A/C Layup and Setup, MDL. D3CE060A46B, S/N NKBM083741 BDP A/C Layup and Setup, MDL. D3CE060A46B, S/N NKBM083741 BDP A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741 BDP A/C Layup and Setup, MDL. D559EXO48000AAE, S/N 1183C80041 Goodman A/C Layup and Setup, MDL. PH060-1C, S/N 9704015714 <b>BOILERS</b> Betrams Konus Hot Oil Boiler, MDL, KHO, 315/25, S/N 119478000 Cleaver Brooks 250 PSI Steam Boiler, MDL, CB-1-700-200 LE, S/N L-94382, L-94381 <b>COOLING TOWERS</b> RSD Cooling Tower, MDL, RSD 150, S/N 95289 LBC Cooling Tower, MDL, LBC-150
<ul> <li>(2) Trane Air Handler</li> <li>(2) Trane Air Handler Setup, MDL. MCCA006UB000A000N, S/N K99G38908N, K99G38946N</li> <li>(3) Cell Air, MDL. E22160, S/N 22430, 22431</li> <li>Heatcraft INC. 5 HP Air Handler Setup, S/N D98D10319</li> <li>Pneumatech Descianat Air Dryer, MDL. EH-150, 150 SCFM, 115 V, S/N 9705-5126556-83493</li> <li>(2) York 2 Stage A/C, MDL. H1CE180A468, S/N NHDM072260, NHDM072259</li> <li>(3) York A/C G1 Print, MDL. DICE120E01846A, S/N NAXM026304, NAXM026303, NAXM026305</li> <li>(2) York A/C G1 Print, MDL. B3CH060A46E, S/N NGEM08326, NHEM099107</li> <li>York A/C G1 Print, MDL. B3CH060A46E, S/N NCDM025567</li> <li>(2) York A/C Layup and Setup, MDL. D4CE048A46A, S/N NGKM085068, NGKM085603</li> <li>(2) York A/C Layup and Setup, MDL. D2CE060A46E, S/N NKBM083742, NMBM083744</li> <li>York A/C Layup and Setup, MDL. D2CE060A46E, S/N NKBM064273</li> <li>York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741</li> <li>BDP A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741</li> <li>BDP A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741</li> <li>BDP A/C Layup and Setup, MDL. PH060-1C, S/N 97004015714</li> <li>BOILERS</li> <li>Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000</li> <li>Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381</li> <li>COOLING TOWERS</li> <li>RSD Cooling Tower, MDL, RSD 150, S/N 95289</li> </ul>
<ul> <li>(2) Trane Air Handler Setup, MDL. MCCA006UB000A000N, S/N K99G38908N, K99G38946N</li> <li>(3) Cell Air, MDL. E22160, S/N 22430, 22431</li> <li>Heatcraft INC. 5 HP Air Handler Setup, S/N D98D10319</li> <li>Pneumatech Descianat Air Dryer, MDL. EH-150, 150 SCFM, 115 V, S/N 9705-5126556-83493</li> <li>(2) York 2 Stage A/C, MDL. H1CE180A468, S/N NHDM072260, NHDM072259</li> <li>(3) York A/C G1 Print, MDL. DICE120E01846A, S/N NAXM026304, NAXM026303, NAXM026305</li> <li>(2) York A/C G1 Print, MDL. B3CH060A46C, S/N NGEM08326, NHEM099107</li> <li>York A/C G1 Print, MDL. B3CH060A46B, S/N NCDM025567</li> <li>(2) York A/C Layup and Setup, MDL. D4CE048A46A, S/N NGKM085068, NGKM085603</li> <li>(2) York A/C Layup and Setup, MDL. D3CE060A46C, S/N NCXM10338</li> <li>York A/C Layup and Setup, MDL. D2E060A46C, S/N NKBM083742, NMBM083744</li> <li>York A/C Layup and Setup, MDL. D2E060A46C, S/N NKBM064273</li> <li>York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741</li> <li>BDP A/C Layup and Setup, MDL. D52E0480258, S/N NIBM083741</li> <li>BDP A/C Layup and Setup, MDL. D52E060A468, S/N 1183C80041</li> <li>Goodman A/C Layup and Setup, MDL. PH060-1C, S/N 97004015714</li> <li>BOILERS</li> <li>Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000</li> <li>Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381</li> <li>COOLING TOWERS</li> <li>RSD Cooling Tower, MDL, RSD 150, S/N 95289</li> </ul>
<ul> <li>(3) Cell Air, MDL. E22160, S/N 22430, 22431</li> <li>Heatcraft INC. 5 HP Air Handler Setup, S/N D98D10319</li> <li>Pneumatech Descianat Air Dryer, MDL. EH-150, 150 SCFM, 115 V, S/N 9705-5126556-83493</li> <li>(2) York 2 Stage A/C, MDL. H1CE180A468, S/N NHDM072260, NHDM072259</li> <li>(3) York A/C G1 Print, MDL. DICE120E01846A, S/N NAXM026304, NAXM026303, NAXM026305</li> <li>(2) York A/C G1 Print, MDL. B3CH060A46C, S/N NGEM08326, NHEM099107</li> <li>York A/C G1 Print, MDL. B3CH060A46B, S/N NCDM025567</li> <li>(2) York A/C Layup and Setup, MDL. D4CE048A46A, S/N NGKM085068, NGKM085603</li> <li>(2) York A/C Layup and Setup, MDL. D3CE060A46C, S/N NCXM110338</li> <li>York A/C Layup and Setup, MDL. D3CE060A46C, S/N NCXM110338</li> <li>York A/C Layup and Setup, MDL. D4CE048A23A, S/N NKBM064273</li> <li>York A/C Layup and Setup, MDL. D4CE048A23A, S/N NKBM083741</li> <li>BDP A/C Layup and Setup, MDL. D52E060A46B, S/N NMBM083741</li> <li>BDP A/C Layup and Setup, MDL. P060-1C, S/N 97004015714</li> <li>BOILERS</li> <li>Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000</li> <li>Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-1-700-200 LE, S/N L-94382, L-94381</li> <li>COOLING TOWERS</li> <li>RSD Cooling Tower, MDL, RSD 150, S/N 95289</li> </ul>
Heatcraft INC. 5 HP Air Handler Setup, S/N D98D10319         Pneumatech Descianat Air Dryer, MDL. EH-150, 150 SCFM, 115 V, S/N 9705-5126556-83493         (2) York 2 Stage A/C, MDL.H1CE180A468, S/N NHDM072260, NHDM072259         (3) York A/C G1 Print, MDL. DICE120E01846A, S/N NAXM026304, NAXM026303, NAXM026305         (2) York A/C G1 Print, MDL. B3CH060A46C, S/N NGEM08326, NHEM099107         York A/C G1 Print, MDL. B3CH060A468, S/N NCDM025567         (2) York A/C Layup and Setup, MDL. D4CE048A46A, S/N NGKM085068, NGKM085603         (2) York A/C Layup and Setup, MDL. D4CE048A46A, S/N NMBM083742, NMBM083744         York A/C Layup and Setup, MDL. D3CE060A46B, S/N NCM110338         York A/C Layup and Setup, MDL. D2E060A46C, S/N NCM110338         York A/C Layup and Setup, MDL. D4CE048A25B, S/N NKBM064273         York A/C Layup and Setup, MDL. D4CE048A23A, S/N NGKM085007         York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741         BDP A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741         BDP A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741         BDP A/C Layup and Setup, MDL. D3CE060A46B, S/N 1183C80041         Goodman A/C Layup and Setup, MDL. P060-1C, S/N 97004015714         BOILERS         Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000         Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-1-700-200 LE, S/N L-94382, L-94381         COOLING TOWERS         RSD Cooling Tower, MDL, RSD 150, S/N 95289
Pneumatech Descianat Air Dryer, MDL. EH-150, 150 SCFM, 115 V, S/N 9705-5126556-83493         (2) York 2 Stage A/C, MDL. H1CE180A468, S/N NHDM072260, NHDM072259         (3) York A/C G1 Print, MDL. DICE120E01846A, S/N NAXM026304, NAXM026303, NAXM026305         (2) York A/C G1 Print, MDL. B3CH060A46C, S/N NGEM08326, NHEM099107         York A/C G1 Print, MDL. B3CH060A468, S/N NCDM025567         (2) York A/C Layup and Setup, MDL. D4CE048A46A, S/N NGKM085068, NGKM085603         (2) York A/C Layup and Setup, MDL. D3CE060A46B, S/N NCM110338         York A/C Layup and Setup, MDL. D3CE060A46C, S/N NCXM110338         York A/C Layup and Setup, MDL. D3CE060A46C, S/N NCXM110338         York A/C Layup and Setup, MDL. D4CE048A23A, S/N NKBM068273         York A/C Layup and Setup, MDL. D4CE060A46C, S/N NCKM085007         York A/C Layup and Setup, MDL. D3CE060A46B, S/N NKBM0683741         BDP A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741         BDP A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741         BDP A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741         BDP A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741         BDP A/C Layup and Setup, MDL. D3CE060A46B, S/N 1183C80041         Goodman A/C Layup and Setup, MDL. S59EEXO48000AAE, S/N 1183C80041         Goodman A/C Layup and Setup, MDL. KHO, 315/25, S/N 119478000         Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381         COOLING TOWERS         RS
<ul> <li>(2) York 2 Stage A/C, MDL.H1CE180A468, S/N NHDM072260, NHDM072259</li> <li>(3) York A/C G1 Print, MDL. DICE120E01846A, S/N NAXM026304, NAXM026303, NAXM026305</li> <li>(2) York A/C G1 Print, MDL.B3CH060A46C, S/N NGEM08326, NHEM099107</li> <li>York A/C G1 Print, MDL.B3CH060A46B, S/N NCDM025567</li> <li>(2) York A/C Layup and Setup, MDL.D4CE048A46A, S/N NGKM085068, NGKM085603</li> <li>(2) York A/C Layup and Setup, MDL.D3CE060A46B, S/N NMBM083742, NMBM083744</li> <li>York A/C Layup and Setup, MDL.D3CE060A46C, S/N NCXM110338</li> <li>York A/C Layup and Setup, MDL.D2CE060A46C, S/N NCXM110338</li> <li>York A/C Layup and Setup, MDL.D2CE060A46C, S/N NCXM1085007</li> <li>York A/C Layup and Setup, MDL.D2CE060A46B, S/N NKBM083741</li> <li>BDP A/C Layup and Setup, MDL.D3CE060A46B, S/N NMBM083741</li> <li>BDP A/C Layup and Setup, MDL.D3CE060A46B, S/N N1183C80041</li> <li>Goodman A/C Layup and Setup, MDL. PH060-1C, S/N 9704015714</li> <li>BOILERS</li> <li>Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000</li> <li>Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-1-700-200 LE, S/N L-94382, L-94381</li> <li>COOLING TOWERS</li> <li>RSD Cooling Tower, MDL, RSD 150, S/N 95289</li> </ul>
<ul> <li>(3) York A/C G1 Print, MDL. DICE120E01846A, S/N NAXM026304, NAXM026303, NAXM026305</li> <li>(2) York A/C G1 Print, MDL. B3CH060A46C, S/N NGEM08326, NHEM099107</li> <li>York A/C G1 Print, MDL. B3CH060A46B, S/N NCDM025567</li> <li>(2) York A/C Layup and Setup, MDL. D4CE048A46A, S/N NGKM085068, NGKM085603</li> <li>(2) York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083742, NMBM083744</li> <li>York A/C Layup and Setup, MDL. D2CE060A46C, S/N NCXM110338</li> <li>York A/C Layup and Setup, MDL. D2CE060A46C, S/N NCXM110338</li> <li>York A/C Layup and Setup, MDL. D3CE060A46B, S/N NKBM064273</li> <li>York A/C Layup and Setup, MDL. D4CE048A23A, S/N NGKM085007</li> <li>York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741</li> <li>BDP A/C Layup and Setup, MDL. 559EEXO48000AAE, S/N 1183C80041</li> <li>Goodman A/C Layup and Setup, MDL. PH060-1C, S/N 97004015714</li> <li>BOILERS</li> <li>Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000</li> <li>Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381</li> <li>COOLING TOWERS</li> <li>RSD Cooling Tower, MDL, RSD 150, S/N 95289</li> </ul>
<ul> <li>(2) York A/C G1 Print, MDL. B3CH060A46C, S/N NGEM08326, NHEM099107</li> <li>York A/C G1 Print, MDL. B3CH060A46B, S/N NCDM025567</li> <li>(2) York A/C Layup and Setup, MDL. D4CE048A46A, S/N NGKM085068, NGKM085603</li> <li>(2) York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083742, NMBM083744</li> <li>York A/C Layup and Setup, MDL. D3CE060A46C, S/N NCXM110338</li> <li>York A/C Layup and Setup, MDL. D2CE060A46C, S/N NCXM110338</li> <li>York A/C Layup and Setup, MDL. D3CE060A46B, S/N NKBM064273</li> <li>York A/C Layup and Setup, MDL. D4CE048A23A, S/N NGKM085007</li> <li>York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741</li> <li>BDP A/C Layup and Setup, MDL. 559EEXO48000AAE, S/N 1183C80041</li> <li>Goodman A/C Layup and Setup, MDL. PH060-1C, S/N 97004015714</li> <li>BOILERS</li> <li>Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000</li> <li>Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381</li> <li>COOLING TOWERS</li> <li>RSD Cooling Tower, MDL, RSD 150, S/N 95289</li> </ul>
York A/C G1 Print, MDL.B3CH060A46B, S/N NCDM025567         (2) York A/C Layup and Setup, MDL.D4CE048A46A, S/N NGKM085068, NGKM085603         (2) York A/C Layup and Setup, MDL.D3CE060A46B, S/N NMBM083742, NMBM083744         York A/C Layup and Setup, MDL.D3CE060A46C, S/N NCXM110338         York A/C Layup and Setup, MDL.D3CE060A46B, S/N NMBM083742, NMBM083744         York A/C Layup and Setup, MDL.D2CE060A46C, S/N NCXM110338         York A/C Layup and Setup, MDL.D2CE060A46B, S/N NKBM064273         York A/C Layup and Setup, MDL.D4CE048A23A, S/N NGKM085007         York A/C Layup and Setup, MDL.D3CE060A46B, S/N NMBM083741         BDP A/C Layup and Setup, MDL.D3CE060A46B, S/N NMBM083741         BDP A/C Layup and Setup, MDL.S59EEXO48000AAE, S/N 1183C80041         Goodman A/C Layup and Setup, MDL.PH060-1C, S/N 97004015714         BOILERS         Betrams Konus Hot Oil Boiler, MDL.KHO, 315/25, S/N 119478000         Cleaver Brooks 250 PSI Steam Boiler, MDL.CB-I-700-200 LE, S/N L-94382, L-94381         COOLING TOWERS         RSD Cooling Tower, MDL, RSD 150, S/N 95289
<ul> <li>(2) York A/C Layup and Setup, MDL. D4CE048A46A, S/N NGKM085068, NGKM085603</li> <li>(2) York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083742, NMBM083744</li> <li>York A/C Layup and Setup, MDL. D2CE060A46C, S/N NCXM110338</li> <li>York A/C Layup and Setup, MDL. D2CE060A46C, S/N NCXM110338</li> <li>York A/C Layup and Setup, MDL. D2CE060A46B, S/N NKBM064273</li> <li>York A/C Layup and Setup, MDL. D4CE048A23A, S/N NGKM085007</li> <li>York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741</li> <li>BDP A/C Layup and Setup, MDL. S59EEXO48000AAE, S/N 1183C80041</li> <li>Goodman A/C Layup and Setup, MDL. PH060-1C, S/N 97004015714</li> <li>BOILERS</li> <li>Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000</li> <li>Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381</li> <li>COOLING TOWERS</li> <li>RSD Cooling Tower, MDL, RSD 150, S/N 95289</li> </ul>
(2) York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083742, NMBM083744 York A/C Layup and Setup, MDL. D2CE060A46C, S/N NCXM110338 York A/C Layup and Setup, MDL. DC3E048A25B, S/N NKBM064273 York A/C Layup and Setup, MDL. D4CE048A23A, S/N NGKM085007 York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741 BDP A/C Layup and Setup, MDL. 559EEXO48000AAE, S/N 1183C80041 Goodman A/C Layup and Setup, MDL. PH060-1C, S/N 97004015714 BOILERS Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000 Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381 COOLING TOWERS RSD Cooling Tower, MDL, RSD 150, S/N 95289
York A/C Layup and Setup, MDL. D2CE060A46C, 5/N NCXM110338         York A/C Layup and Setup, MDL. DC3E048A25B, 5/N NKBM064273         York A/C Layup and Setup, MDL. D4CE048A23A, 5/N NGKM085007         York A/C Layup and Setup, MDL. D3CE060A46B, 5/N NMBM083741         BDP A/C Layup and Setup, MDL. D559EEXO48000AAE, 5/N 1183C80041         Goodman A/C Layup and Setup, MDL. PH060-1C, 5/N 97004015714         BOILERS         Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000         Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381         COOLING TOWERS         RSD Cooling Tower, MDL, RSD 150, S/N 95289
York A/C Layup and Setup, MDL. DC3E048A25B, S/N NKBM064273 York A/C Layup and Setup, MDL. D4CE048A23A, S/N NGKM085007 York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741 BDP A/C Layup and Setup, MDL. 559EEXO48000AAE, S/N 1183C80041 Goodman A/C Layup and Setup, MDL. PH060-1C, S/N 97004015714 BOILERS Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000 Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381 COOLING TOWERS RSD Cooling Tower, MDL, RSD 150, S/N 95289
York A/C Layup and Setup, MDL. D4CE048A23A, S/N NGKM085007 York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741 BDP A/C Layup and Setup, MDL. 559EEXO48000AAE, S/N 1183C80041 Goodman A/C Layup and Setup, MDL. PH060-1C, S/N 97004015714 <b>BOILERS</b> Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000 Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381 <b>COOLING TOWERS</b> RSD Cooling Tower, MDL, RSD 150, S/N 95289
York A/C Layup and Setup, MDL. D3CE060A46B, S/N NMBM083741 BDP A/C Layup and Setup, MDL.559EEXO48000AAE, S/N 1183C80041 Goodman A/C Layup and Setup, MDL.PH060-1C, S/N 97004015714 BOILERS Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000 Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381 COOLING TOWERS RSD Cooling Tower, MDL, RSD 150, S/N 95289
BDP A/C Layup and Setup, MDL. 559EEXO48000AAE, 5/N 1183C80041 Goodman A/C Layup and Setup, MDL. PH060-1C, S/N 97004015714 BOILERS Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000 Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381 COOLING TOWERS RSD Cooling Tower, MDL, RSD 150, S/N 95289
Goodman A/C Layup and Setup, MDL. PH060-1C, S/N 97004015714 BOILERS Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000 Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381 COOLING TOWERS RSD Cooling Tower, MDL, RSD 150, S/N 95289
BOILERS Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000 Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381 COOLING TOWERS RSD Cooling Tower, MDL, RSD 150, S/N 95289
Betrams Konus Hot Oil Boiler, MDL. KHO, 315/25, S/N 119478000 Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, S/N L-94382, L-94381 COOLING TOWERS RSD Cooling Tower, MDL. RSD 150, S/N 95289
Cleaver Brooks 250 PSI Steam Boiler, MDL. CB-I-700-200 LE, 5/N L-94382, L-94381 COOLING TOWERS RSD Cooling Tower, MDL, RSD 150, S/N 95289
COOLING TOWERS RSD Cooling Tower, MDL, RSD 150, S/N 95289
RSD Cooling Tower, MDL. RSD 150, S/N 95289
LBC Cooling Tower. MDL. LBC-150
FUME SCRUBBER
Harrington Ind. Plastics Fume Scrubber, MDL. ECH 67-5LB
CHLORINE VAPORIZER

Capital Controls Chlorine Vaporizer, MDL. VAX4G90, S/N 089230-2

### WASTE WATER

(2) Surface Tek Tektroller Bulk Chemistry Makeup
Tektroller Volumetric Controller, 120 V., 100 GAL., MDL. RS-450, S/N 2880109167
Trionetics Ion Exchange System
Paramount Fume Scrubber

### LAB EQUIPMENT

#### Hamilton Fume Hood, MDL.55781 ITY CONTROL /TI

2	JUALI	<b>1</b>	CUN	IIRU		511	VG	
	Boeckle	r Xs	ection	Scope/0	amera	. MDL	VIA-17	0

Trace Bed Of Nails Tester, MDL. 948 E, 16" x 24" Panel Size, Full Bed Of Nails







Hi-Tech Exposure Unit, MDL, HTE3000NEL





Macdermid DES Horizontal Oxide Line





Tacky Roll Machine



Orbotech Verifier MDL VRS-41



Orbotech Plotters



Branson Ultrasonic Welder, MDL.910IW

Branson Ultrasonic Welder, MDL. 8400



Dynachem Inner Layer Pre Heater



Part Of A Series Of Lamination Presses

**BIDITUP AUCTIONS & APPRAISALS WORLDWIDE** WWW.BIDITUP.COM

## **BIDITUP AUCTIONS & APPRAISALS WORLDWIDE**

WWW.BIDITUP.COM

## **FEATURED AUCTION**

Assets No Longer Required By DYNAMIC DETAILS, INC. World Class Manufacturer Of Printed Circuit Boards Tuesday, August 30, 2005 Tempe, AZ 85282, USA

### *<b>UPCOMING AUCTIONS*

8/16	MFG OF HAND AND POWER TOOLS, DIAGNOSTICS, & SHOP EQUIP. • <i>Mt Carmel, IL</i>
8/16	REAL ESTATE AUCTION • Mt Carmel, IL
8/17 to 8/19	CNC WOODWORKING FACILITY • Hope, AR On-Line Auction Only!
8/17	MFG OF EXTRUDED PRODUCTS & PLASTIC INJECTION MOLDED PARTS • Port Huron, MI
8/17	REAL ESTATE AUCTION • Port Huron, MI
8/18	A COIL PROCESSING SERVICE CENTER • Warren, MI
8/23	MFG OF SOLID CARBIDE CUTTING TOOLS; CNC TOOL CUTTER & GRINDER FACILITY • Escondido, CA
8/30	MFG OF PRINTED CIRCUIT BOARDS • Tempe, AZ
9/14	CNC AMADA FABRICATION FACILITY • Albuquerque, NM
9/15	WORLD CLASS ROBOTIC WELDING FACILITY • Greenwood, SC
9/20	MANUFACTURER OF ALUMINUM DIES • Murrysville, PA
9/22	USED AND REBUILT AUTOMOTIVE PARTS AND COMPONENTS • Santa Ana, CA

For More Information, Call 818.508.7034 Or Visit WWW.BIDITUP.COM.



11426 Ventura Blvd Second Floor Studio City, CA 91604 Phone - 818.508.7034 Fax - 818.508.3025 info@biditup.com

# BIDITUP

LIVE ON-SITE & WEBCAST AUCTION Assets No Longer Required By DYNAMIC DETAILS. INC.

### AUCTION

Tuesday, August 30, 2005 Beginning at 10:30 AM PST

### PREVIEW

Monday, August 29, 2005 9:00 AM to 4:00 PM PST

### **TERMS & CONDITIONS**

Sale Conducted by: BIDITUP, Subject to our customary terms of sale, (Available at the auction site on the day of the sale), and any and all amendments and modifications announced by the auctioneer at the time of the auction. The auctioneer and seller make no warranties or guarantees, expressed or implied, as to the defects in or the correctness or accuracy of the descriptions in any advertising of any item(s) being auctioned and will not be responsible for any advertising discrepancies or inaccuracies of any kind. All items sold will be on an "AS IS", "WHERE IS" and "WITH ALL FAULTS", basis "WITHOUT EXCEPTION" and "WITH REMOVAL AT BUYER'S RISK AND EXPENSE", AUCTIONEER AND SELLER MAKE NO WARRANTIES OR GUARANTEES OF ANY KIND, EXPRESSED OR IMPLIED AS TO THE NATURE, QUALITY, VALUE OR CONDITION OF THE ITEM(S) BEING AUCTIONED OR ITS (THEIR)SUITABILITY FOR ANY USE. AUCTIONEER AND SELLER EXPRESSLY AND SPECIFICALLY DISCLAIM WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. AUCTIONEER SHALL NOT BE LIABLE FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL DAMAGES. It shall be the buyer's obligation to verify information and descriptions of property prior to sale. BIDITUP, and its advertising agency assume no liability for errors or omissions in this brochure. The auctioneer does not warrant the age, accuracy, genuineness, authenticity, description, weight, count or measure of any listings specified herein. Although it is not likely, auction sales are subject to cancellation or postponement, and sometimes items are withdrawn from the sale, kindly contact BIDITUP, prior to travel as there will be no reimbursements. On the day of the sale, all successful bidders must immediately pay the full purchase price in cash, certified funds, cashiers check, wire transfer or company check with a letter from the buyer's bank guaranteeing unqualified payments to BIDITUP. This letter is valid until 30 working days after the auction sale. Company checks without letter from bank guaranteeing unqualified payment will not be accepted. The failure to make payment promptly shall be considered default and each lot or lots so purchased will be placed for resale. The buyer must pay the total invoice price for all the lots purchased before any removal can begin. All buyers must pay applicable sales tax (unless evidence of exemption is provided to auctioneer's satisfaction). Buyers are responsible for the transportation, associated costs and risks involved in the removal of purchased item(s). Certain items may contain residual chemicals and/or hazardous materials. The purchaser(s) hereby indemnify and hold harmless the auctioneer and seller from any and all damages, claims or liability from any injuries to persons or property of any type whatsoever caused during the sale of, during the removal, or during use or operation of the purchased item(s). If you are unable to attend, please contact us regarding placing a proxy bid. PLEASE NOTE: ALL SALES ARE SUBJECT TO A BUYER'S PREMIUM.

## LODGING

AmeriSuites

(Approx. 1.7 Miles From Site) 1520 W Baseline Rd Tempe, AZ 480.831.9800 Spring Hill Suites by Marriott (Approx. 1.7 Miles From Site) 5211 S Priest Dr Tempe, AZ 85283 480.752.7979 Ramada Limited (Approx. 1.8 Miles From Site) 1701 W Baseline Rd Tempe, AZ 85283 480.413.1188 LOCATION

1117 W. Fairmont Drive Tempe, AZ 85282, USA

### DIRECTIONS

From: Sky Harbor International Airport (Approx. 6.4 Miles from Auction Site)

Starting on East Sky Harbor Blvd. Take ramp toward Center Parkway. Turn right on Priest Drive. Turn left on West Fairmont Drive. Arrive at 1117 West Fairmont Drive, Tempe, on the right. Watch for Auction Signs.



Can't attend the auction in person? You can participate and bid in real time via the Internet. Preview assets with detailed digital photos, lot catalogs, and in-depth descriptions. For more information, visit **WWW.BIDITUP.COM.** 

Please note, all webcast participants must submit a 25% deposit and signed registration forms no later than 24 hours before a sale.