Assets No Longer Required in the Continuing Operations of: MAGNEQUENCH INTERNATIONAL, INC. STATE-OF-THE ART MAGNET & POWDER METAL MANUFACTURER



9:30 AM THURSDAY SEPTEMBER 12TH

INSPECTION: WEDNESDAY, SEPTEMBER 11[™], 9 AM-4 PM & MORNING OF SALE

Magnequench International, Inc. 6435 Scatterfield RD. Anderson, IN

THINKING OF HAVING AN AUCTION? NEED AN APPRAISAL? KNOW OF A PLANT CLOSURE? CALL: (818) 508-7034 EXT. 12

biditup

An Industrial Assets, Inc. Company

biolitudanes appraisers



11426 Ventura Blvd., 2nd Floor Studio City, CA 91604 **P: 818.508-7034** F: 818-508-3025 www.biditup.com email: info@biditup.com



3,000 Lb. CONSARC Vacuum Induction Melting Furnace, Complete w/BEST Dump Hopper & Batching System, Dual Hopper Alloying System, 500 KW power Supply, (4) Stokes, (412) Vacuum Pumps, (4) #615 Blowers, 1,000 Lb. Vacuum Interlock Charging System on Top, Hydraulic Mold Car w/Isolated Mold Tooling Tunnel, 10-T P & H Pick & Place Transfer Unit, Offline Rebuild & Sintering Station w/300KW AJAX Power Supply, Spare Coils & Parts.

1984 1650°C VFS 9 VACUUM FURNACE SYSTEMS, Mdl. #HL26RE Vacuum Furnace, 18" x 14" x 27" Work Zone, #VF109 Atmosphere Vacuum - 750 Lb. Weight capacity, 103 KVA, 480 Volt, w/Stoke #149 Vacuum Pump w/#615 Blower, Water Cooled, s/n VF 109.





(5) CINCINNATI Powder Compacting Presses, Mdl. #220-DC-6, 8" Ram Stroke, 5" Ram Adjustment, 6" Fill Depth, 0-3" Die Float Stops, 10-30 SPM, 3-Platen Capability, Top Punch Hold Down, Core Rod, Manipulator, Large Quantity of Misc. Parts & Tooling, s/n's 43041, 43044, 40583, 44456 & 43563

1990 30-T KUX Powder Metal Press, Mdl. #60B , 30-T Max. Force, s/n 60B454145.

HYDRAULIC PRESS

50-T WABASH Up-Moving Hydraulic Sample Press, Mdl. #V50-15-X, Approx. 24" x 18" Up-Moving Platen, s/n 9273.





5,000 Lb. PAUL ABBEY Double Cone Blender



CIRE TECHNOLOGIES Thermal Oxidizer

BLENDING & MIXING

DELPHI PATTERSON Powder Mixing, Blending, Crushing & Pack Out System, DELPHI Crushers, Auger Type Annealing, Electric Annealer, 3,000 Lb. Double CONE/PATTERSON Blender.

5,000 Lb. PAUL ABBEY Double Cone Blender, Variable Speed Drive, Stainless Steel Construction Argon Atmosphere, Fire Retardant, Automatic Bottom Discharge.

CAMCO Dial Type Fixture w/Hopper/Loader. **Dual Hopper Mixing Bins** w/Transfer Car. View of Assorted BLUE M Ovens

HEAT TREAT FURNACES

2000 CM Inc. High Temperature Tube Annealing Furnace, Electric, HONEYWELL Controls, 21 KVA, 1150°C/2250°F Max. Temperature, Hydrogen, Nitrogen & Argon Atmosphere, Protective Atmosphere-Nitrogen & Argon, (3) Zones, s/n 9800769 • **\$67,000.00 Replacement Cost. 700°C LINDBERG High Temperature Furnace**, 10" x 10" x 16" I.D., 240 Volt, s/n 848121.

1997 CIRE TECHNOLOGIES Thermal Oxidizer, 1500° Max. Operating Temp, 4050 SCFM, Natural gas, (2) MAXEN Non-Premix Series G Nozzle Burners, 18 Lbs. Per Hour VOC Load.

1,300°F BLUE M Furnace, Mdl. CW9980G, 40V, 60 Cycle, 3-Phase, SOLID STATE Controls, 48"x36"x24".



(7) 650°F BLUE M, Mdl. POM7-256C-3 Electric, 20" x 24" x 20" High, 240 Volt, Single Phase, 30 Amps, s/n P38-4636. 280°F HOTPACK Supermatic Oven, 20" x 20" x 18" Wide, 115 Volt 650°F BLUE M, Mdl. #DC256C, s/n DC2485. 600°F BLUE M, Mdl. #AGC1466-2X, 2KW, 12" x 12" Chamber Dimension.

44x148-96-1.

TEMPERATURE/HUMIDITY CHAMBERS CINCINNATI Temperature/ (3)

Humidity Thermo-Cycle Chambers, Mdl. #ZH-8, 24" x 24" x 22" I.D., -73°C (-100° F) to 190°C (375°F) Temperature Range, 10% to 95% Relative Humidity as Limited by an 85°C (185°F) Max. Dry Bulb & 4°C (40 F) Min. Dewpoint Humidity Range, s/n's ZF9542309, ZF9021300, 10816.

112 KVA, 480/60/3 Output-400 Volts, Single Phase 2250 Amps, 1100-3300 Frequency.

(6) 25KW AJAX Magnathermic, Mdl. #S3-10-25 Induction Heater Power Supplies, Input-40 Volt, 32 KVA, 40 Amp, 60-Cycle, 3-phase, Output-166/83 Volts, 110KVA, 660/1320 Amps, 3000-10000 Hz. (8) 15KW INDUCTOTHERM, Mdl. 15-96. SOLID STATE Power Supplies.



CNC LATHE

1989 WASINO, Mdl. LJ103M 24" x 48", 10-T FANUC Control, 10" 3-Jaw Chuck.

MONARCH Engine Lathe, 20" x 72", 26" Actual Swing, Taper Attachment, Full Length Lead Screw, 700 RPM, s/n 36527.

HARDINGE HARDINGE Super Precision Dovetail Speed Lathe, Mdl. DV-59-JO, Coolant, s/n DV5918627.



SPRINGFIELD/CONE BLANCHARD CROWN Vertical Grinder, Mdl. #1BTR

FOSDICK Heavy Duty Single Spindle

Floor Drill



(818) 508-7034

BRIDGEPORT MILL, 1HP & BRIDGEPORT Series I Mill, 2 HP



KEARNEY & TRECKER Universal Horizontal Mill



Mdl. #ACCUGAR 124N

VERTICAL TURRET LATHE BULLARD 42" Spiral Drive, MINI-WIZARD DRO, 3-Jaw Chuck. MILLS

BRIDGEPORT Series I Mill, 2 HP, 9" x 42" Table, Digital Readout, Power Feed, 7" Raised Column, Power Draw Bar.

BUFFALO

Ironworkei

BRIDGEPORT Series I Mill, 2 HP, 9" x 42' Table Digital Readout, Power Feed, Power Draw Bar, s/n 246495. BRIDGEPORT Mill, 1HP, 9"x42" Table, Digital Readout, s/n 86751.

KEARNEY & TRECKER Universal Horizontal Mill, Mdl. #2, 1500 RPM Max., 12" x 56" Table, s/n 135345.

D; **ILLS FOSDICK Heavy Duty Single Spindle Floor Drill,** 15" Overhang, 24" x 30" Table, Power Feed.

ALLEN Single Spindle Drill Press, 14' Overhang, 34" x 24" Table.

IRONWORKER

BUFFALO, 4"x4"x1/2", V-Notcher on Punch End, AC Motor Drive.





CHICAGO/D & K Power Apron Brake, Mdl. #PB82050, 8' x 1/4", Air Clamping, Power Adjustments, s/n 120547.

HTC Hydratool Power Squaring Shear, Mdl. #250-8A, 8' x 1/4", 1/4" Capacity Mild Steel/.375" w/ Higher Rake Angle, Hydraulic, Squaring Arm, 36" Front Operated Power Back Gauges, s/n 11832483.

CHICAGO Box 7 Pan Brake, Mdl. #31, 4', s/n 50684.

ROLSHEAR INC. Initial Pinch Type Plate Bending Roll, Mdl. #2C, 4' x 10 Ga., 5" Roll Dia., Drop End, s/n 20446.

PEXTO Manual Pinch Type Sheet Forming Roll, Mdl. #390E, 36" x 16 Ga., s/n 535-4-88.

GREENLEE Electric Pipe Bender, Mdl. #555, 1/2"-1/4" Dia., 4-5/8-7-1/2" Radius, Motorized, s/n PL2017.

1990 MITSUBISHI CNC Wire EDM, Mdl. #DWC90C, 90 Amp, MITSUBISHI Programmable Controller, s/n 599C1626

2000 EDM Drill Electrode Drilling Machine, Mdl. #ST300, ELENIX Touch Screen Control, 12' x 12" Working Surface.

CNC PLASMA CUTTER

LOCKFORMER Vulcan Single Torch Plasma Shape Cutter, 5' x 10' Water Table, VULCAN Torch Screen Control, HYPOTHERM MAX100 Power Supply, s/n VUL-3073.

MAGNAFLUX

MAGNAFLUX Demagnetizer, Mdl. #58911, s/n 991173





AAF Rotoclone Wet Type, Mdl. #B, SIP Calibration Machine, Type 300M, s/n 206. Type N, 24,000 CFM.

AAF Optiflow Dust Collector. WHEELABRATOR Pulse Jet, Mdl. 32 MDF.

(2) FLEX KLEEN Air Pulse #100WSBS-49, 4' x 4' x 8'.

FLEX KLEEN Cyclone Type Air Pulse , 48" x 10' High w/ Blower

INSPECTION & TESTING EQUIPMENT

LECO Nitrogen/Oxygen Analyzer, Mdl. TCF136 EF100 Electrode Furnace.

GAGEMASTER Optical Comparator, Series 20, 12".

1988 DETROIT Compression Testing Machine, Mdl. NST, 20,000 Lb., 22,000 Lb. Capacity on 4 7/8" Ram Diameter, s/n 1167.

ROCKWELL MITUTOYO Digital Hardness Tester.

SUPERMASTER Precision Layout Machine, 24"x36" Granite Surface Plate. **Granite Layout Plate**



CRANES & HOISTS

Radio Controlled.

10-T P & H Overhead Bridge Crane, 60' Span, Double Box girder construction, Top Running, Pendant Floor Controlled, AC, s/n CB29277.

(2) 3-T T & M Underhung Crane, Approx. 40' Span, P & H Ready-Lift Hoist. Underhung Trolley, Underhung Bridge, Runaway, Radio Controlled, s/n's 35494B, 35494.

(2) 3-T T & M Underhung Crane, 35" Span Approx., P & H Hoist, Underhung Trucks, Underhung Hoist, 6-Way Power, Radio Controlled, s/n's 35654A, 35654B.

2-T ABEL HOWE Free Standing Jib Crane, P & H Electric Hoist, Radio Controlled.

Runaway, Radio Controlled. **1-T HURRICANE Overhead Hoist**, Underhung Truck, Underhung Trolley, P & H Zip3 Power Hoist, Radio Controlled.

Radio Controlled, s/n's 35654D, 35654C.

Underhung Hoist w/ Beam, Radio Controlled.

(2) 1-TT & M Underhung Cranes, 30' Span Approx., P&H

Hoist, Underhung Trucks, Underhung Hoist, 6-Way Power,

2-T SHAW BOX Underhung Hoist, Approx. 20' Span

(2) 1-T SHAW BOX Underhung Crane, Approx. 20' Span,

1-T P & H BETA Underhung Hoist, Approx. 20' Span,

FORKLIFTS

1996 10,000 Lb. HYSTER Electric Fork Truck, Mdl. E100X-33, Solid Tire, High Visibility Mast, Fork Shifter, Fork Rotator, s/m C098DO21009T.

(3) 1986 6,000 Lb. HYSTER Electric Fork Truck, Mdl. E60XL-33, Fork Shifter, High Visibility Mast, s/n's C108V03479G, F108V03480G, 100FSHS-B041/ **6,000 Lb. CLARK Gas Fork Truck**, Hard Tire, High Visibility Mast, Fork Rotator, 225 Hours.

1989 5,000 Lb. HYSTER Electric Fork Truck, Mdl. E50XLC-27, Solid Tire, High Visibility Mast, Fork Shifter.

Year 2000 4,000 Lb. CROWN Electric Hard Tire Fork Truck, High Visibility Mast, Side Shifter, s/n 9A115855. **ROLLING STOCK**

15-T BRODERSON Cherry Picker Hyd. Crane, Mdl. IC200-2B, Side Cab Operated, LP Power, Hydraulic Outriggers, 15' Jib Attachment, Pneumatic Tires 2-Wheel Drive, 4-Wheel Steering, s/n 42061.

KALAMAZOO Speed Truck Sump Sucker, Mdl. 2500V4LW, Electric Powered Truck w/KOHLER 22HP Suction Pump, 500 Gallon Tank.









PLANT SUPPORT EQUIPMEN

TENANT Floor Sweeper, Mdl. 240EH, 1255 Hours, Electric Powered, 36V Battery Charger • **TENANT Power Scrubber**, Mdl. 540E, Electric Powered, 1,073 Hours, 36V Battery Charger • **AIRLUX Smoke Eater**, Mdl. 5000 • **TOLEDO Digital Platform Scale**, Mdl. 8142, 60" Platform, s/n 4137074/4RM • (**36**) **VIDMAR Workstations** • **ORION Stretch Wrap Machine**, 60" Diameter Tumble.

MISCELLANEOUS EQUIPMENT

SWAIN Screw Press, Mdl. 3 · 3" Wide Belt Sander · ELECTROARC Tap Disintegrator, 18"x36" Table • DAREX Drill Sharpener w/ Fixtures.

OFFICE FURNITURE & EQUIPMENT

Desks, Chairs, Conference Tables, File Cabinets, Complete **Kitchen & Much More!**

TERMSSale Conducted by: Industrial Assets, Inc., Subject to our customary terms of sale, (Available at the auction site on the day of the sale), and any and all amendments and modifications announced by the auctioneer at the time of the auction. The auctioneer and seller make no warranties or guarantees, expressed or implied, as to the defects in or the correctness or accuracy of the descriptions in any advertising of any item(s) being auctioned and will not be responsible for any advertising (Sterepancies or incucarciae) for any advertising of any item(s) being auctioned and will not be responsible for any advertising of any item(s) being auctioned and will not be responsible for any advertising (Sterepancies or inaccuracies of any kind. All items sold will be on an "AS IS", "WHERE IS", and "WITH ALL FAULTS", basis "WITHOUT EXCEPTION" and "WITH HEMOVAL AT BUYER'S INSK AND EXPENSE". AUCTIONEER AND SELLER MAKE NO WARRANTIES OR GUARANTEES OF ANY KIND, EXPRESSED OR INPLIED AS TO THE NATURE, OULLIT, YALUE OR CONDITION OF THE TEM(S) BEING AUCTIONEO OR ITS (THEINSUITABILITY FOR ANY USE, AUCTIONEER AND SELLER EXPRESSLY AND SPECIFICALLY DISCLAIM WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICU-LAR PURPOSE. AUCTIONEER SHALL NOT BE LIABLE FOR SPECIAL, CONSEQUENTIAL OR INCI-DENTAL DAMAGES. It shall be the buyer's obligation to verify information and descriptions of property prior to sale. Industrial Assets, Inc., and its advertising agency assume no liability for errors or omissions in this brochure. The auctioneer does not warrant the age, accuracy, genuineness, authenticity, description, yneight, count or measure of any listing specified herein. Although it is not likely, auction sales are subject to cancellation or postponement, and sometimes items are withdrawn from the sale, kindly contact Industrial Assets, Inc., our letter should be similar to the following; (Mr. Customer Mame' is a customer of this bank. This bank will guarantee ungualified payment to industrial Assets, Inc., Your l

Electronic Tap Disintegrator

TERMS

