

BIDITUP

AUCTION

Live On-Site & Webcast

Thursday, July 8th, 2004
Beginning at 10:30am, Eastern

500 Commerce Drive
Amherst, NY 14228



Assets No Longer Required in the Continuing Operations

LATE MODEL PLASTIC INJECTION MOLDING & CNC MACHINING FACILITY

- Injection Molding Machines
- Robots
- Dryers
- EDM's
- Vertical Machining Centers
- Surface Grinders
- Milling Machines
- Radial Arm Drills
- Rotary Screw Compressors
- Pallet Wrappers
- Misc. & Much More!

visit BIDITUP WORLDWIDE on the web at : www.biditup.com





1989 MONARCH VERTICAL MACHINING CENTER, MDL. VMC-150



EASCO EDM MODEL EASCOT 1024 FMS RAM



HALLOT PALLET WRAPPER



ZJ RADIAL DRILL



2 AVAILABLE

CHILLERS



CLAUSING JACOBSON 14" x 32" SURFACE GRINDER



BRIDGEPORT MILLING MACHINES




2 AVAILABLE

BALTIMORE COOLING SYSTEMS



CHEVALIER 6" x 18" SURFACE GRINDER



2 AVAILABLE

80,000 LB. STORAGE SILOS



UCF SHOT BLAST CABINET



CONAIR DRYERS

INJECTION MOLDING MACHINES



1995 440-TON CINCINNATI MILACRON, MDL. VT440-54



1989 500-TON CINCINNATI MILACRON, MDL. VH 500-54



1985 700-TON HPM HORIZONTAL, MDL. 700MKIWP-75

1995

VERTICAL INJECTION MOLDING MACHINES

1. **1995 200-TON NEWBURY VERTICAL SHUTTLE, MDL. V21-200BMT**, 20 oz. Shot Size, Vertical Toggle Clamp, Barber Coleman Programmable Controls, Shuttle Table, S/N 6-9129-200BMS-95.
1. **1994 200-TON NEWBURY VERTICAL SHUTTLE, MDL. V21-200ARS**, 21 oz. Shot Size, Vertical Toggle Clamp, Programmable Controls, Shuttle Table 19"x 83.25" Knock Out 6.5", STI Safety Light Curtain Minimum Daylight 10" Maximum Daylight 24", S/N 9-8999-200AS-94.
1. **1991 200-TON NEWBURY VERTICAL SHUTTLE, MDL. V20-200ARS**, 20 oz. Shot Size, Vertical Toggle Clamp, Hunkar Programmable Controls, Shuttle Table 19" 83.25" Knock Out 6.5", IMI Magnet Drawer, STI Safety Light Curtain Platen Dimensions 44"x 40.5, Minimum Daylight 10", Maximum Daylight 24" Allen Bradley Model SLC-500 Machine, S/N 2-8433-200S-91.
1. **1986 200-TON NEWBURY VERTICAL SHUTTLE, MDL. V20-200ARS**, 20 oz. Shot Size, Vertical Toggle Clamp, Barber Coleman Programmable Controls, Shuttle Table, S/N 7-7526-200AS-86.

INJECTION MOLDING MACHINES

1. **1979 75-TON VAN DORN, MDL. 75-RS-5**, 5 oz. Shot Size, Horizontal Toggle Clamp, Distance Between Tie Bars, 16"x 13.5" Platen Area 24"x 22.5, Minimum Daylight 5" Maximum Daylight, 21" Allen Bradley SLC-500 Controls Magnet Drawer, S/N 1729.
1. **1991 85-TON CINCINNATI MILACRON, MDL. VSX-4.44**, 85 Shot Size : 4.4 oz. Toggle Clamp, Camac VSX Controls With 300 LB. Hopper & Comet Vacuum Loader, S/N 3485A21/91.
1. **1991 85-TON CINCINNATI MILACRON, MDL. VSX-4.44**, 4.4 oz. Shot Size, Toggle Clamp, Camac VSX Controls with 300 Lb. Hopper & Comet Vacuum Loader, S/N 3485A21/91.
1. **1991 85-TON CINCINNATI MILACRON, MDL. VSX 85-6**, 6.04 oz. Shot Size, Toggle Clamp, Camac VSX Controls, Includes Magnet Box 200 LB. Drying Hopper & Comet Vacuum Loader, S/N 3485A21/91- 27.
2. **1998 110-TON NIIGATA HORIZONTAL, MDL. NE110UA4**, 10.55 oz. Shot Size, Toggle Clamp, Magnet Drawer, Distance Between Tie Bars, 16.14"x 16.14", Programmable Controls Platen Area 24.02"x 24.02", Minimum Daylight 7.87" Maximum Daylight 29.92".
1. **1993 110-TON CINCINNATI MILACRON, MDL. VT-110-8**, 8 oz. Shot Size, Toggle Clamp, Camac VEL Controls, Includes IMI Magnet Box Conair 200 LB. Drying Hopper & Comet, S/N 4035A61/93-87.
1. **1993 110-TON CINCINNATI MILACRON MDL. VT-110-8**, 8 oz. Shot Size, Toggle Clamp, Camac VEL Controls, Includes IMI Magnet Box BME Nozzle Heater, 150 LB. Drying Hopper And Comet Vacuum Loader, S/N 4035A61/93.
1. **1992 110-TON CINCINNATI MILACRON, MDL. VT-110-8**, 8 oz. Shot Size, Toggle Clamp, Camac VEL Controls, Includes Maguire mdl. VSB-MB Material Blender Component, 50 LB. Hopper And IMS Vacum Loader, S/N 4035A61/92- 87.
1. **1988 170-TON VAN DORN, MDL. 170-RS-14F-VV-HT**, 14 oz. Shot Size, Horizontal Toggle Clamp, Distance Between Tie Bars, 20" Platen Area 30.5"x 31", Minimum Daylight 6" Maximum Daylight 18" CRT Pathfinder Model Programmable Controls, Magnet Drawer, S/N112.
1. **1998 200-TON NIIGATA, MDL. NE200UA4**, 18.2 oz. Shot Size, Horizontal Toggle Clamp, Distance Between Tie Bars, 20.08"x 20.08 "Platen Area 21.13"x 29.13, Minimum Daylight 7.87" Maximum Daylight 19.69" Programmable Controls, Magnet Drawer, S/N 25118F.

INJECTION MOLDING MACHINES, ROBOTS, VERTICAL MACHINING CENTERS & EDM'S



1995

1995 & 1994 200-TON NEWBURY VERTICAL SHUTTLE



1991 & 1986 200-TON NEWBURY VERTICAL SHUTTLE



1984 200-TON VAN DORN



1993 110-TON CINCINNATI MILACRON



1998

1998 110-TON NIIGATA HORIZONTAL, MDL. NE110UA4

2 AVAILABLE



STAR AUTOMATION ROBOT, MDL. TW-800FM-3

INJECTION MOLDING MACHINES (CONTINUED)

1. **1998 200-TON NIIGATA HORIZONTAL, MDL. NE110UA4**, 18.2 oz. Shot Size, Toggle Clamp, Magnet Drawer Distance Between Tie Bars, 21.13" x 29.13", Programmable Controls Platen Area 24.02" x 24.02", Minimum Daylight 7.87" Maximum Daylight 29.92".
1. **1984 200-TON VAN DORN HORIZONTAL, MDL. 200-RS-20F-VB**, 20 oz. Shot Size, Toggle Clamp, Distance Between Tie Bars, 22" x 18" Platen Area 32" x 43, Minimum Daylight 8", Maximum Daylight 24", S/N 2525.
1. **1984 200-TON VAN DORN HORIZONTAL, MDL. 200-RS-20F-VV-VB**, 20 oz. Shot Size, Toggle Clamp, Distance Between Tie Bars, 22" x 18" Platen Area 8" x 24, Minimum Daylight 8" Maximum Daylight 24" Relay Controls With Allen Bradley SLC PLC Controls Magnet Box And Comet Vacuum Loader, S/N 2581.
1. **1988 300-TON VAN DORN, MDL. 300-RS-30F-VV-HT**, 30 oz. Shot Size, Pathfinder Mdl. 3000 Programmable Controls, Magnet Drawer Hydraulic Knock Out, S/N 2003.
2. **1984 375-TON CINCINNATI MILACRON, MDL. 375-32E/P**, 32 oz. Shot Size, Hydraulic Clamp, Solid State Controls, Magnet Box, Extended Platen Comet Vacuum Loader, S/N 4083A21/84-34 & 4083A21/84-48.
2. **1985 400-TON HPM, MDL. 400MKIIEPV28**, 28 oz. Shot Size, Hydraulic Clamp, 32" Stroke, 12" Minimum Shut Height 2.5" Screw Diameter, Command II Control Panel, Vibratory Hopper Feeder Metal-Katcher Magnet Box & Comet Loader, S/N's 85163 & 85164.
1. **1995 440-TON CINCINNATI MILACRON, MDL. VT440-54**, 54 oz. Shot Size, Toggle Clamp, Camac 486 Controls, and Bunting Magnet Box Comet Vacuum Loader, S/N T39A0395045.
1. **1989 500-TON CINCINNATI MILACRON, MDL. VH 500-54**, 54 oz. Shot Size, Hydraulic Clamp, Camac VLC Controls, IMI Magnet Box Comet Vacuum Loader, S/N 3905A21/89-Q.
1. **1988 500-TON VAN DORN, MDL. 500H-RS-60F-LP CV VV**, 60 oz. Shot Size, Hydraulic Clamp, CRT Pathfinder Controls, Large Platen, S/N 545.
3. **1987 500-TON CINCINNATI MILACRON, MDL. 500-48**, 48 oz. Shot Size, Hydraulic Clamp, Programmable Controls, Includes Metal Katcher Magnet Box, Injector, DME Nozzle Heater & Comet Vacuum Loader, S/N's 4025A21/87-39, 4025A21/87-40 & 4025A21/87-41.
1. **1979 500-TON HPM HORIZONTAL, MDL. M400WPSS48**, 54 oz Shot Size, Hydraulic Clamp, Distance Between Tie Bars, 31" x 27", Platen Dimensions 44" x 40.5, Minimum Daylight 11", Maximum Daylight 38" Allen Bradley Model SLC-500 Machine, S/N 79195.
1. **1985 700-TON HPM HORIZONTAL, MDL. 700MKIWP-75**, 70 oz Shot Size, Hydraulic Clamp, Distance Between Tie Bars, 36.5" x 36.5" Platen Dimensions 54" x 54", Minimum Daylight 56", Maximum Daylight 12", S/N 85165.

ROBOT

1. **STAR AUTOMATION ROBOT, MDL. TW-800FM-3**, 4-Axis Pick & Place Robot Programmable Controls, S/N 5873 SPEC-400M.

VERTICAL MACHINING CENTERS


1. 1989 **MONARCH, MDL VMC-150**, 50" x 30" Table, 15 HP, Fanuc Control, S/N 89531.

EDM

1. **EASCO EDM MODEL EASCOT 1024 FMS RAM**, S/N 6812.



1998 200-TON NIIGATA, MDL. NE200UA4



1991 85-TON CINCINNATI MILACRON



1991 85-TON CINCINNATI MILACRON



1984 375-TON CINCINNATI MILACRON



1992 110-TON CINCINNATI MILACRON



1979 75-TON VAN DORN

DRYERS

- 1. AIR TEK AIR DRYER AR300 320 SCFM, S/N 869023B.
- 2. CONAIR FRANKLIN GAS FIRED DEHUMIDIFYING SYSTEMS, MDL. DG08A4100300000, 480 Volts, 3-Phase, 60 HZ, S/N's D31196 & D31195.
- 2. "CLOSED LOOP" DEHUMIDIFYING DRYERS, 4,600 LB. Capacity Surge Bins, Provide Hot, Low Dewpoint Air to Hygroscopic Plastic Material, Loaded into a Drying Hopper for Fast Moisture Removal.
- 1. HIGH HEAT GAS DRYERS, Temperatures Ranging from 240° to 350°F.
- 1. COMPU-DRY II MOISTURE MONITORING SYSTEM "AXTOMETER".
- 1. AIR TEK AR REFRIGERATED AIR DRYER, MDL. #AR300, Max PSI 200, Inlet Max. Temperature 100°F, 320 SCFM Capacity, 460V/3PH/60HZ Tank.
- 1. CONAIR DRYERS.

PALLET WRAPPER

- 1. HALTON PACKAGING LTD. MDL. HM52070, Automatic Turn Table, 70" Maximum Pallet Height, Wrap Counter Tension Control, Single Phase 110 volt 20amp 60Hz, S/N 87146.
- 1. HALTON STRETCH WRAPPER HM52070, S/N 27146.

RADIAL ARM DRILLS

- 2. ZJ RADIAL MDL. Z3032X10/1, S/N 4033144 & 4033114.

MILLING MACHINES

- 1. BRIDGEPORT VERTICAL MILL, MDL. SERIES II INTERACT 4, 4 HP, Vari Speed, D.R.O.
- 1. 1972 BRIDGEPORT, 1-1/2 HP, S/N 1443363.
- 1. 1971 BRIDGEPORT, 1-1/2 HP, S/N 138699.
- 1. 1970 BRIDGEPORT, 1-1/2 HP, S/N 134926.
- 1. BRIDGEPORT, MDL. SERIES 2, 4 HP, 11"x58" digital readout.

SURFACE GRINDERS

- 1. CLAUSING JACOBSON SURFACE GRINDER, MDL. SJ1432, 14"x 32", Hydraulic, Rocker Mdl. SARCVC-3 14"x 32", Electromagnetic Chuck.
- 1. CHEVALIER SURFACE GRINDER, MDL. FSG-618M, 6"x 18", Magnetic Chuck.

ROTARY SCREW COMPRESSORS

- 2. REMAX COMPRESSORS RMB30 ROTARY SCREW TYPE, 30 HP, 460V/3PH/60HZ, 125 PSI, Discharge Temperature Average 210°F.

MISCELLANEOUS

- 1. BALTIMORE COOLING SYSTEM, 2 Compartment Tank, 30HP.
- 2. CHILLERS, 25HP Complete System [Blue] 3 Pieces Total.
- 1. APPLIED AIR SYSTEMS BOILER MDL. GHLIFA 100/75V 937 & 500, [2 - Total] 80,000 # Storage Silos.
- 1. COMET CONTROLLER SC-8 SEQUENCING CONTROLLERS.
- 1. COVEL OPTICAL COMPARATOR 14A 14", S/N 14A-2989.
- 1. WAREHOUSE PALLET RACKING.
- 1. CLAUSING DRILL PRESS MDL. 22V1 20", S/N 505041.
- 1. HAMMOND CHIP BREAKER, S/N 580, 1/2HP.
- 1. UCF SHOT BLAST CABINET, S/N 3648C186259.
- 1. GREEN SUCKER MACHINE.



AUCTION Live On-Site & Webcast

PLASTIC INJECTION MOLDING & CNC MACHINING FACILITY

AUCTION

Thursday, July 8th, 2004
Beginning at 10:30am, Eastern

PREVIEW

Wednesday, July 7th
9am to 4pm & Morning of Sale

LOCATION

500 Commerce Drive
Amherst, NY 14228

DIRECTIONS

FROM: Buffalo Niagara Intl. Airport (BUF)

(Approx. 10 Miles From Auction Site)

Start out going Southwest on AIRPORT Toward RETURN TO TERMINAL, AIRPORT Becomes AIRPORT EXIT. AIRPORT EXIT Becomes AIRPORT. Turn SLIGHT RIGHT onto NY-33 W. NY-33 W. Becomes NY-33 W/KENSINGTON EXWY. Merge onto I-90 E/NEW YORK STATE TRWY E Toward I-290/NIAG FALLS/ALBANY. Merge onto I-290 W/YOUNGMAN EXWY Via Exit Number 50 Toward NIAGARA FALLS. Merge onto I-990 N Via Exit Number 4 Toward STATE UNIVERSITY/LOCKPORT. Take the SWEET HOME RD exit - exit number 2. Turn Right onto SWEET HOME RD/CR-301. Turn Left onto Commerce DR. End at 500 COMMERCE DR., AMHERST NY.

WEBCAST

Leave bids before or bid during the auction online via Webcast. All Webcast registration must submit deposit and signed registration form no later than 24 hours before the sale. ALL SALES ARE SUBJECT TO A BUYER'S PREMIUM. Visit: WWW.BIDITUP.COM for More Information, or Call: 818.508.7034 to place a Proxy Bid.

TERMS & CONDITIONS

Sale Conducted by: biditup!, Subject to our customary terms of sale, (Available at the auction site on the day of the sale), and any and all amendments and modifications announced by the auctioneer at the time of the auction. The auctioneer and seller make no warranties or guarantees, expressed or implied, as to the defects in or the correctness or accuracy of the descriptions in any advertising of any item(s) being auctioned and will not be responsible for any advertising discrepancies or inaccuracies of any kind. All items sold will be on an "AS IS", "WHERE IS", and "WITH ALL FAULTS", basis "WITHOUT EXCEPTION" and "WITH REMOVAL AT BUYER'S RISK AND EXPENSE". AUCTIONEER AND SELLER MAKE NO WARRANTIES OR GUARANTEES OF ANY KIND, EXPRESSED OR IMPLIED AS TO THE NATURE, QUALITY, VALUE OR CONDITION OF THE ITEM(S) BEING AUCTIONED OR ITS (THEIR) SUITABILITY FOR ANY USE. AUCTIONEER AND SELLER EXPRESSLY AND SPECIFICALLY DISCLAIM WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. AUCTIONEER SHALL NOT BE LIABLE FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL DAMAGES. It shall be the buyer's obligation to verify information and descriptions of property prior to sale. biditup!, and its advertising agency assume no liability for errors or omissions in this brochure. The auctioneer does not warrant the age, accuracy, genuineness, authenticity, description, weight, count or measure of any listings specified herein. Although it is not likely, auction sales are subject to cancellation or postponement, and sometimes items are withdrawn from the sale, kindly contact biditup!, prior to travel as there will be no reimbursements. On the day of the sale, all successful bidders must immediately pay the full purchase price in cash, certified funds, cashiers check, wire transfer or company check with a letter from the buyer's bank guaranteeing unqualified payments to biditup! This letter is valid until 30 working days after the auction sale.) Company checks without letter from bank guaranteeing unqualified payment will not be accepted. The failure to make payment promptly shall be considered default and each lot or lots so purchased will be placed for resale. The buyer must pay the total invoice price for all the lots purchased before any removal can begin. All buyers must pay applicable sales tax (unless evidence of exemption is provided to auctioneer's satisfaction). Buyers are responsible for the transportation, associated costs and risks involved in the removal of purchased item(s). Certain items may contain residual chemicals and/or hazardous materials. The purchaser(s) hereby indemnify and hold harmless the auctioneer and seller from any and all damages, claims or liability from any injuries to persons or property of any type whatsoever caused during the sale of, during the removal, or during use or operation of the purchased item(s). If you are unable to attend, please contact us regarding placing a proxy bid. PLEASE NOTE: ALL SALES ARE SUBJECT TO A BUYER'S PREMIUM.

LODGING

Homewood Suites Amherst

(Approx. 1/4 Mile From Site)

1138 Millersport Hwy.
Amherst, NY
716.833.2277

Red Roof Inns

(Approx. 1/2 Mile From Site)

1 1290 & Millersport Hwy. N.
Willamsville, NY
716.689.7474

Buffalo Marriott Niagara

(Approx. 1 Mile From Site)

1340 Millersport Hwy.
Amherst, NY
716.689.6900

UPCOMING AUCTIONS (FOR MORE INFORMATION ON UPCOMING AUCTIONS, VISIT WWW.BIDITUP.COM)

Formerly the Assets of

ARROYO OPTICS OPTICAL TELECOMMUNICATIONS MFR.

TUESDAY, JUNE 22, 10:00 AM
3330 OCEAN PARK BLVD, SANTA MONICA, CA

Assets No Longer Required in the Continuing Operations.

MESCO BUILDING SYSTEMS A DIVISION OF NCI BUILDING SYSTEMS, L.P.

MAJOR METAL BUILDING & COMPONENT MFR.
THURSDAY, JULY 15, 10:00 AM
HWY. 114 WEST, 400 N. KIMBALL RD., SOUTH LAKE, TX

E AND E DISPLAY GROUP 300,000 SQ. FT. STATE-OF-THE-ART DISPLAY FIXTURE MFR.

THURSDAY, JULY 29, 9:30 AM
910 E. 29TH STREET, LAWRENCE, KS



11426 Ventura Blvd
Second Floor
Studio City, CA 91604
Phone - 818.508.7034
Fax - 818.508.3025
info@biditup.com

FIRST CLASS PRE-SORT
MAIL U.S. POSTAGE
PAID
PERMIT NO. 32365
LOS ANGELES, CA