

FOR SALE OR LEASE



SCOTT BRASS, INC.

**(2) LATE MODEL FULLY INSTALLED FACILITIES
BRASS/COPPER ALLOY FOUNDRY 30 MILLION LBS. / YR.
& COILS ROLL MILL FACILITIES 21 MILLION LBS. / YR.
WILL BE OFFERED AS TURNKEY & INDIVIDUAL LOTS**

ROLL MILL FACILITY

700 SOUTH UNION ST., MISHAWAKA, IN

(BOTH NEAR SOUTH BEND - MINUTES FROM SOUTH BEND REG. AIRPORT & ONLY 90 MILES EAST OF CHICAGO)

FOUNDRY

31140 EDISON RD., NEW CARLISLE, IN



**BOTH SITES TO BE
OFFERED IN BULK
AS TURNKEY
OPERATIONS
& INDIVIDUAL
LOTS**

**Call Auctioneer
for Details**

BIDITUP WORLDWIDE: www.biditup.com



ROLL MILL FACILITY



(3) REVERSING ROLLING MILLS

(1997) I'S REVERSING 4-HI COLD ROLLING MILL - ENTRY GAUGE - 0.660" MAX., FINAL GAUGE - 0.020", STRIP WIDTH 27", COIL WEIGHT - 15,000 LB. CAP., ROLLING SPEED 330-1,000 FPM; WORK ROLL MAX. 16" DIA.; BACK-UP ROLL DIA. 32", ROLLER BEARINGS; PAYOFF & (2) WINDERS, ELECTRIC DC MOTOR DRIVE AND SPARE - 1,250 HP; MILL CONTROL CONSOLE, X-RAY GAUGE AND COMPUTERIZED HYDRAULIC SCREWDOWN

(1986) ACHENBACH REVERSING 4-HI COLD ROLLING MILL, ENTRY GAUGE - 0.125", FINAL GAUGE - 0.008", STRIP WIDTH 18.5", COIL WEIGHT - 10,000 LB. CAP., ROLLING SPEED 2,000 FPM; WORK ROLL MAX. 5.300" DIA.; BACK-UP ROLL DIA. 21.650", ROLLER BEARINGS; VOLLMER THICKNESS GAUGES, ELECTRIC DC MOTOR DRIVE - 600 KW DC, MILL CONTROL CONSOLE, AND COMPUTERIZED HYDRAULIC SCREWDOWN

CHAVANNE-BRUN REVERSING 4-HI COLD ROLLING MILL, ENTRY GAUGE - 0.250", FINAL GAUGE - 0.010", STRIP WIDTH 28", COIL WEIGHT - 15,000 LB. CAP., ROLLING SPEED 800 FPM; WORK ROLL MAX. 11.250" DIA.; BACK-UP ROLL DIA. 30.000", ROLLER BEARINGS; ELECTRIC DC MOTOR DRIVE - 800 HP DC, MILL CONTROL CONSOLE, VOLLMER THICKNESS GAUGES AND MOTORIZED SCREWDOWN



ACHENBACH REVERSING ROLLING MILL



**(2) TRAVERSE
WINDING LINES**

(2) RUESCH TRAVERSE WINDING LINES - 16", LINE MOD 3158/59, HORIZONTAL UNCOILER, GUILD DMA-100-3 BUTT WELDER; 300 AMP; TECHMET 135-01 LASER SCANNING OPTICAL MICROMETER "SIDEWINDER" MICROPROCESSOR CONTROLS

**(2) CLEANING/
PICKLING LINES**

(1997) AEROMET COIL CLEANING LINE - 30", FIVE ROLL STRAIGHTENER, HYDRAULIC SHEAR & STRAIGHTENING PRESS, OSCILLATING BRUSH UNIT, POLY DIP TANKS, WISCONSIN GAS DRYER, IN FLOOR COIL HANDLING SYSTEM

(1986) ACHENBACH COIL CLEANING LINE - 300 FPM, 30", 15,000 LB. CAP., HYDRAULIC SHEAR & STRAIGHTENING PRESS, OSCILLATING BRUSH UNITS, POLY DIP TANKS, WISCONSIN GAS DRYER, IN FLOOR COIL HANDLING SYSTEM



AEROMET CONTINUOUS COIL CLEANING/PICKLING LINE



MACHINE CONCEPTS TENSION LEVELER & RUESCH SLITTING LINE

(3) SLITTING LINES

2007 MACHINE CONCEPTS GEN III PRECISION SHAPE CORRECTION LEVELER & G3C CASSETTE STYLE LEVELER

47'27" WIDTH, .006/.006" GAUGE, 60,000 LB. CAP., 1,000 FPM

(1986) RUESCH DOUBLE LOOP SLITTING LINE - 1,000 FPM, 26", 15,000 LB, 40 HP, LINE MOD 3112, UNCOILER, G3C CASSETTE STYLE LEVELER, EDGE GUIDES, SCRAP WINDER, TENSION STAND, REWINDER, EQUIPMENT TURNSTILE, T/O ROLLER CONVEYOR, PLC CONTROLS AND COMPUTERIZED TOOLING

RUESCH DOUBLE ARBOR SLITTING LINE - 18", 10,000 LB. CAP., 40 HP, LINE MOD. N3049, UNCOILER, SCRAP WINDER, REWINDER, EQUIPMENT TURNSTILE, T/O ROLLER CONVEYOR, PLC CONTROLS COMPUTERIZED TOOLING

YODER LOOP "BULL" SLITTING LINE - 1,000 FPM, 24", 15,000 LB. CAP., 75 HP, UNCOILER, SCRAP WINDER, REWINDER, EQUIPMENT TURNSTILE, CONTROLS



RUESCH DBL. LOOP SLITTING LINE



RUESCH SLITTING LINE

(5) ANNEALING FURNACES

(2000) RAD-CON BELL ANNEALING FURNACE - 1,550°F, 54" DIA. X 80"H, NITROGEN ATMOSPHERE; (2) COVERS AND (2) BASES; W/PROGRAMMABLE TEMPERATURE CONTROLS

(1997) RAD-CON BELL ANNEALING FURNACE - 132" DIA. X 66"H, NITROGEN ATMOSPHERE; (2) COVERS AND (2) BASES; W/PROGRAMMABLE TEMPERATURE CONTROLS; ELECTRONIC HEAT CONTROL SYSTEM

(1990) BELL ANNEALING FURNACE - 132" DIA. X 66"H, 1,400°F W/(2) COVERS; (2) BASES; PROGRAMMABLE TEMPERATURE CONTROLS

(1986) RAD-CON BELL ANNEALING FURNACE - 66" X 66", 1,400°F W/(3) COVERS; (3) BASES; PROGRAMMABLE TEMPERATURE CONTROLS

(1986) ANNEALING FURNACE W/GAS FIRED BELL FURNACE - 1,400°F, 132" DIA. X 66"H W/(3) COVERS; (3) BASES; PROGRAMMABLE TEMPERATURE CONTROLS



RAD-CON ANNEALING FURNACE

(1985) CONTROL COOLING SYSTEM FOR ALL FURNACES AND COVERS W/(2) EVAPCO LST-5-91 COOLING TOWERS - APPROX. 200 TON CAP., 10' X 6' X 10'H; (3) BLOWERS; (2) COOLING TOWERS - APPROX. 75 TON CAP. STEEL HOUSING ON STEEL LEGS (2) CHILL TANKS - APPROX. 1,000 GAL. CAP. AND PUMPS



CORETECH CORE CUTTER

(2) TIN LINES

(1) MECHANICAL (1) AIR KNIFE WIPE-OFF TIN COATING LINES, ONE (NEW 2000), HYDRAULIC 4-POST STITCHING PRESSES, FIBERGLASS FLUX TANKS, RUBBER LINED DIP TANKS, GAS FIRED COATING POTS, MECHANICAL WIPER, EDGE GUIDES, TURNSTILE

MISC. PRODUCTION EQUIP.

- (2000) CORETECH 14/72 CORE CUTTER W/ARBORS - 6" - 20" DIA.
- REWIND LEVELLER LINE - 34", UNCOILER, 9-ROLL STRAIGHTENER, SCRAP WINDER, T/O ROLLER CONVEYOR
- (1988) TENSION LEVELING LINE - 8", .005 TO .050 GAUGE CAP. W/UNWIND - 21", 15 HP DC MOTOR, SNUBBER; SPACER STAND; ROLL CASSETTE - 4/5 X 2 1/2" X 10"; EGAN RECOILER - 28"; SIGNODE TABLE TYER - STRAPPER
- (2) MECHANICAL UPENDERS - 50" X 50"
- YODER SCRAP WINDER - 7 1/2 HP W/REEL - 46" DIA.

★ (12) BRIDGE CRANES & (8) JIB CRANES ★

15 TON CAP.

- INDUSTRIAL INSTALLATIONS DOUBLE GIRDER OVERHEAD BRIDGE CRANE - 15 TON CAP., PENDANT CONTROL, APPROX. 60' SPAN
- (1986) UESCO DOUBLE GIRDER TRAVELING BRIDGE CRANE - 15 TON CAP., 60' SPAN X 140' CRANEWAYS W/ELECTRIC WIRE ROPE HOIST - 15 TON CAP., ROBBINS & MYERS POWERED TROLLEY, PENDANT CONTROLLED
- OVERHEAD TRAVELING DOUBLE GIRDER BRIDGE CRANE - 15 TON CAP., 50' SPAN X 160' CRANEWAYS W/ELECTRIC WIRE ROPE HOIST - POWERED TROLLEY, PENDANT CONTROLLED
- UESCO INDUSTRIES DOUBLE GIRDER OVERHEAD BRIDGE CRANE - 15 TON CAP., PENDANT CONTROL, APPROX. 45' SPAN
- DOUBLE GIRDER OVERHEAD BRIDGE CRANE - 15 TON CAP., PENDANT CONTROL, APPROX. 45' SPAN

7½ TON CAP.

- (1985) INDUSTRIAL INSTALLATIONS OVERHEAD TRAVELING BRIDGE CRANE - 7½ TON CAP., 35' SPAN X 160' CRANEWAYS W/ELECTRIC WIRE ROPE HOIST - 7½ TON CAP., POWERED TROLLEY, PENDANT CONTROLLED
- DEARBORN DOUBLE BEAM BRIDGE CRANE W/ ROBBINS & MEYERS ELECTRIC WIRE ROPE HOIST - 7½ TON CAP., POWERED TROLLEY, PENDANT CONTROLLED ROBBINS & MYERS
- INDUSTRIAL INSTALLATIONS SINGLE BEAM TRAVELING BRIDGE CRANE - 7½ TON CAP., 38' SPAN, PENDANT CONTROL W/SHAW-BOX CABLE HOIST - 7½ TON CAP.

5 TON CAP.

- (1986) OVERHEAD BRIDGE CRANE - 60' SPAN X 360' CRANEWAYS W/DEARBORN DOUBLE GIRDER BRIDGE CRANE; ROBBINS & MEYERS ELECTRIC WIRE ROPE HOIST - 5 TON CAP., POWERED TROLLEY, PENDANT CONTROLLED
- OVERHEAD TRAVELING BRIDGE CRANE - 40' SPAN X 85' CRANEWAYS W/ (2) UESCO SINGLE BEAM BRIDGES - 5 TON CAP.; ROBBINS & MEYERS CABLE HOIST - 5 TON CAP., PENDANT CONTROLLED
- (8) JIB CRANES - APPROX. 20' SPAN X 15' H W/ ELECTRIC CHAIN HOISTS - 2 TON CAP., MANUAL TROLLEY, YALE PENDANT CONTROLLED

(6) CRANE "C" HOOKS - 4 TON TO 10 TON CAP.



ASST. BRIDGE CRANES



ASST. SECTIONS PALLET RACKING



PARTIAL VIEW OF INVENTORY

(5) HYSTER LPG FORKLIFTS

- (2000) HYSTER S155XL2 LPG FORKLIFT - 15,000 LB. CAP., 3-STAGE MAST - 181" MAX. LIFT
- (1998) HYSTER S155XL LPG FORKLIFT - 15,500 LB. CAP., 2-STAGE MAST
- (1997) HYSTER S155XL2 LPG FORKLIFT - 15,500 LB. CAP., 2-STAGE MAST - 94.5" MAX. LIFT
- HYSTER S155XL2 LPG FORKLIFT - 15,500 LB. CAP., 2-STAGE MAST - 94.5" MAX. LIFT
- (1997) HYSTER S65XM LPG FORKLIFT - 5,950 LB. CAP., 2-STAGE MAST - 126.5" MAX. LIFT, SIDESHIFTER

(1999) SKYJACK SJKB-33N ELECTRIC SELF-PROPELLED PERSONNEL PLATFORM LIFT; PERSONNEL LIFT - 750 LB. CAP., 22'H PLATFORM

AIR COMPRESSORS & DRYERS

- GARDNER DENVER EAPQMD PACKAGED ROTARY SCREW AIR COMPRESSOR - 100 HP W/ HANKISON PR1000 REFRIGERATED AIR DRYER - 1,000 SCFM
- (1989) ATLAS COPCO GA-75 PACKAGED ROTARY SCREW AIR COMPRESSOR - 100 HP, 130 PSI W/PIONEER R1000A REFRIGERATED AIR DRYER - 1,000 SCFM; W/VERTICAL RECEIVER PIONEER OA500 AUTOMATIC CONDENSATE DRAIN
- DAYTON SPEEDAIRE 324962 HORIZONTAL TANK MOUNTED AIR COMPRESSOR - 10 HP

(6) DIGITAL SCALES

- ELECTRONIC LOW PROFILE PLATFORM SCALE - 3,000 LB. CAP., 3' X 3' W/METTLER TOLEDO PANTHER REMOTE DIGITAL WEIGHT INDICATOR
- DIGITAL LOW PROFILE PLATFORM SCALE - 5' X 5' W/METTLER TOLEDO PANTHER PLUS; REMOTE DIGITAL WEIGHT INDICATOR - 20,000 LB. CAP.
- ABOVE GROUND FLOOR SCALE - 5,000 LB. CAP., 48" X 48" W/TOLEDO 8142 ELECTRONIC DIGITAL READOUT
- (3) ABOVE GROUND FLOOR SCALES - 20,000 LB. CAP., 48" X 48" W/TOLEDO 8142 ELECTRONIC DIGITAL READOUT

(1986) MEMTEK WASTE WATER TREATMENT SYSTEM - 50 GALS./MINUTE, JWI FILTER PRESS, TANKS AND CONTROLS

PROCESS STEAM SYSTEM, (2) GAS FIRED BOILERS - APPROX. 10 HP, PUMPS, WATER SOFTENING SYSTEMS.

MAINTENANCE & SHOP EQUIP.

MONARCH 18" ENG. LATHE - 18.5" SW X 78" CC; BRIDGEPORT SERIES I VERTICAL MILLER; BRIDGEPORT 2J W/ MILLING HEAD - 1 1/2 HP; DAYTONA DF-12 DRILL PRESS; ENCO 126-2225 FLOOR DRILL PRESS; WILTON CHALLENGER DOUBLE END BENCH GRINDER - 3/4 HP; DAYTON 42909B DOUBLE END BENCH GRINDER; ABRASIVE 1 1/2" MANUAL SURFACE GRINDER - 6" X 18" COMBINATION 6" BELT/12" DISC GRINDER; MILLER DIAL ARC HF PORT. AC/DC GAS TUNGSTEN ARC WELDER - 250 AMP; P&H; DAR300HFGW AC/DC ARC WELDER - 300 AMP; MILLER MILLERMATIC 250 PORTABLE DC ARC WELDER/WIRE FEEDER - 200 AMP; OXY/ACETYLENE TORCH SETS; PARKER HANNIFIN 10MF-406A-10C-1X853006 PORT. FILTERING SYSTEM; STONE 655PM PORTABLE ELECTRIC CONCRETE MIXER; CAROLINA CP-100 HYDRAULIC H-FRAME SHOP PRESS - 30 TON CAP., 24" BETWEEN UPRIGHTS; TABLE SAW, WELDERS - 10"; LANDA PHWS-11021D PORTABLE OIL FIRED PRESSURE WASHER; ARBOR PRESS - RATCHET TYPE.

LABORATORY

(2001) UNITED STM-20 BENCH TOP UNIVERSAL TENSILE TESTER; UNITED TM-10 TENSILE TESTER W/DIGITAL READOUT AND SPEED CONTROLLER; HOUSTON INSTRUMENT OMNIGRAPHIC W/SINGLE-PEN CHART RECORDER UNITED TRU-BLUE UHT-10 DIGITAL ROCKWELL HARDNESS TESTER; LAB-LINE 100 SMALL TABLE TOP INCUBATOR; OLYMPUS BHM BINOCULAR MICROSCOPE W/MICROMETER STAGE W/ILLUMINATOR; ANTONIK TESTER SERVICE MHT-1 MICRO HARDNESS TESTER; UPA TECHNOLOGY MP-700 TABLE TOP DUAL MEASURING MICROCOMPUTER FOR BETA-BACKSCATTER TESTING; ENCO 130-5700- BENCH TOP ALLIGATOR SHEAR - 8"; MAGNA FLUX CONDUCTIVITY METER, WOOD LABORATORY BENCHES, WORKTABLES, STORAGE CABINETS, ETC.

SHOP FURNITURE AND EQUIPMENT

WORKTABLES, LOCKERS, STORAGE & PARTS CABINETS, CARTS, COIL STANDS, SCAFFOLDING, PORTABLE DUMP HOPPERS, DOCK LIGHTS AND PLATES

(4) PREFABRICATED INPLANT OFFICES CONSISTING OF: STEEL FRAMING AND RECESSED CEILING, LIGHTING - 12' X 8' X 10'H, 15' X 10' X 10'H, 10' X 8' X 10'H, 22' X 15' X 10'H

OFFICE FURNITURE & EQUIPMENT

DESK, CHAIRS, METAL/FORMICA TABLES, FILE CABINETS, BOOK RACKS, FAX MACHINES, COPIERS, ETC.
SONY CCTV SYSTEM W/(16) FIXED COLOR VIDEO CAMERA W/COMPUTER



FORKLIFT TRUCKS



1999 SKYJACK ELEC. SELF-PROPELLED PERSONNEL LIFT



LAB EQUIPMENT



SONY CCTV SYSTEM

BRASS/COPPER ALLOY FOUNDRY



DEMAG TECHNICA CONTINUOUS BRASS/COPPER SLAB CASTING LINE



DEMAG TECHNICA CONTINUOUS BRASS/COPPER SLAB CASTING LINE

(2) 1997 DEMAG TECHNICA CONTINUOUS BRASS/COPPER ALLOY COIL CASTING LINES

(1997) DEMAG TECHNICA HC800 HORIZONTAL CONTINUOUS COPPER ALLOY CASTING LINE: INDUCTOTHERM CHANNEL INDUCTION MELTING FURNACE -13,500 LB; DEMAG TECHNICA W03 INDUCTION HOLDING FURNACE - 8,000 LB. CAP.; HYDRAULIC TILT; INDUCTOTHERM LINEMELT 60 W/POWER SUPPLY - 250 KW; DEMAG TECHNICA K7-S STRIP COOLER - 5/8" X 26" STRIP; (8) COOLING ZONES; W/DIGITAL FLOW CONTROLLERS; INDUCTOTHERM SPARE HOLDING FURNACE SS PASS-THROUGH COOLING WATER TANK DEMAG TECHNICA 800-B1-MCP SERVOMOTOR DRIVEN WITHDRAWAL UNIT; MCP COMPUTOCAST MICROPROCESSOR CASTING CONTROL; DEMAG TECHNICA FR800 INLINE TRAVELING TOP AND BOTTOM SURFACE MILLING MACHINE; DEMAG TECHNICA SC7 HYDRAULIC FLYING SHEAR - 300 TON CAP.; DEMAG TECHNICA BE800 STRIP UP-COILER; INDUCTOTHERM MISROSCAN HOLDING FURNACE CONTROL CABINET

(1997) DEMAG TECHNICA HC800 HORIZONTAL CONTINUOUS COPPER ALLOY CASTING LINE: W/DEMAG TECHNICA W03 INDUCTION HOLDING FURNACE - 8,000 LB. CAP.; HYDRAULIC TILT; INDUCTOTHERM LINEMELT 60 W/ POWER SUPPLY - 250 KW; DEMAG TECHNICA K7-S STRIP COOLER - 5/8" X 26" STRIP; (8) COOLING ZONES; W/DIGITAL FLOW CONTROLLERS; INDUCTOTHERM SPARE HOLDING FURNACE SS PASS-THROUGH COOLING WATER TANK DEMAG TECHNICA 800-B1-MCP SERVOMOTOR DRIVEN WITHDRAWAL UNIT; MCP COMPUTOCAST MICROPROCESSOR CASTING CONTROL; DEMAG TECHNICA FR800 INLINE TRAVELING TOP AND BOTTOM SURFACE MILLING MACHINE; DEMAG TECHNICA SC7 HYDRAULIC FLYING SHEAR - 300 TON CAP.; DEMAG TECHNICA BE800 STRIP UP-COILER; INDUCTOTHERM MISROSCAN HOLDING FURNACE CONTROL CABINET

(4) MELTING & (4) FURNACES

(4) INDUCTOTHERM CORELESS MELTING FURNACES: (2) MELTING FURNACES 750 KW, 11,000 LB. CAP.; 3,250 LBS./HR. MELT RATE W/VIP MELT PWR CONTROLS & METAL LEAK DETECTOR; (4) HOLDING FURNACES 400 KW, 1,000 LB. CAP. FITTED TO AN 8,000 LB. HOLDING FURNACE W/VIP MELT PWR CONTROL

(1997) LINEMELT VERTICAL CHANNEL INDUCTION MELTING FURNACES - 13,500 LB. CAP., 3,500 LBS./HR. MELT CAP. HYDRAULIC TILT; INDUCTOTHERM POWERMELT "VIP" FURNACE CONTROLS - 575 KW, 543 KVA; 500-06-CR DIGITAL CONTROL SYSTEM; INDUCTOTHERM COOLANT CIRCULATION CONTROL UNIT; EXHAUST HOOD TO EXTERIOR DUST COLLECTOR; INDUCTOTHERM CORELESS MELTING FURNACE

(1997) INDUCTOTHERM VERTICAL CHANNEL INDUCTION MELTING FURNACE - 13,500 LB. CAP., 3,500 LBS./HR. MELT CAP. HYDRAULIC TILT; INDUCTOTHERM 500-06-CR "VIP" FURNACE CONTROL - 575 KW; DIGITAL CONTROL SYSTEM; INDUCTOTHERM COOLANT CIRCULATION CONTROL UNIT; EXHAUST HOOD TO EXTERIOR DUST COLLECTOR; POUR CHUTE TO HOLDING FURNACE

(2) CARRIER FCS-31/70420 RAIL MTD. VIBRATORY CHARGING HOPPERS 4' X 8' X 30"



DEMAG TECHNICA CONTINUOUS BRASS/COPPER SLAB CASTING LINE



INDUCTOTHERM CORELESS MELTING FURNACE



INDUCTOTHERM CORELESS MELTING FURNACE

FURNACE EQUIP.

(2) GAS FIRED FORCED AIR PRE-HEATERS; MODERN EQUIPMENT - POURING LADLES - 1 AND 5 TON CAP.

BRIQUETTING PRESS

(1980) GALLAND HENNING NOPAK 60DC HYDRAULIC BRIQUETTING PRESS - 14' X 14' X VARIABLE BALE SIZE



GALLAND HENNING NOPAK 60DC HYD. BRIQUETTING PRESS

PLANT SUPPORT

- (1997) ONAN 750 DHA STANDBY DIESEL GENERATOR SET - 750 KW W/ CUMMINS QST30-62 6-CYLINDER DIESEL ENGINE - 1,200 HP AT 1,800 RPM KLEIN FUEL TANK BASE AND FULL ENCLOSURE - 900 GAL. CAP.
- (2) (1997) EVAPCO EXTERIOR PLATFORM MOUNTED COOLING TOWERS; CHILL TANK - 1,000 GAL. CAP.; (4) POLARIS S-141G15 HEAT EXCHANGERS; PUMPS - (2) 40 HP AND (2) 7½ HP
- (2) KELLER DUST COLLECTOR SYSTEMS - PLATFORM MOUNTED W/ CYCLONE SEPARATOR; FINES COLLECTOR; VACUUM BLOWER
- (1997) KIRK & BLUM EXTERIOR FURNACE FUME COLLECTION SYSTEM W/ DROPOUT BOX; (2) DUST COLLECTORS; DRAFT BLOWER - 125 HP; STEEL STACK - 50'



KIRK & BLUM FURNACE FUME COLLECTION SYSTEM



ONAN STANDBY DIESEL GENERATOR

MATERIAL HANDLING

AERIAL LIFT

(1990) SNORKEL TB-A60RT SELF-PROPELLED BOOM TYPE AERIAL LIFT - 500 LB. CAP., 60' MAX. LIFT, 30' X 60" PLATFORM SIZE, LPG, TIRES - 15 X 19.5, TUBELESS

BRIDGE CRANE

(1997) INDUSTRIAL INSTALLATIONS DOUBLE GIRDER OVERHEAD BRIDGE CRANE - 60' SPAN, 15 TON CAP., RADIO CONTROLLED W/SHAW-BOX CABLE HOIST; "C" HOOK - 10 TON CAP.

(2) COL. MTD JIB CRANES: 2 TON, 15' SPAN X 10'H, W/ELECTRIC CHAIN HOIST; 1/2 TON, 12' SPAN X 10'H.

ANVER VPF-57-AC VACUUM LIFTER

(4) FORKLIFTS

- HYSTER S155XL LPG FORKLIFT TRUCK - 15,500 LB. CAP., 2-STAGE MAST - 94.5' MAX. LIFT, OHG
- (1998) HYSTER S100XL2 LPG FORKLIFT TRUCK - 10,000 LB. CAP., 2-STAGE MAST - 111' MAX. LIFT, OHG, CASCADE 70D-CF FORK ROTATOR/SPREADER
- HYSTER S100XM LPG FORKLIFT TRUCK - 10,000 LB. CAP., 2-STAGE MAST, 135' MAX. LIFT, OHG, SIDESHIFTER
- HYSTER S65XM LPG FORKLIFT TRUCK - 5,950 LB. CAP., 2-STAGE MAST - 126.4' MAX. LIFT, OHG, CASCADE 50DCF23B FORK ROTATOR/SPREADER

AIR COMPRESSORS & DRYERS

- (2002) GARDNER DENVER ECPOME BASE MOUNTED ROTARY SCREW AIR COMPRESSOR - 100 HP W/PROGRAMMABLE CONTROLS
- (1997) GARDNER DENVER EAPQMD PACKAGED ROTARY SCREW AIR COMPRESSOR - 100 HP
- (2) (1997) HANKISON PR500 REFRIGERATED COMPRESSED AIR DRYERS - 500 SCFM

100 TON TRUCK SCALE

- (1997) METTLER TOLEDO TRUCKMASTER 7531 ABOVE GROUND MODULAR RAISED PLATFORM TRUCK SCALE - 11' X 70', 100 TON CAP. W/TOLEDO 8530 INSIDE DIGITAL WEIGHT INDICATOR

(2) DIGITAL PLATFORM SCALES

- TOLEDO ELECTRONIC LOW PROFILE PLATFORM SCALE - 10,000 LB. CAP., 5' X 5' W/METTLER TOLEDO LYNX REMOTE DIGITAL WEIGHT INDICATOR
- METTLER TOLEDO LOW PROFILE ELECTRONIC PLATFORM SCALE - 20,000 LB. CAP., 5' X 5' W/METTLER TOLEDO LYNX REMOTE DIGITAL WEIGHT INDICATOR

MAINT. & SHOP EQUIP.

1999 KENT KGS410AHD AUTOMATIC SURFACE GRINDER W/POWER DOWN FEED; MAGNETIC CHUCK - 16" X 40"; HYPER THERM MAX 100 PORT. PLASMA CUTTING SYSTEM W/ACCESSORIES; POWER TEAM SPF-100 H-FRAME HYD. PRESS - 100 TON CAP., 50" BETWEEN UPRIGHTS; HYPER THERM POWERMAX 1650 G3 SERIES PORTABLE PLASMA CUTTING SYSTEM; MILLER MILLERMATIC 250 WELDER; ENCO 137-3175 HORIZONTAL BAND SAW; OXY/ACETYLENE TORCH OUTFIT; STONE 1285PM PORT. GAS ENGINE CONCRETE MIXER; AAR POWERBOSS RS50E ELECTRIC RIDING FLOOR SWEEPER, ETC.


LABORATORY

(1997) SPECTROLAB LABMB 058 SPARK ANALYSIS SPECTROMETER, W/H&K HK80F BENCH TOP SAMPLE MILL

OFFICE FURNITURE

DESKS, CREDENZAS, FILE CABINETS, FAX MACHINES, COPIERS, ETC.
CCTV SYSTEM SONY (16) FIXED COLOR VIDEO CAMERAS W/COMPUTER

15 TON CRANE



CONTACT AUCTIONEER FOR DETAILS

700 S. UNION STREET, MISHAWAKA, IN – ROLL MILL FACILITY



31140 EDISON ROAD, NEW CARLISLE, IN – FOUNDRY

