

**INDUSTRIAL ASSETS MACHINERY
IS PLEASED TO OFFER FOR YOUR CONSIDERATION:**

REFERENCE #: 4719

Komatsu OBS Press

MODEL: 355-Vs-3, S/N: D0040 Year: 1997

- Tonnage...35
- Ram Stroke...3.15"
- Shut Height...8-77"
- Ram Adjustment...2.17"
- Bed Size...27.5" x 15.75"
- Ram Size...13.75" x 11.75"
- Strokes Per Minute...60-120
- Opening Thru Back...17.5"
- Dimensions...60" x 60" x 90"
- Weight...7,000 LBS

EQUIPPED WITH

- Air Clutch & Brake
- Hydraulic Overload Protection
- T-Slotted Bed & Ram
- Power Ram Adjustment With Indicator
- Auto Lube System
- Remote Dual Palm Control Stand
- Barrier Guards
- Isolator Pads
- Horsepower: 5

PRICE: \$34,500

LOCATION: Huntington Park, CA

LEASE PAYMENT OPTION

*\$930.00 /month for 36 months

To apply for financing please contact Tiffany Guimond at 818-508-7034 or email tguimond@biditup.com.
To submit a credit application online, click [here](#)

*Payments are based (OAC), 36 months term, 25% down payment, shorter or longer terms available. This advertisement in no way constitutes an offer to buy or sell equipment from Industrial Assets Machinery or BIDITUP or for Charcole Capital to provide financing or leasing. Payments exclude destination, rigging and transportation charges, any applicable taxes, and any applicable fees. Any calculation of any price, tax, lease or finance terms is for your reference only, is an estimate, and is subject to change without notice.





MAIN SPECIFICATIONS

MODEL	085 35 S-1/S-3	
MACHINE NO	D 0040	
DATE MANUFACTURED	12 1997	
MAXIMUM CAPACITY	35 (38.59)	metric ton (short ton)
NUMBER OF SLIDE STROKES	60 - 120	spm
SLIDE STROKE	80 (3.15)	mm (inch)
DIE HEIGHT <small>(BETWEEN BOLSTER AND SLIDE) (STROKE DOWN ADJUSTMENT) UP</small>	210 (8.27)	mm (inch)
SLIDE ADJUSTMENT	55 (2.17)	mm (inch)
SLIDE DIMENSIONS(LR x FB)	350 X 300	mm
	13.78 X 11.81	(inch)
BOLSTER DIMENSIONS(LR x FB x THICKNESS)	700 X 400 X 86	mm
	27.56 X 15.75 X 3.49	(inch)

Dina Komatsu Nacional S.A.De C.V.

WARNING

TO PREVENT SERIOUS BODY INJURY

