# HUGE SAUGETION

#### **COMPLETE LIQUIDATION OF 300-ACRE FABRICATION FACILITY**

World Class Fabricator of Fixed Platforms, Pipelines, Floating Production Platforms, Subsea & Onshore Modules for the Energy Industry Featuring: Cranes, Welding, Heavy Fabrication, Material Handling, Large Quantities of Steel Inventory



At the Premises of

#### McDERMOTT, INC. 2317 Highway 662 South, AMELIA

2317 Highway 662 South, AMELIA (MORGAN CITY AREA), LA 70380

(See Directions on Back Page)

Read Partial Terms & Conditions on Back Page of Brochure

AUCTION:
MONDAY, SEPT. 8
THRU
FRIDAY, SEPT. 12
9:00 A.M. EACH DAY

#### INSPECTION:

Thursday, Sept. 4 thru Sunday, Sept. 7 from 9:00 A.M. to 4:00 P.M. Each Day

BUYER'S PREMIUM: 18%

On-Site Bidding in Amelia (Morgan City Area), LA or Bid Via Webcast at BidSpoter.com

Auction Conducted By:



www.myronbowling.com

P.O. Box 369 in Ross, Ohio 45061
Office (513) 738-3311 • Fax: (513) 738-0221
E-mail: info@myronbowling.com
Myron Bowling, LA Lic. #1550 • Company LA Lic. #AB-223

#### PLANT & MACHINERY INC.

AUCTIONEERS • APPRAISERS • LIQUIDATORS • REAL ESTATE

2901 W. Sam Houston Pkwy. N., Suite A-130, Houston, TX 77043

PHONE: (713) 691-4401

FAX: (713) 672-7905

EMAIL: pmi@pmi-auction.com • WEBSITE: www.pmi-auction.com Ronald G. Moore, LA LIC. #851 HOUSTON • DALLAS • ST. LOUIS



105 Revere Drive, Suite C Northbrook, IL 60062 www.pplauction.com

Phone: 224-927-5300 | Fax: 224-927-5311



11426 Ventura Blvd., Studio City, CA 91604 Tel: 818-508-7034/Fax: 818-508-3025 **www.biditup.com**  Maynards
Industries (1991) Inc.
SINCE 1902

AUCTIONEERS | LIQUIDATORS | APPRAISERS

**Maynards** www.maynards.com ph 248-569-9781 • fax 248-569-9793



BERTSCH #44 INITIAL PINCH PLATE ROLL



BERTSCH #34 INITIAL PINCH PLATE ROLL



HUGH SMITH 3,000 T. VERTICAL PLATE ROLL

#### **INITIAL PINCH PLATE ROLLS**

BERTSCH 6-1/4" X 12' #44, new 1972, S/N M-10020, (Day 1). BERTSCH 3-3/4" X 12' #34, new 1980, S/N M-40434, (Day 1). BERTSCH 2-1/4" X 13' #30, new 1975, S/N M-10274, (Day 2). BERTSCH 1-1/2" X 10' #20, new 1975, S/N M-10263, (Day 2).

#### **VERTICAL PLATE BENDERS**

**HUGH SMITH 5-1/2" x 10' HYDRAULIC**, new 1970, 3,000 T. cap., S/N C-27066, **(Day 1)**.

**HUGH SMITH 4-1/2" X 10' HYDRAULIC**, new 1968, 2,000 T. cap., S/N C-26937, **(Day 1)**.

**HUGH SMITH 3" X 10' HYDRAULIC**, new 1968, 1,200 T. cap., S/N C-26936, **(Day 1)**.

HUGH SMITH 6' VERTICAL HYDRAULIC, new 1971, 400 T. cap., S/N C-27257, (Day 2).



HUGH SMITH 2,000 T. VERTICAL BENDING ROLL



MESSER 5-AXIS CNC PLASMA CUTTER

#### **5-AXIS CNC PLASMA CUTTER**

MESSER MDL. TMC4512 5-AXIS, new 11/2006, Messer touch screen PC based CNC control, 12'-4" material width, 80' max. material length, Slagger table, S/N TM-C4512LP06-4900, (Day 4).

#### **CNC 5-AXIS PIPE PROFILER**

VERNON TOOL MDL. MPM5-0348, rebuilt and retrofitted 2007, 48" max. pipe dia., Vernon PC based CNC control, out-of-round detector, pipe handling conveyor console, (Day 2).

#### **MANUAL PIPE PROFILERS**

VMW MDL. 956745-400 PIPE CUTTING AND PROFILING MACHINE, (Day 2). VERNON TOOL MDL. G PIPE PROFILER, (Day 4).

> INSPECTION: Thursday, Sept. 4 thru Sunday, Sept. 7 from 9:00 A.M. to 4:00 P.M. Each Day

#### **STRUCTURAL BANDSAW SYSTEM**

HYD-MECH MDL. TS-40 STRUCTURAL HORIZONTAL, twin column design, 36" rd. cap., 36" x 40" rect. cap., 2" blade size, 70' pwr. roller infeed conveyor w/(6) 30'L. side magazine drag conveyor, 70' outfeed conveyor w/(6) 30' drag conveyor, 15 HP drive motor, (Day 4).



HYD-MECH TS-40 STRUCTURAL BANDSAW



**HYD-MECH INFEED CONVEYOR SYSTEM** 



VERNON 5-AXIS CNC PIPE **PROFILER** (CLOSE-UP)



RANSOME 3-HEAD GIRTH SEAM WELDER

SIDE BEAM GIRTH SEAM WELDERS

RANSOME, 16' max. O.D., 54" min. O.D., 60 T. weight cap., 30' side beam w/(3) weld carriages, 125' V-roll entry conveyor, (3) 60 T. cap. pwr. turning rolls w/hyd. vert. adj., (Day 1).

RANSOME, 72' max. O.D., 24" min. I.D., 40 T. weight cap., 30' beam length, (3) welding carriages, 108' V-roll entry conveyor, 39' V-roll exit conveyor, (Day 1).

RANSOME, 30' beam length, (3) weld carriages, 105' V-roll entry and exit conveyor, 90 T. cap. pwr. turning roll w/ (3) idlers, (Day 1).

CUSTOM BUILT, 72" max. O.D., 21" min. O.D., 15 T. max. weight cap, (3) weld carriages, Ransome 60 T. cap. pwr. turning roll w/(3) idlers, (Day 2).

#### SIDE BEAM WELDERS

(3) CUSTOM SIDE BEAM WELDERS, 72" max. O.D., 21" min. O.D., 15 T. max. weight cap 19' beam length, triple-wheel pwr. turning roll units, (Day 2).

**RANSOME**, 45' beam length, Ransome 90 T. cap. pwr. turning roll, (**Day 1**).

RANSOME, 16' rail length, (Day 1).

RANSOME, 14' beam length, (Day 3).

### TRAVELING SUBARC MANIPULATORS

(4) ROMAR MDL. RM4310VHD-Z, new 2007, 7' x 14' pwrd. Powerwave pwr. supplies, weather enclosure, (Day 4).

(2) PANDJIRIS 8' X 8', motorized track base, (Day 2).

(3) RANSOME 6' X 6', mtd. on traveling car, (Day 2).


(2) RANSOME 6' X 6', mtd. on 5' x 20' traveling car, (Day 2).

(2) RANSOME 6' X 6', on motorized cart base, (Day 5).

(2) RANSOME 4' X 4', (Day 4).

**CUSTOM 4' X 4', (Day 2).** 

(5) PANDJIRIS 16' X 16' MANIPULATORS





ROMAR MOBILE SUBARC MANIPULATORS





KOIKE ARONSON SUBARC MANIPULATOR

#### **FIXED BASE SUBARC MANIPULATORS**

(5) PANDJIRIS 16' X 16', Mdl. 1600HD, Lincoln twin wire subarc welding head, Powerwave pwr. supplies, operator's platform, (Day 1).

(3) PANDJIRIS 14' X 14', Mdl. 1400, Lincoln twin wire subarc welding head, Lincoln DC-1000 and AC-1200 pwr. supplies, operator's platform, (Day 1).

PANDJIRIS 14' X 14', Mdl. 1400HC, (Day 1).

KOIKE ARONSON 12' X 12', Mdl. AG12VRA12CL-PK, (Day 3).

RANSOME 12' X 12', Lincoln twin wire, (Day 1).

(4) RANSOME 12' X 12', Mdl. 1212HD, (Day 2).

(2) PANDJIRIS 6' X 16', Mdl. 1600HD, (Day 1).

(3) HANSEN MIG-ARM OMNI-VERSAL MANIPULATORS, (Day 3).

AUCTION: MON., SEPT. 8 THRU FRI., SEPT. 12 9:00 A.M. EACH DAY



CUSTOM BUILT SIDE BEAM SUBARC WELDER



EXTERNAL HYDRAULIC LINEUP CLAMP



PANDJIRIS MDL. MT200-12VS, 20,000 LB. CAP. WELDING TURNTABLE

# HUGE S-DAY SAUCTION

On-Site Bidding in Amelia (Morgan City Area), Louisiana or Bid Via Webcast at *BidS* 

This brochure is a partial listing of equipment offered in this tremendous 5-day sale. Please visit our website at www.pmi-auction.com for detailed specifications and additional photos.

#### **INTERNAL SUBARC WELDERS**

PANDJIRIS TWIN WIRE TRAVELING BOOM, arranged for girth seam welding, 60 T. cap. pwr. turning roll w/(2) idlers, 96' V-roll conveyor, (Day 2).

PANDJIRIS TWIN WIRE FIXED BOOM, arranged for girth seam welding, Ransome 90 T. cap. pwr. turning roll w/idler, (Day 1).

(2) DEUMA TWIN WIRE FIXED BOOMS, arranged for girth seam welding, (Day 2).

RANSOME 12' X 12' WELDING MANIPULATOR, arranged for internal seam welding, (Day 2).

CUSTOM FIXED BOOM, Ransome Mdl. 33 welding carriage, (Day 2). PANDJIRIS 8' X 8', (Day 2).

#### **INTERNAL HYDRAULIC LINEUP CLAMPS**

CUSTOM 108" DIA.; CUSTOM 80" DIA.; CUSTOM 72"; CUSTOM 60" DIA.; CUSTOM 29" DIA.; CUSTOM 28" DIA., (Day 1); CUSTOM 36" DIA., (Day 2).

### EXTERNAL HYDRAULIC LINEUP CLAMPS

CUSTOM, 60" I.D., (Day 1); CUSTOM BUILT, (Day 4).

#### **PIPE CONVEYORS & RACKS**

RANSOME V-ROLL CONVEYOR/POWER TURNING UNIT, new 1990, approx. 50' total length, (Day 2).

ROMAR V-ROLL CONVEYOR/POWER TURNING UNIT, new 2007, 405' total length, (Day 4).

(2) VERNON TOOL CO. INFEED/ROLLER TABLES, (Day 2).

TTS PIPE SHELL TRANSPORT CONVEYOR SYSTEM, (8) pwr. turning roll stations w/ transfer from magazine, (Day 1).

DOUBLE-SIDED H.D. PIPE RACK SYSTEM, 250' overall length, (Day 2). RANSOME EXTRA H.D. V-ROLL CONVEYOR UNIT, 190'L... (Day 2).

#### **POWER TURNING ROLLS**

ROMAR APPROX. 400 T. CAP. TURNING ROLL W/(4) quad-wheel idler roll sets, (Day 4); ROMAR MDL. CE-025 TURNING ROLL CAR, new 6/2007, 120 metric T. cap., (Day 4); (2) ROMAR 100 T. CAP. TURNING ROLLS, (Day 4); (3) ROMAR 100 T. CAP. IDLER ROLLS, (Day 3); PANDJIRIS 100 T. CAP. TURNING ROLL W/(2) idlers, (Day 1); (2) RANSOME 100 T. CAP. TURNING ROLLS W/idler, (Day 4); (7) RANSOME 60 T. CAP. POWER AND IDLER ROLL SETS, (Day 1); ARONSON UNITIZED ROLL SET, (2) idler rolls, (Day 2); (3) RANSOME 60 T. CAP. TURNING ROLLS W/idler roll, (Days 1, 2, & 4); (2) RANSOME 45 T. CAP. TURNING ROLLS, (2) idler rolls, (Days 1 & 2); (2) ROMAR MDL. RS-TRD-30 TURNING ROLLS, new 2009 w/(2) idler rolls each, (Day 4); KOIKE ARONSON 20 T. CAP. POWER AND IDLER ROLL SET, new 1996, triple, (Day 2).



RANSOME HEADSTOCK AND TAILSTOCK UNITS



**ROMAR 30 T. POWER TURNING ROLLS** 



RANSOME 100 T. POWER TURNING ROLL SET



RANSOME V-ROLL CONVEYOR/POWER TURNING UNIT



INTERNAL HYDRAULIC LINEUP CLAMP



UNUSED LINCOLN AC-1200 POWER SUPPLIES



**HUNDREDS OF MILLER WELDERS** 



LINCOLN TIG AND MIG WELDERS



CONE WELDING TILT FIXTURE



**ACORN WELDING PLATENS** 

#### **WELD POSITIONING**

ARONSON 50,000 LB. CAP. WELDING POSITIONER, Mdl. G500, (Day 1).

- (3) PANDJIRIS 3,000 LB. CAP. WELDING POSITIONERS, Mdl. 30-6, (Day 4).
- (4) PANDJIRIS 1,500 LB. CAP. WELDING POSITIONERS, Mdl. 15-4, (Days 3 & 4).
- (2) RANSOME 1,000 LB. CAP. WELDING POSITIONERS, Mdl. 10P-A, (Day 4).
- (2) RANSOME MDL. 8H WELDING HEADSTOCK AND TAILSTOCK SETS, new 1991, 40,000 lb. cap., (Day 2).

PANDJIRIS MDL. MT200-12VS 20,000 LB. CAP. WELDING TURNTABLE, 84" dia. platen, (Day 1).

#### **BEVELLING MACHINES**

(3) AIRCO OXY/FUEL PLATE, each unit is (2) bridges on common, (Day 1).

KOIKE OXY/FUEL PLATE, 23' width, 58' length, (Day 2).

(2) PANDJIRIS TWIN-HEAD OXY/FUEL PIPE, (Day 1).

#### **OVER (500) WELDING MACHINES**

(15) HOBART FABRICATOR WELDING SUPPLIES; (14) MILLER SRH444 POWER SUPPLIES; (14) LINCOLN DC-600 POWER SUPPLIES; (6) LINDE CAC-1001 POWER SUPPLIES; (2) LINCOLN AC-1200S POWER SUPPLIES, (Day 1).

OVER (200) WELDING POWER SUPPLIES INCLUDING MILLER DIMENSION 652; DIMENSION 452; DIMENSION SRH442; DIMENSION SRH555; LINCOLN DC-600; LINCOLN DC-400; HOBART FABRICATOR; OTHERS, (Day 2).

(3) NEW/UNUSED LINCOLN MDL. AC-1200 WELDING POWER SUPPLIES; (2) LINCOLN POWERWAVE AC/DC 1000 WELDING POWER SUPPLIES; LINCOLN POWERWAVE 655 WELDING POWER SUPPLY w/arc air unit; LINCOLN POWERWAVE 455/STT MIG WELDER w/wire feeder; LINCOLN TANDEM MIG 450 WELDING POWER SUPPLY; (2) LINCOLN PECISION TIG WELDERS; (8) LINCOLN POWERWAVE 355M MIG WELDERS w/wire feeder; (56) MILLER MDL. XMT-456 WELDING POWER SUPPLIES (SN-LC); (10) MILLER DIMENSION 452 WELDING POWER SUPPLIES; DOZENS OF MILLER SUITCASE EXTREME 8VS WIRE FEEDERS; LINCOLN AND MILLER PORTABLE DIESEL WELDING MACHINES ON TRAILERS, (Day 3).

(70) MILLER MDL. XMT-456 WELDING POWER SUPPLIES; (100) MILLER SUITCASE MDL. 8VS WIRE FEEDERS; (2) LINCOLN MDL. DC1000 WELDING POWER SUPPLIES; (28) LINCOLN MDL. DC-600 WELDING POWER SUPPLIES; (5) LINCOLN POWERWAVE 355 WELDING POWER SUPPLIES; LINCOLN POWERWAVE 455 WELDING POWER SUPPLY; (28) MILLER DIMENSION MDL. 452 WELDING POWER SUPPLIES; (5) MILLER MDL. SRH444 WELDING POWER SUPPLIES, (Day 4).

MILLER MDL. SRH444 – (5) WELDERS MTD. ON PORTABLE SKID FRAME – (5) TTL. SETS, (Day 5).

#### **WELDING ACCESSORIES & EQUIPMENT**

(3) CYPRESS MDL. CW-11 ROTARY MIG WELDING UNITS, (Day 3).

GULLCO MDL. GMB-5 BEVEL/MILLING MACHINE, (Day 3).

DOZENS OF WELDING ELECTRODE OVENS BY PHOENIX "DRY ROD" AND KEEN, (Days 3 & 4).

**CUSTOM TILTING CONE SEAM WELDING FIXTURE, (Day 1).** 

CUSTOM HORIZONTAL PIPE HANDLER w/rail mtd. coil car, (Day 1).

SEVERAL ACORN WELDING PLATENS, (Day 3).

NEW WELD ENGINEERING FLUX HOPPERS AND RECOVERY EQUIPMENT, (Day 3).

LINCOLN SUBARC WELDING TRACTOR, (Day 3).



(1 OF 3) CYPRESS ROTARY SUBARC WELDERS



LINCOLN SUBARC WELDING TRACTOR



PANGBORN/BLASTEC STRUCTURAL BLAST MACHINE

#### **BLAST & PAINT EQUIPMENT**

PANGBORN/BLASTEC "ROTOBLAST" STRUCTURAL BLAST, rebuilt and retrofitted by Blastec 2002, 72"W. x 144"H. opening, (8) 24" 30 HP direct drive wheels, dust collection system, (Day 4).

WHEELABRATOR PASS-THRU STRUCTURAL BLAST, 8-wheel machine, 72" x 120" opening dimensions, 150'L. independent pass through conveyor system w/dual Yale 5 T. cap. hoists, (Day 2).

(2) 2,000 LB SANDBLAST POTS, (Day 4).

(2) P&G MDL. 36-10005 SANDBLAST POTS, (Day 5).

(6) APPROX. 10 CU. YD. CAP. PORTABLE SHOTBLAST SAND TOWERS, (Day 4).

SEVERAL GRACO AIRLESS PAINT SPRAY RIGS, (Day 4).



WHEELABRATOR PASS-THRU STRUCTURAL SHOTBLAST



SANDBLAST POTS AND AIRLESS PAINT EQUIPMENT



SANDBLAST GRIT TOWER





#### **USEABLE RAW MATERIALS**

NEARLY (1,000 T.) OF NEW USEABLE STEEL PLATE; STRUCTURAL STEEL, HEAVY WALL TUBING AND PIPE; ANGLE AND BAR, (Days 2 & 5).







## TREMENDOUS SCRAP OPPORTUNITY

OVER (10,000 T.) OF STEEL SCRAP TO BE OFFERED AT THIS SALE: dozens of large tubular structural steel weldments, skid-way pieces, machine bases, plate girders, racks, stanchions, and braces, heavy plate drops, heavy wall pipe drops, stainless steel plate and tubing, hundreds of 36" dia. x 1/2" thick aluminum discs, too much to describe! (Day 5).









DEEP WATER LOWERING SYSTEMS



VMW HYD. POWERED TRACTION WINCH



SKAGIT DOUBLE-DRUM DIESEL WINCH

#### **DEEP WATER LOWERING SYSTEMS**

(2) CUSTOM FABRICATED UNITS, each unit consisting of: Bezemer Holland/Hepburn dbl. drum traction winch No. K-20109-2, 50 T. cap. @ 4 meters/ min., 100 T. cap. @ 2 meters/min., 200 T. cap. @ 1 meter/min., 500 T. cap. holding pwr., Staffa hyd. drive motors and Wichita clutch, Hepburn 10' dia. x 12'L. cable storage reel, Cummins 8-cyl. diesel engine, winches are mounted to 27'H. canted fabricated tower with sheaves and blocks for deep water raising and lowering operations, (Day 5).

#### **MARINE WINCHES**

VICTORIA MACHINE WORKS SUPER DUTY TRAC-TION WINCH, sql. drum, Wichita clutches, Haglunds Series 84 hyd. drive motors, (2) Western Gear Machinery 250 HP hyd. pwr. supply units, (Day 5).

AMCLYDE MDL. TW425 HYDRAULIC SINGLE-DRUM TRACTION WINCH, Western Gear Machinery 250 HP hyd. pwr. supply unit, (Day 5).

(2) INGERSOLL RAND MDL. FA10-97066 AIR WINCHES, new 1998, 22,000 swivel, arranged as overboard winches, (Day 5).

SKAGIT MDL. AE2D-295 DOUBLE-DRUM TRAC-TION WINCH, Cummins 450 HP diesel engine, Mdl. 4MT-2014 twin disc Omega torque converters w/20-2800 2-spd. transmission, 156,900 net wt., S/N AE2D-295A130, (Day 5).

MANITOWOC MDL. 390 2-DRUM TRACTION WINCH, 8-cyl. Detroit Diesel engine, skid frame mtd., S/N 1063 (Day 5).

**COASTAL MARINE EQUIPMENT MDL. 1W27535-**4-00 ANCHOR WINCH, 2-3/4" max. chain size, 371,700 lb. break holding pwr., accessories, driven by Detroit Diesel 6-cyl. engine, Wild Cat 2-3/4" idler, (Day 5).

(2) VICTORIA MACHINE WORKS MDL. 4128-401 HYDRAULIC WINCHES, sgl. drum, skid mtd. w/ overboard frame, 8-1/2 T. cap., w/unitized hvd, svstem and Sperry Vickers hyd. drive motor (Day 5).

(3) VICTORIA MACHINE WORKS MDL. 4128-401 HYDRAULIC WINCHES, sgl. drum, (Day 5).

(3) AMERICAN WINCH FRAMES, for parts, (Day 5).

#### **AIR TUGGERS**

(2) INGERSOLL RAND MDL. FA10/97066, new 1998, 22,000 lb., S/N A1140398 (Day 4).

INGERSOLL RAND MDL. FA10-9066M, 22,000 lb. cap. "FORCE 5", new 1998 (Day 5).

INGERSOLL RAND MDL. K6U, 12,000 lb. cap., (Day 5).

(3) JOY MDL. H62AX CYCLE DRIVES, S/N 93854, S/N N.A.'s, (Day 5).

BEEBE AIR WINCH, (Day 5).

#### **MARINE CABLE**

(38) REELS OF MARINE CABLE ON SPOOLS, most w/spool cradles, up to 4" dia., incorporating (10,000's) of linear ft., over (600) tons of cable in total (Day 5).

#### **MARINE JET PUMPS**

(2) DIESEL POWERED, Detroit Diesel 16-cyl. diesel engine w/air start, 10" dia. split case pump w/manifold and valves, 7' x 17' heavy steel fabricated frame, integrated steel tank, Jet Pump No. 1: 10 hrs. of operation, Jet Pump No. 2: 89 hrs. of operations, (Day 5).

#### **OFFSHORE STEAM PILE HAMMERS**

EACH OF THESE HAMMERS IS MOUNTED ON A **HEAVY STEEL FABRICATED FRAME: (All Pile** Hammers Sell Day 5).

MENCK MDL, MRBS1800, S/N 61587.

(2) VULCAN MDL. 5700, S/N 12049, S/N 12050.

(2) VULCAN MDL. 5150, S/N GI-1230, S/N GI1330.

(2) CONMACO MDL. 060, S/N GB7860, S/N FI6050.

(2) CONMACO MDL. 70M, S/N GG505, S/N J1715.

(2) CONMACO MDL. 6850, S/N 12050, S/N 12051. LARGE QTY. OF ASSORTED HAMMER PARTS, (Day 5).



(2) CUSTOM 10" DIESEL JET PUMP RIGS



**AMCLYDE** HYD. TRACTION WINCH





DAVIT SYSTEM HOIST UNITS







(38) SPOOLS OF MARINE CABLE



OFFSHORE PIPE LAY REELS



30' X 110' DECK BARGE



HYDRAULIC POWER UNIT FOR JACKING SYSTEMS



(2) UNUSED ALFA LAVAL WATER-MAKER SYSTEMS

### OFFSHORE PIPE LAY REELS

(2) OFFSHORE PIPE REELS, approx. 33' spool dia., 14' spool width, dual peripheral rack gears, fab cradle stand w/Hagglunds hyd. motor drives. Also, fab work cradle for the above reels w/(2) hyd. motor drives and assorted pipe lay equipment. (Day 5).

### HYDRAULIC POWER SUPPLIES & JACKS

HYDRAULIC PUMP SYSTEM FOR JACKS, skid frame mtd., (3) 30 HP hyd. pumps, valves and hoses to supply (6) jacks, (Day 5).

CUSTOM HYDRAULIC POWER SUPPLY UNIT, Detroit Diesel engine, twin disc clutch, unitized skid frame, (Day 5).

HUBER PORTABLE HYDRAULIC POWER SUPPLY, assigned pwr. for (6) jacks, (2) 20 HP hyd. pumps w/hose reels and controls, (Day 5).

**LUCKER MANUFACTURING HYDRAULIC POWER UNIT**, (2) Detroit Diesel 6-cyl. diesel engines, (3) hyd. pumps, 400,000 lb. continuous pull machine, **(Day 5)**.

(4) 400 T. CAP. HYDRAULIC JACK UNITS, approx. 24" stroke, (Day 5).

#### LIFTING BLOCKS

R339, new 1999, approx. 1,500 T. cap. w/swivel joint, (4) sheaves, block ways, 17,500 lb. cap., (Day 5).

MCKISSICK MDL. 4034-5016-6, 8 dbl. sheave, approx. 2,000 T. cap., (Day 5).

MCKISSICK MDL. 24T-200, 200 T. cap., 5-sheave, (Day 5).

(2) ADDITIONAL LARGE LIFT BLOCKS, (Day 5).

### MISCELLANEOUS MARINE EQUIPMENT

MCDERMOTT OFFSHORE WORK PLATFORM Approx. 60' X 60' X 45'H., heavy steel fabricated construction, bar grate lower deck, staircases, provision for helicopter pad, (Day 2).

HEAVY FABRICATED STEEL CONSTRUCTION MARINE SKID WAY, approx. 500'L. X 96"H., heavy fabricated steel construction, 1-1/2" thk. steel base plate, (Day 5).

**HEAVY FABRICATED STEEL CONSTRUCTION MARINE SKID WAY**, 1-1/2" steel base plate, 5'-10"H. from base plate, (8) sections, approx. 90' in length, **(Day 5)**.

**BARGE MOUNTED DAVIT SYSTEM**, (4) hoist units w/hyd. elevating booms, **(Day 5)**.

(2) ALFA LAVAL TYPE DPU-36-CAS FRESH WATER GENERATORS, 125 cap., 50 cu. meters per day, S/N N9038, S/N N9036-unused on original skid, (Day 3).

REAGAN EQUIPMENT CO. MDL. 1000-68035-1111 DIESEL GENERATOR SET, Kato brushless generator, 1,200 kW continuous, 1,500 KVA, 277/480 v. output w/Waukesha 12-cyl. diesel engine, S/N 82559, (Day 5).

PARTIAL AMERICAN 203 GANTRY CRANE, base, swivel and machine house including engines, (Day 5).

**SURVEYOR BOAT,** 15' aluminum, Yamaha 70 HP outboard motor, trailer, **(Day 5)**.

RIVER BARGE MB5, 30' x 110', currently banked, recently sandblasted and painted, (Day 5).

**RIVER BARGE**, 35' x 104' (Day 5).

**HEAVY DUTY HOSE REEL**, hyd. drive, 72"W. x 48" dia. hose drum, skid frame mtd., **(Day 5).** 

(20) FABRICATED STEEL WIRE ROPE SPOOLS, empty, in assorted sizes, (Day 5).

(2) DIESEL TRASH PUMPS, Deutz and John Deere, Gorman-Rupp 6" pump unit, skid frame mtd., (Day 5).

(4) FALK MDL. 294303-3 GEAR BOXES, H.D., (Day 5).

(4) HARTZELL MDL. A65-M-579AV240STH14 AXIAL FANS, 50 HP motor, 65,000 CFM (unused), (Day 5).

(9) STAINLESS STEEL BOLT-ON THRUSTER BLADES, (Day 5).

(4,500') OF 10" DIA. HIGH TENSION NYLON ROPE, (Day 5).

ASSORTED OVERBOARD SHEAVE UNITS, (Day 5).

HEAVY ANCHOR AND MOORING CHAINS UP TO 5-3/4" LINK, (Day 5).

MANY HEAVY FABRICATED PILING RACKS AND STANCHIONS, (Day 5).

SPIRAL WOUND (6) HIGH-PRESSURE STAINLESS STEEL HYDRAULIC HOSE, (Day 5).

HUGE ASSORTMENT OF REPAIR PARTS FOR MARINE EQUIPMENT, including: gears; sheaves; hyd. cylinders; elec. motors; hyd. pumps; winch parts; diesel engines; (3) small jet pump fab frames; (4) Detroit Diesel 16-cyl. diesel engines; Detroit Diesel 12-cyl. diesel engine; Quincy Mdl. 399-22 reciprocating air compressor, 15 HP motor, on 200 gal. horiz. tank; Weatherhead hyd. coupling press w/accessories; centrifugal pumps; hose reels; (6) 100 HP vert. pump motors (Day 3).



HEAVY CHAINS



FABRICATED STEEL STANCHIONS



AMERICAN 11250 "SKYHORSE" CRAWLER CRANE

#### **CRAWLER CRANES**

AMERICAN MDL. 11250 "SKYHORSE", 300 T. cap., extended height cab, Wylie Systems load monitor, 220' boom, 140' mast, 60' jib, aux. hyd. winch w/"Sky Horse" rolling counterweight carriage, S/N GS16890, Crane No. CC3123, (Day 4).

AMERICAN MDL. 11250 "SKYHORSE", 300 T. cap., extended height cab, Wylie Systems load monitor, 220' boom, 120' mast, 60' jib, aux. hyd. winch w/"Sky Horse" rolling counterweight carriage, S/N GS18482, Crane No. CC7105, (Day 4).

AMERICAN MDL. 11250 "SKYHORSE", 300 T. cap., extended height cab, Wylie Systems load monitor, 240' boom, 140' mast w/"Sky Horse" rolling counterweight carriage, S/N GS18480, Crane No. CC3103, (Day 4).

AMERICAN MDL. 11250 CONVENTIONAL, 160' boom w/rooster tip, extended height cab, S/N GS17422, Crane No. CC3197, (Day 4).

AMERICAN CRANE TUBULAR LATTICE BOOM SECTIONS: 94H boom heel and tip, 94H: 50', 20', and 10' inserts, (7) 94" x 50' light boom sections, 11250 rooster tip, (3) 77" x 50' 9260 boom sections, (3) 77" x 20' 9260 boom sections, (3) 47' x 30' jib inserts, (6) 35" x 10' jib A-frame inserts, (Day 4).

TREMENDOUS SELECTION OF REPAIR PARTS FOR AMERICAN 11250 AND 9260 CRAWLER CRANES, including complete crawler pad assemblies (for rebuild), side frames, sprockets, bearings, elec. and hyd. components, belts, hoses and fittings, valves, motors, engine parts, repair tools, blocks, sheaves and ball blocks, (Day 3).



AMERICAN 11250 CRAWLER CRANE



AMERICAN 11250 "SKYHORSE" CRAWLER CRANE



AMERICAN 11250 "SKYHORSE" CRAWLER CRANE



COMPLETE AMERICAN 94H CRANE BOOM



CATERPILLAR 30,000 LB. CAP. DIESEL FORKLIFT



TAYLOR 30,000 LB. CAP. DIESEL FORKLIFT

#### TAYLOR 90,000 LB. CAP. DIESEL FORKLIFT

#### **FORKLIFTS**

TAYLOR 90,000 LB. CAP., Mdl. T-90-TC, diesel, rated 90,000 lbs. @ 48" L.C., 9'L. forks, 16'W. fork carriage, dual front 18.00x25 rough terrain tires, dual range air braking, pwr. fork positioning, enclosed operator's cab, (Day 1).

TAYLOR 35,000 LB. CAP., Mdl. THDH-35L, new 2002, diesel, 35,000 lb. cap. @ 48" load center, air brakes, 96" forks, pwr. fork positioners, fully enclosed cab, (Day 5).

TAYLOR 30,000 LB. CAP., diesel, 10' forks, (Day 5).

TAYLOR 30,000 LB. CAP., diesel, 12' forks, pwr. fork positioner, 2-stage mast, (Day 5).

CATERPILLAR 30,000 LB. CAP., Mdl. V30, diesel, dual front pneu. tires, 10' forks, 8'W. fork carriage, (Day 5).

COMBI-LIFT 28,000 LB. CAP., new 2004, Mdl. CL40260LA66, diesel, AC cab, 64"W. fork carriage, pwr. fork positioning, 11' x 6' deck size, 16'W. aux. fork unit, (Day 5).

TAYLOR 22,000 LB. CAP., Mdl. TBY220M, diesel, (Day 5).

CATERPILLAR 18,000 LB. CAP., Mdl. V180, diesel, 6' forks, 80'W. fork carriage, dual front pneu. tires, (Day 5).

KOMATSU 12,000 LB. CAP. ROUGH TERRAIN ARTICULATED, Mdl. 41Y0408, diesel, 36" forks, (Day 5).

HYSTER 12,000 LB. CAP., Mdl. S120FT, new 2008, LPG, 3-stage mast, 184" lift height, (Day 4).

HYSTER 12,000 LB. CAP, Mdl. S120XL2S-5, new 1999, LPG, 3-stage mast, 184" lift height, (Day 4).

LINDE 11,000 LB. CAP., diesel, 2-stage mast, 139" lift height, cab w/heat, fork positioner, pneumatic tires, (Day 4).

NISSAN 10,000 LB. CAP., Mdl. WGF03H45V, diesel, 146" lift ht., side shift, 6' forks, wide fork carriage, (Day 5).

MOFFETT 8,000 LB. CAP., Type M80 truck mounted forklift, new 2006, (Day 5).

**(2) NISSAN 6,000 LB. CAP.**, Mdl. 60, diesel, side shift, **(Day 5).** 

JOHN DEERE 6,000 LB. CAP. ROUGH TERRAIN, Mdl. JD482C, (Day 1).

**CLARK 5,600 LB. CAP.**, Mdl. C500Y-S60, gasoline, 2-stage mast, 140" max. lift, **(Day 5)**.



TAYLOR 35,000 LB. CAP. DIESEL FORKLIFT



MOFFETT 8,000 LB. CAP. TRUCK MOUNTED FORKLIFT

(4) HYSTER 5,000 LB. CAP., Mdl. H50FT, new 2006–2007, LPG, 3-stage mast, 189" lift height, (Day 4).
(4) HYSTER 5,000 LB. CAP., Mdl. S50FT, new 2005–2006, LPG, 3-stage mast, 189" lift height, (Day 4).
(2) DREXEL 4,000 LB. CAP. ELECTRIC, Mdl. SL-44-3-ESS, 36 v., swing mast, 198" max. lift, (Day 4).
CATERPILLAR 4,000 LB. CAP. Mdl. V-60C (Day 5).
HYSTER 3,000 LB. CAP. ELECTRIC, Mdl. E30BS, 36 V, (Day 3).



COMBI-LIFT 28,000 LB. CAP. DIESEL SIDE LOADER



KOMATSU 12,000 LB. CAP. ARTICULATED ROUGH TERRAIN FORKLIFT



#### MI-JACK 50 T. STRADDLE LIFT

#### STRADDLE LIFT

MI-JACK 100,000 LB. CAP., Mdl. MJ750D, Detroit Diesel engine, 29' inside clear width, 25' hook height, forward facing cab, 55'L. 50 T. spreader bar, (Day 5).

INSPECTION: Thursday, September 4 thru Sunday, September 7 from 9:00 A.M. to 4:00 P.M. Each Day



P&H 30 T. HYD. ROUGH TERRAIN CRANE

#### MISCELLANEOUS ROLLING STOCK

P&H OMEGA 30 ROUGH TERRAIN HYDRAULIC CRANE, new 1985. rebuilt 1999, 3-section boom, (Day 5).

KAWASAKI MDL. 65ZTM FRONT END LOADER, articulated rough terrain, 76 HP, (Day 5).

(2) GALION MDL. T500C MOTOR GRADERS, 14' grater blade, (Day 5).

FMC LINKBELT MDL. LS2800A EXCAVATOR, 32" track width, 154" track length, 1/2 cu. vd. bucket, (Day 5).

DROTT 12,000 LB. CAP. CARRY DECK CRANE, Mdl. 3330, 3-section boom, hyd. outriggers, (Day 5).

INTERNATIONAL HARVESTER MDL. TR3126 TRACTOR w/dual rear hydraulics, 3-pt. hitch, (Day 5).

(2) JOHN DEERE MDL. 650 TRACTORS, diesel, pwr. take-off, 3 pt. hitch, (Day 5). ADVANCE RETRIEVER MDL. 482700 5800 DIESEL POWERED SWEEPER, (Day 3).

#### TRUCKS

FORD FLATBED TRUCK, 41,000 lb. G.V.W.R., 18' steel bed, tandem rear axle, Moffett forklift attach., (Day 5).

FORD F-SERIES WATER/PUMP TRUCK, new 1997, 33,000 lb. G.V.W.R., diesel engine, 2,000 gal. tank, 360 GPM pump, Lely tank w/rear cleanout, (Day 5).

MACK LUBE TRUCK, 500 gal. diesel tank, 14' steel bed, (3) motor oil tanks w/pump, (Day 5).

MACK LUBE TRUCK, 12' bed, w/100 gal. diesel tank, (6) oil storage tanks, pumps, filler nozzles and reels, (Day 5).

FORD F-700 FLAT BED TRUCK W/HYD BOOM, (Day 5).

MACK RD690S DUMP TRUCK, (Day 5).

FORD LT-9000 DUMP TRUCK, (Day 5).

FORD DIESEL TRACTOR TRAILER, 40' float, yard use only, (Day 5).

DODGE RAM 3500 PICKUP TRUCK, new 2004. Cummins turbo diesel engine, 12' steel bed.

CHEVROLET GMC 2500 FLATBED TRUCK, new 1996, dual gas tanks, 54,000 miles, (Day 5).



KNOWLES MATERIAL TRANSPORT TRAILER, 10' x 20' steel bar grate deck, (Day 5).

(2) KNOWLES YARD TRAILERS, approx. 20' wheel centers, (Day 5).

(2) KNOWLES 4-WHEEL TRAILERS, 5,000 lb. cap., 48"W. x 16'L. w/bar grate deck, (Day 5). TANDEM AXLE CAR TRAILER, 6'-8"W. x 20'L., twin ramps, bar grate deck, (Day 5).

CUSTOM YARD TRAILER, tandem axle, approx. 6'W. x 30'L., steel axle, (Day 5).

#### **GATORS & ATVS**

(25) JOHN DEERE GATORS & KAWASAKI MULES, most w/fully enclosed cabs and dump beds; (12) 4-WHEEL ATVS BY HONDA, FOURTRAX, KAWASAKI AND OTHERS; (3) EZ GO GAS POWERED GOLF CARTS, (All Days).



JOHN DEERE GATOR VEHICLES



SULLAIR 1600DTCCA PORTABLE DIESEL AIR COMPRESSOR

#### **PORTABLE AIR COMPRESSORS**

(2) SULLAIR MDL. 1600DTCCA ROTARY SCREW, 1,600 CFM, diesel engine, triple-axle trailer, (Day 5).

INGERSOLL RAND MDL. P750WCU ROTARY SCREW, new 2003, 750 CFM, Cummins diesel engine, tandem-axle trailer, 3,900 hrs., (Day 5).

SULLAIR MDL. 185HDPO-JD ROTARY SCREW TYPE, John Deere diesel engine, 185 CFM, skid-mtd., (Day 3).

SULLAIR PORTABLE SCREW TYPE, Caterpillar diesel engine, air cooled, skid-mtd., (Day 5).

SULLAIR ROTARY SCREW TYPE, Detroit Diesel engine, skid-mtd., (Day 3).

DIESEL RECIPROCATING TYPE, skid frame mtd., (Day 3).



KNOWLES ROUGH TERRAIN TRAILERS

#### **SUPPORT MACHINERY**

HE&M MDL. H90A-1 AUTOMATIC HYDRAULIC BANDSAW, new 2011, miter head, 1-1/4" blade auto. 12" rd. cap.. (Day 3).

(3) WELLSAW MDL. 1338 HORIZONTAL BANDSAW, 13" x 38" rectangular cap., (Day 4).

HE&M MDL. 750-A HORIZONTAL BANDSAW, (Day 3).

WILTON MDL. 3575T HORIZONTAL BANDSAW w/miter head, (Day 3).

RIDGID MDL. 535 PIPE THREADER, (Day 3).

CINCINNATI BICKFORD 6' X 19" RADIAL ARM DRILL, S/N 6E974 w/plain box table (Day 2).

MONARCH 18" X 78" ENGINE LATHE, taper attach., chucks and accessories, S/N 39713 (Day 3).

BRIDGEPORT MDL. J VERTICAL TURRET MILL, S/N 67814 (Day 3).

(2) TRIANGLE ENGINEERING MDL. WTB-HRA BAR BENDERS, hyd., integrated hyd. system (Day 3).

SANDBLAST CABINETS, (Days 3 & 4).

(2) ENERPAC 100 T. CAP. CUSTOM FAB HYDRAULIC H-FRAME PRESSES, (Day 1).

CUSTOM 100 T. CAP. H-FRAME HYDRAULIC PRESS, (Day 3).

EVERETT MDL. 20-D-22 ABRASIVE CUT-OFF SAW, 20" blade size, (Day 4).

JET 6" X 18" HAND-FEED SURFACE GRINDER, new, on skid, (Day 3).

KASTO 10" POWER HACKSAW, (Day 3).

MANY PEDESTAL DRILL PRESSES AND PEDESTAL GRINDERS, (Day 3).

WIDE ARRAY OF SHOP SUPPORT EQUIPMENT, including: floor jacks, creepers, pole vises, hand tools, ladders, storage racks, workbenches, (Day 3).



OIL STORAGE AND RECOVERY FACILITY

### OIL STORAGE & PROCESSING EQUIPMENT

NEW AND USED OIL RECYCLING AND STORAGE FACILITY: (4) 3,260 GAL CAP., skid mtd., carbon steel oil storage tanks, currently filled w/Dexron 15W40 oil and 85W140 oil, pneu. diaphragm pumps w/prefabricated open-sided bldg.; (4) 2,000 GAL. UNCONTAMINATED USED OIL TANKS; 12,500 GAL. OIL WATER STORAGE TANK; 13,340 GAL. STEAM CLEANER WATER TANK, prefabricated open sided bldg., (Day 3).

OIL TANK FARM: (3) 300 GAL. OIL TANKS, (1) 500 GAL. OIL TANK, (1) 250 GAL. OIL TANK, (Day 4).

DIESEL TANK, 7,000 gal. cap., pumps and nozzle, (Day 3).

(2) WASTE OILY WATER STORAGE TANKS, 8,000 gal. cap., (Day 5).



7,000 GAL. DIESEL STORAGE




OILY WATER STORAGE TANKS



OIL STORAGE AND RECOVERY FACILITY





This brochure is a partial listing of equipment offered in this tremendous 5-day sale.

Please visit our website at www.pmi-auction.com for detailed specifications and additional photos.



LANDEL 40 T. OVERHEAD BRIDGE CRANES



#### OVERHEAD BRIDGE CRANES

(4) LANDEL 40 T. CAP., dbl. box girder, 72' span, 31' ht. under hook, pendant control, (Day 1).

(2) KRANCO 25 T. CAP., dbl. girder, 37' span, 13' ht. under hook, pendant control, \*Note: The above (2) cranes are mtd. on a 95'L. x 13' ht. H.D. free standing runway system to be offered separately, (Day 3).

(3) LANDEL 20 T. CAP., approx. 40' span, approx. 21' ht. under hook, pendant control, (Day 2).

LANDEL 20 T. CAP., dbl. box girder, 62' span, 27' ht. under hook, pendant control, (Day 1).

(3) SHAW-BOX 20 T. CAP., dbl. box girder, 62' span, 27' ht. under hook, pendant control, (Day 1).

SHAW-BOX 20 T. CAP., dbl. box girder, 62' span, 23' ht. under hook, pendant control, (Day 1).

GAFFEY 20 T. CAP., dbl. box girder, 62' span, 23' ht. under hook, pendant control, (Day 1).

(2) STEWART 20 T. CAP., dbl. girder, 44' span, 24' ht. under hook, pendant control, (Day 1).

(2) SHAW-BOX 20 T. CAP., dbl. box girder, 55' span, 22' ht. under hook, pendant control, (Day 1).

SHAW-BOX 20 T. CAP., dbl. box girder, 58' span, 32' ht. under hook, pendant control, (Day 2).

SHAW-BOX 20 T. CAP., dbl. girder, 58' span, 32' ht. under hook, pendant control, crane (Day 2).

(2) LOADLIFTER 20 T. CAP., dbl. box girder, 74' span, 39' ht. under hook, pendant control, (Day 3).

SHAW-BOX 20 T. CAP., dbl. girder, 40' span, 18' ht. under hook, pendant control, (Day 3).



MODULAR CRANE BUILDING FOR REMOVAL

### PREFABRICATED CRANE BUILDING FOR SALE

ALL METAL CONSTRUCTION 190' X 120', (2) integrated crane ways w/20 T. cap. each bay, 32' crane ht. under hook, 49' overall height to center of building, complete w/electrification, lighting, assorted jib cranes, (Day 2).

### FABRICATED STEEL OFFICE BUILDINGS

McDERMOTT CUSTOM 2-STORY, skid mtd. w/all utilities, 40'L. x 45'W. x 22"H., (3,240 sq. ft.) interior/exterior staircases, (18) offices, (2) kitchen facilities, (2) restrooms, (Day 4).

McDERMOTT CUSTOM 2-STORY, fiberglass panel construction, 30'L. x 35'W. x 21'H., (1,980 sq. ft.), exterior staircase, (7) offices, kitchen facilities, (2) restrooms, (Day 4).

McDERMOTT 3-STORY, fab steel construction, skid base, ext. staircase, 1,200 total sq. ft., including restroom facilities and pwr. distribution bank, (Day 5).

MARINE MAINTENANCE BUILDING, sgl. story, 900 sq. ft., air condition, multiple offices, (Day 5).

(3) LANDEL 15 T. CAP., dbl. box girder, 76' span, 25' ht. under hook, pendant control, (Day 4).

(2) STEWART 15 T. CAP., dbl. girder, 49' span, 35' ht. under hook, pendant control, Note: The above (2) cranes are mtd. to a 306' free standing indoor/outdoor crane way system, 12" dia. H.D. fabricated suppt. columns to be offered separately, (Day 4).

(2) DESHAZO 10 T. CAP., dbl. box girder, 58' span, 32' ht. under hook, pendant control, (Day 2).

LANDEL 10 T. CAP., dbl. girder, 54' span, 25' ht. under hook, pendant control, (Day 1).

LANDEL 10 T. CAP., sgl. girder, 38' span, 18' ht. under hook, pendant control, (Day 3).

(2) KRANCO 10 T. CAP., dbl. girder, 54' span, 25' ht. under hook, pendant control, (Day 1).

(2) KRANCO 10 T. CAP., dbl. girder, 55' span, 33' ht. under hook, pendant control, (Day 2).

KRANCO 10 T. CAP., approx. 44' span, 21' ht. under hook, pendant control, (Day 2).

(2) GAFFEY 10 T. CAP., sgl. girder, top running, 57' span, 16' ht. under hook, pendant control, (Day 4).

LOADLIFTER 10 T. CAP., dbl. girder, 40' span, 18' ht. under hook, pendant control, (Day 3).

SHAW-BOX 10 T. CAP., dbl. girder, 52' span, 19' ht. under hook, pendant control, (Day 2).

LOADLIFTER 10 T. CAP., dbl. girder, 52' span, 19' ht. under hook, pendant control, (Day 2).

(2) UNKNOWN MANUFACTURER 10 T. CAP., 38' span, 22' ht. under hook, pendant control, (Day 2).



DESHAZO 10 T. DBL. BOX GIRDER BRIDGE CRANE



GAFFEY 10 T. SGL. GIRDER OVERHEAD BRIDGE CRANE

GAFFEY 5 T. CAP., sgl. girder, 38' span, 24' ht. under hook, pendant control w/ Shaw-Box hoist,. (Day 2).

(2) LOADLIFTER 5 T. CAP., sgl. girder, underhung, 27' span, 15' ht. under hook, pendant control, (Day 1).

(2) STEWART 5 T. CAP., dbl. girder, 45' span, 22' ht. under hook, pendant control, (Day 1).

LOADLIFTER 5 T. CAP., sgl. girder, 45' span, 20' ht. under hook, pendant control, (Day 1).

**LOADLIFTER 5 T. CAP.**, dbl. girder, underhung, 40' span, 18' ht. under hook, pendant control, (**Day 3**).

(2) KRANCO 5 T. CAP., sgl. girder, underhung, 46' span, 12' ht. under hook, pendant control. (Day 3).

(2) SHAW-BOX 5 T. CAP., dbl. girder, 53' span, 12' under hook, pendant control, \*Note: The above (2) cranes are mtd. on a free standing crane runway system, approx. 200'L., 13' total ht. w/H.D. 12' rd. suppt. pedestals to be offered separately, (Day 3).

SHAW-BOX 1 T. CAP., sgl. girder, 39' span, 19' ht. under hook, pendant control, (Day 3).



PORTABLE OFFICE BUILDING



PORTABLE OFFICE BUILDING



**OUTDOOR CRANE RUNWAY SYSTEMS** 



LANDEL 40 T. TRAVELING GANTRY BRIDGE CRANE

### TRAVELING GANTRY OVERHEAD BRIDGE CRANES

(2) LANDEL 40 T. CAP., dbl. box girder, 38' span, 33' ht. under hook, 20' gantry axle pitch, pendant control, (Day 4). LANDEL 10 T. CAP., dbl. box girder, 38' span, 33' ht. under hook, 12' gantry axle pitch, pendant control, (Day 4).

### FREESTANDING OUTDOOR CRANE RUNWAY SYSTEMS

Most of these runway systems feature heavy fabricated construction, uprights, linear beams, crane rail and electrification systems.

**250'L.** X **28'H.**, including multiple H.D. steel uprights, outdoor lighting system, **(Day 2)**.

(2) 250'L. X 23'H., 10" rd. suppt. columns, (Day 1).

150'L. X 30'H., 18" rd. suppt. columns, (Day 1).

150'L. X 30'H., 10" rd. suppt. columns, (Day 1).

207'L., including 12" rd. column uprights. (Day 2).

250'L., 52' span, including electrification, (Day 2).
133'L. X 39' TTL., 12" heavy fabricated steel columns, (Day 3).

216'L. X 16'H., 7" rd. suppt. columns including rail, long. beam, uprights and electrification, (Day 4).

### CUSTOM PIPE HANDLING CRANE

ROMAR TRAVELING GANTRY PIPE HANDLER, 39' carriage width, 180' overall length, 10 T. cap. unitized wire rope hoist on 36' centers, (Day 2).

#### SINGLE LEG GANTRY CRANE

DESHAZO 15 T. CAP., new 2007, sgl. leg, dbl. box girder, 39' span, 22' under hook, pendant control, 324' linear free standing runway, outboard rail track, (Day 4).

This brochure is a partial listing of equipment offered in this tremendous 5-day sale. Please visit our website at www.pmi-auction.com for detailed specifications and additional photos.



LIFTING SHACKLES

### JIB CRANES

(26) ASSORTED BRANDS, most with electric chain hoists.

#### **TOWER JIB CRANES**

CUSTOM, 60' reach, 10 T. cap. wire rope elec. hoist, heavy fabricated steel columns, approx. 30' under hook, pendant control (Day 5).

### CRANE SPREADER BARS

OVER (80) McDERMOTT MANUFAC-TURED CRANE SPREADER BARS FROM 5 T. TO 250 T. CAPACITY, (All Days).



DOZENS OF LARGE CAPACITY FABRICATED SPREADER BARS



HEAVY CAPACITY SLINGS AND CABLES



DESHAZO 15 T. SGL. LEG GANTRY CRANE



(OVER 70) CONEX STORAGE CONTAINERS



20' CONEX SHOP OFFICES



ANVER VACUUM SHEET LIFTER

**MAGNETIC SHEET LIFTER** 



LIFTING SLINGS



TRASH DUMPSTERS

**INSPECTION:** Thursday, Sept. 4 thru Sunday, Sept. 7 from 9:00 A.M. to 4:00 P.M. Each Day

#### CRANE ATTACHMENTS

MAGNETIC MDL. SB5-050 PLATE HANDLER, 60 T. cap., 40' max. plate DOZENS OF PORTABLE CONCRETE PADS, heavy steel reinforcement, 1/2" steel length, (Day 2).

ANVER 27,000 LB. CAP. VACUUM SHEET LIFTER, new 2007, 10' max. load width, 40' max. load length, (Day 4).

WALKER 16,000 LB. CAP. MAGNETIC SHEET LIFTER, Mdl. AXM13685-1, (Day 4).

ITRAC 1 T. CAP. POWER ROTATOR, 3'-8" rotator bar (Day 2).

CLAMSHELL DREDGING BUCKETS, 2 cu. yd., 1-1/2 cu. yd., 1 cu. yd., 3/4 cu. yd. and 1/2 cu. yd., (Day 4).

DRAG LINE BUCKET, 1 cu. yd., (Day 4).

(2) EXTENDED BUCKET MANLIFTS, 1,000 lb. cap., 20'L. x 36"W., (Day 5).

HUNDREDS OF HEAVY LIFT WIRE ROPE, SLINGS AND CHOKERS, up to 4" dia. with wide selection of end attachments; HUNDREDS OF LIFTING SHACK-LES from 5 T. cap. to 400 T. cap.; NEW WIRE ROPE on spools; WIDE ARRAY OF CRANE HOOKS, BLOCKS, BALL BLOCKS AND OTHER ASSORTED LIFTING ACCESSORIES (All Days).

#### MATERIAL HANDLING EQUIPMENT

surround, 84" x 84" x 12" size, most w/welded crane lugs, (All Days).

(50) WASTEQUIP MAYFAB TRASH HOPPERS w/easy entry lugs, (Day 4).

(70) CONEX CONTAINER BOXES, in 40' & 20' sizes, many converted for use as portable shop offices, tool storage units or portable housing, (All Days).

DOZENS ROURA 1 CU. YD. SELF-DUMPING HOPPERS, (All Days).

(OVER 250) SECTIONS ADJUSTABLE PALLET RACKING, 8' beams, 10' uprights, (Days 1 & 4).

DOZENS OF FABRICATED 4" PIPE STANDS; H.D. FABRICATED STEEL CHAIN AND SHACKLE RACKS, (Day 4).

On-Site Bidding in Amelia (Morgan City Area), Louisiana or Bid Via Webcast at BidSpotter.com



GARDNER DENVER 300 HP COMPRESSOR AND DRYER

#### **AIR COMPRESSORS**

GARDNER DENVER MDL. EAV99P ROTARY SCREW, new 12/2006, 1250 CFM, 300 HP motor, (Day 4).

(2) SULLAIR MDL. 32-300H ROTARY SCREW, 1250 CFM, 300 HP motor, air cooled, large horiz. receiver, (Day 4).

(3) SULLAIR MDL. 20-150H ROTARY SCREW TYPE, 150 HP drive motor, air cooled, skid mtd., (Days 2 & 3).

(2) BAUER MDL. E21.8-90-22.0SZ HIGH PRESSURE RECIPROCATING TYPE, 1,300 PSI output, 40.3 CFM, (8) tubular receivers, (Day 3).



(2) HIGH PRESSURE RECIPROCATING AIR COMPRESSOR SYSTEMS

### REFRIGERATED AIR DRYERS & RECEIVERS

(2) GARDNER DENVER MDL. RNC-1500, 1500 CFM cap., (Days 2 & 4).

(2) GARDNER DENVER MDL. RNC-750, 750 CFM cap., (Days 1 & 4).

MANCHESTER 1,600 GAL. CAP. AIR RECEIVER, new 2000, 150 PSI, (Day 4).

MANCHESTER AIR RECEIVER TANK, new 2006, 1,550 gal. cap., 200 PSI, MAWP, (Day 4).



SULLAIR 300 HP ROTARY SCREW AIR COMPRESSOR

#### **POWER & HAND TOOLS**

DOZENS OF ELECTRIC POWER TOOLS INCLUDING CUTOFF SAWS, RIGHT ANGLE GRINDERS, DRILLS, ETC. HUNDREDS OF HEAVY DUTY HAND TOOLS OF ALL DESCRIPTIONS; ENERPAC PORTABLE HYDRAULIC UNITS AND HYDRAULIC BOTTLE JACKS; SIMPLEX RATCHET STYLE TURN BUCKLES; STANDARD TURN BUCKLES; PORTABLE AIR SURGE TANKS, (Day 4).

ALKOTA HIGH PRESSURE WASHING MACHINE, on trailer mount, (Day 5).

#### **CENTRAL MAINTENANCE WAREHOUSE**

HYSTER MDL. N30XMR3 STAND UP ELECTRIC REACH TRUCK; NEW YALE 10 T. CAP. UNDERHUNG WIRE ROPE HOISTS ON SKId; NEW AND REBUILT AIR TUGGERS BY INGERSOLL RAND, EIMCO AND BEEBE; REBUILT SULLAIR 1250 CFM ROTARY SCREW AIR END; WALKER CRANE MAGNETS; OVERHEAD CRANE PARTS; ROLLER CONVEYOR ROLLS; GEAR BOXES; CHAINS; WIRE ROPE HOISTS; ENERPAC HYDRAULIC JACKS; NEW HOSES ON REELS, CONDUIT AND FITTINGS; NEW AND USED ELECTRIC MOTORS up to 400 HP; ELECTRICAL DISCONNECTS; BREAKER PANELS AND RESISTOR BANKS; NEW LIGHTING FIXTURES; HYDRAULIC DRIVE MOTORS; GEARS; SHAFTS; SHEAVES; BEARINGS; ELECTRICAL WIRE, CHILLERS & CONDENSER UNITS; H.D. PALLET RACK; BLASTEC HYDRAULIC CYLINDERS (NEW), (Day 3).

### MISCELLANEOUS ELECTRICAL EQUIPMENT

APPROX. 500'-3" H.D. SHORE POWER CABLE; WIDE ARRAY OF ELECTRICAL DISCONNECT BOXES; (1,000's) FT. OF ELECTRICAL WIRE; STAINLESS STEEL ENCLOSURES new and unused; HAMMOND 480 V. TRANSFORMER, 440 KVA, 480Y/277 v. output; ASSORTED DRY TYPE TRANSFORMERS OF VARIOUS CAPACITIES, (Day 2).

(OVER 30) PORTABLE LIGHT TOWERS w/heavy fab steel base, 20' ht., (4) HID lights, (All Sale Days).

(APPROX. 50) 480 V. PORTABLE POWER STANDS, 3-phase input, 110/240 v. output, (Day 4).

(3) PORTABLE AIR CONDITIONING UNITS, w/condenser and air handler, (Days 3 & 4).



NEW ELECTRIC MOTORS





HEAVY ELECTRICAL CABLE

(OVER 40) PORTABLE POWER STATIONS

#### **NEW ELECTRICAL WIRE ON SPOOLS**

OKONITE 64/C-2 OAWA 600 V. 1X6 CONDUCTOR; MARINE SHIP BOARD CABLE E11461 SPEC 245/1309 16 X 90 T 600 V; OKONITE 6-3/C 2AWG 600V 3 X 10 CABLE; OKONITE 6-3/C 12AWG CU 1 X 12 CABLE; OKONITE 6SP-05 4PR 16 AWG CU 600V CABLE; OKONITE 6P-0S 1PR 16 AWG CU 600V CABLE; OKONITE 6SP-0S 24PR 16 AWG CU 600V CABLE; (2) SPOOLS-872' DEKORAN UNITHERN INSULATED TUBE; (2) SPOOLS AMERCABLE 2012-4 PA/GA 6 PAIR PLUS 1C 18 AWG 600V; PLUS 100'S OF FT. OF H.D. SHORE POWER CABLE; LARGE SELECTION OF FIBERGLASS & ALUMINUM CABLE TRAYS (Day 4).

#### **MISCELLANEOUS EQUIPMENT**

HUGE ASSORTMENT OF OVERHEAD CRANE PARTS, (Day 1).

**HUGE ASSORTMENT OF REPAIR PARTS FOR PIPE MILL SUPPORT,** incl.: Bertsch and Hugh Smith bending roll parts, elec. service items, hand tools, overhead crane parts, disconnect boxes, Lincoln and Linde weldhead repair parts, wide assortment of welding slides, fasteners of every description, (Day 1).

HUGE QUANTITY OF 24"W. X 45'L. GALVANIZED STANDING SEAM ROOF PANELS, new on skid; ASSORTED 40' FAB STEEL BAR JOISTS, (Day 2).

(10) 60" DIA. HIGH VELOCITY FANS, on fabricated stands, (Day 4).

COOK MACHINE MDL. 221 COMMERCIAL DRYER, (Day 4).

(20) HATCO 2-DRAWER STAINLESS STEEL FOOD WARMERS, (Day 4).

(5) H.D. PORTABLE TOOLBOXES, (Day 5).

GREER MDL. HA109-1 HYDRAULIC TEST BENCH, S/N HA109-148, (Day 5).

GAS POWERED PUMPS; DRAIN CLEANERS; JACK STANDS; SEVERAL RIDGID PIPE THREADERS; GALVANIZED AND BLACK IRON PIPE FITTINGS, CONDUIT FITTINGS, SEVERAL HONDA GENERATORS, (Day 3).

NATURAL GAS HEATERS; KEROSENE FIRED TORPEDO HEATERS; LADDERS; EXTENSION CORDS; JACK STANDS; WHEEL BARRELS, DOZENS OF CONTICO MOLDED PLASTIC TOOLBOXES; KNAACK LARGE CAPACITY JOBOXES; ASSORTED PLATE LIFTING CLAMPS up to 50 T. cap., (8) 70 T. CAP. WELDED STEEL PIPE STANDS; 1,000's OF FT. OF WELDING GAS HOSES, (Day 4).

#### **ICE MACHINES**

(4) MANITOWOC MDL. S970 ICE MACHINES, (Day 2).
MANITOWOC DOUBLE CAPACITY ICE MACHINE, (Day 2).
MANITOWOC MDL. QD1803W3 ICE MACHINE, (Day 4).

#### **OFFICE FURNITURE & ELECTRONICS**

WIDE SELECTION OF DESKS, FILING CABINETS, CHAIRS, CONFERENCE TABLES, BOOKSHELVES AND OTHER ASSORTED OFFICE FURNITURE, (Day 1).

(100) DELL OPTIPLEX GX270 MINI TOWER COMPUTERS w/keyboards, mice, and Windows XP software; (50) DELL LATITUDE D600/D610 LAPTOP COMPUTERS w/cases and accessories, (Day 1).

(350) MOTOROLA HT750 16-CHANNEL RADIOS AND CHARGES, (3) MOTOROLA VETEX 410 16 CHANNEL RADIOS, (Day 1).



GEARBOXES, BEARINGS AND PUMPS

#### AUCTION: MONDAY, SEPT. 8 THRU FRIDAY, SEPT. 12 • 9:00 A.M. EACH DAY



60" RECIRCULATING FANS



**BOTTLE JACKS AND ENERPAC SYSTEMS** 



(OVER 30) PORTABLE LIGHT TOWERS

At the Premises of

#### McDERMOTT, INC.

2317 Highway 662 South, AMELIA (MORGAN CITY AREA), LA 70380

(See Directions on Back Page)

AUCTION: MON., SEPT. 8 THRU FRI., SEPT. 12 • 9:00 A.M. EACH DAY

**INSPECTION:** Thurs., Sept. 4 thru Sun., Sept. 7 from 9:00 A.M. to 4:00 P.M. Each Day



HUGH SMITH 3,000 T. VERTICAL PLATE ROLL



90,000 LB. CAP. TAYLOR DIESEL FORKLIFT

Auction conducted by:

#### MYRON BOWLING AUCTIONEERS, INC.

P.O. Box 349, Ross Ohio 45061





#### FIRST CLASS MAIL

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 17

#### **COMPLETE LIQUIDATION OF 300-ACRE FABRICATION FACILITY**



#### SPECIAL NOTES REGARDING THE AUCTION

All attendees must wear long pants and closed-toe shoes. No private vehicles are allowed within the site so buses will be provided for transportation. No persons under the age of 18 are allowed on the site.

#### **DIRECTIONS & LODGING**

FROM LOUIS ARMSTRONG NEW ORLEANS INT'L AIRPORT: Exit airport area and turn right onto US Highway 61 N/Airline drive. Proceed westward for approx. 4 miles. Take the exit for I-310 S/Boutte. Proceed approx. 9 miles south on I-310 S and take US-90 W exit towards Houma. Proceed on US-90 W approx. 48 miles. Take Exit #182 for LA-662/US Business 90 and proceed approx. 1/2 mile. At the bottom of the ramp, turn left onto US Business 90 West and proceed approx. 7/10 mile to the stop sign. Then proceed straight ahead across the highway to where it dead ends at the "T". Turn right and proceed 1/2 mile to the next stop sign and turn left. The auction site headquarters will be on your right. Watch for auction signs.

AMELIA EXTENDED STAY & HOTEL......(985) 631-2220 111 Cajun Way, Amelia, Louisiana

HAMPTON INN & SUITES MORGAN CITY ......(800) 992-269 6365 Hwy. 182 E, Morgan City, Louisiana

HOLIDAY INN EXPRESS HOTEL & SUITES
MORGAN CITY TIGER ISLAND ......(877) 410-6667
704 Martin Luther King Blvd., Morgan City, Louisiana

HOLIDAY INN MORGAN CITY .......(855) 901-0002 520 Roderick Street, Morgan City, Louisiana

#### **UNABLE TO ATTEND?**

Bid online in Real Time at BidSpotter.com

Register: You must register as an online bidder through Bidspotter. com, 24 hours prior to the auction start time to allow sufficient time to be approved. You'll find the Bidspotter link on the specific auction page on our Website.

**Deposit:** A deposit of 25% of your anticipated purchase or a bank letter of guarantee is required to bid online. Mail deposit check to: Myron Bowling Auctioneers, P.O. Box 369, Ross, Ohio 45061. Call (513) 738-3311 for wire instructions. Fax your bank letter of guarantee to (513) 738-0221.

**Approval:** Once the registration process has been completed and your deposit received, you will be notified through an automated Bidspotter email, that you are approved to bid.

ALL ONLINE BIDS ARE SUBJECT TO A 18% BUYER'S PREMIUM



### PARTIAL TERMS & CONDITIONS

TERMS OF SALE: Copies of Terms of Sale will be posted at the auction. Additional terms may be announced during the auction. We make every effort to accurately describe each item in the auction; however, a mistake may occur. Buyers must take responsibility to thoroughly inspect the items on which they intend to bid. Each item will be sold "As is, where is." There is absolutely no warranty or guarantee of any kind either written or implied. Occasionally, additional information may come to light regarding any and all items being sold during the auction. When this occurs the new information takes precedence.

#### 18% BUYER'S PREMIUM

INSPECTION: THURS., SEPT. 4 THRU SUN., SEPT. 7 FROM 9:00 A.M. TO 4:00 P.M. EACH DAY

REMOVAL & PAYMENT: Machinery removal is the responsibility of the buyer. All equipment must be removed in accordance with the specific auction timeline and terms of sale. See the specific auction web page for details. Anyone (rigger or buyer), using a powered vehicle to remove items must have a certificate of insurance on file with Myron Bowling Auctioneers in the amount of \$1,000.000.00. Item removal generally begins at the conclusion of the auction and after payment in full is received by cash, wire transfer, or company check (if approved by the auction company or bank letter of guarantee). All checks should be made payable to Myron Bowling Auctioneers. Taxes will be charged unless you have provided a proper written exemption from your state.

SAMPLE BANK LETTER: Dear Sirs, (BANK NAME) irrevocably guarantees payment in full to Myron Bowling Auctioneers by (BUSINESS NAME) drawn on account (NUMBER) up to the amount of \$ (DOLLARS) to purchase items at your (AUCTION NAME). This letter of guarantee is valid until (MONTH, DAY, YEAR). Regards, (BANK REPRESENTATIVE, ITILE, BANK NAME).

COMPLETE TERMS & CONDITIONS can be found at myronbowling.com, or call (513) 738-3311 if you have questions.