



INDUSTRIAL ASSETS

REAL ESTATE • FINANCE • MACHINERY • AUCTIONS

industrialassets.com

LIVE ON-SITE &
GLOBAL WEBCAST

AUCTION

AUCTION: Tuesday, December 1st, 2015, Beginning at 10:00am (EST)

LOCATION: 7845 Northfield Road, Walton Hills, OH 44146

PREVIEW: Friday, November 27th & Monday, November 30th, 9:00am to 4:00pm (EST)

For More Info., Call 818.508.7034 or go to www.biditup.com

MAJOR FORMER AUTOMOTIVE STAMPING FACILITY

*Over 1,000 Lots!
Over 1 Million Sq.Ft.
Facility*

FEATURING: (25) Press Lines to 4,500-Tons: Transfer, Double Action, Hydraulic, Straight Side, OBI, Gaps, Tryout, Cranes: Overhead, Mobile, Straddle, Gantry Cranes to 80-Ton • 5-Axis Vertical Gantry Milling Machine
Over 100 CNC Robots • Forklifts • Rolling Stock • Tool Room • CMM and Much More



KOMATSU 4500-TON 6 STATION TRANSFER PRESS



USI CLEARING S4-1000-180-102 STRAIGHT SIDE PRESS

Online Bidding Available, Visit www.biditup.com for Complete Registration Information



818.508.7034 www.biditup.com

Complete
Photos &
Lot Listings at
biditup.com

PRESS LINES

PRESS LINE 1

(1) IHI MDL. DL4-2000/1500-204-108 DOUBLE ACTION PRESS, S/N 5921, Stroke 45"/35", Shut Height, 78"/83", Slide Adjustment 24"/24", Stroke Per Minute 8-16, Dual Ram, Rolling Bolsters

(4) IHI MDL. SL4-1500-204-108 STRAIGHT SIDE PRESSES, S/N's 5921, 5923, 5924 and 5925, Stroke 40", Shut Height 60", Slide Adjustment 4", Stroke Per Minute 8-16, Single Ram, Rolling Bolsters



PRESS LINE 2

KOMATSU MDL. TS8L1800/1200-1500-234-234X120 4500-TON TRI AXIS 6 STATION TRANSFER PRESS, Stroke 40", Shut Height 62", Slide Adjustment 8", Stroke Per Minute 8-16, 2 Slides, Rolling Bolsters, Dual Quick Change, Cushions



PRESS LINES

PRESS LINE 16

- (1) DANLY MDL. TU4-2000/1250-180-108 STRAIGHT SIDE PRESS, S/N 17360201, Stroke 32"/42", Shut Height 73"/83", Slide Adjustment 24"/24", Stroke Per Minute 7-13
- (1) CLEARING MDL. B4-1000-144-90 STRAIGHT SIDE PRESS, S/N 55-18474-P, Stroke 30", Shut Height 82", Slide Adjustment 30", Stroke Per Minute 16
- (1) USI CLEARING MDL. S4-1000-180-102 STRAIGHT SIDE PRESS, S/N 10-4613, Stroke 36", Shut Height 88", Slide Adjustment 20", Stroke Per Minute 20
- (2) DANLY MDL. S4-1000-144-90 STRAIGHT SIDE PRESSES, S/N's 7333202 and 71301102, Stroke 24", Shut Height 88 & 71", Slide Adjustment 20", Stroke Per Min 8-25



PRESS LINE 4

- (1) DANLY MDL. TU4-2000-144-96 DOUBLE ACTION STAMPING PRESS, S/N 052153-01, w/(1) Atlas Technologies Quick Change Die Cart Mdl. J64600011DC100, 120,000lb cap. and (1) Atlas Technologies Sheet Loader Mdl. J64600011AC00, 120,000lb cap.

- (5) DANLY MDL. U4-1000-144-90 UNDERDRIVE STAMPING PRESSES, S/N's 540755-02, 540755-04, 540755-06, 540755-09, Stroke 30", Shut Height 67-1/8", Slide Adjustment 30", Stroke Per Minute 15, w/(6) Atlas Technologies Mdl. J64600011DC12-5600 Quick Change Die Carts, Updated Electronics & Robotics



PRESS LINES

PRESS LINE 5

- (1) **DANLY MDL. TU4-2000-144-96 STAMPING PRESS**, w/(1) Atlas Technologies Mdl. J64600011DC100 Quick Change Die Cart, 120,000lb cap. and
(1) Atlas Technologies Sheet Loader Mdl. J64600011AC00, 120,000lb cap.
(5) **DANLY MDL. U4-1000-144-90 UNDERDRIVE STAMPING PRESSES**, S/N's 530631-05, 530631-04, 530631-03, 540775-03, 540775-07, Stroke 30", Shut Height 67 1/8", Slide Adjustment 30", Stroke Per Minute 15, w/(6) Atlas Technologies Mdl. J64600011DC12-5600 Quick Change Die Carts, Updated Electrics & Robotics



PRESS LINE 11

- (1) **USI CLEARING MDL. BD4-1000/600-120-84 DOUBLE ACTION STRAIGHT SIDE PRESS**, S/N 10-4644, Stroke 34", Shut Height 83", Slide Adjustment 24", Stroke Per Minute 6-18
(4) **BLISS MDL. SU4-800-96-72 STRAIGHT SIDE PRESS**, S/N's CN-2140, CN-2142, CN-2144 and N/A, Stroke 16", Shut Height 60", Slide Adjustment 24", Stroke Per Minute 16



PRESS LINE 13

- (1) **DANLY MDL. DU4-1250/800-144-96 DOUBLE ACTION STRAIGHT SIDE PRESS**, S/N 60151302, Stroke 27"/36", Shut Height 82"/92", Slide Adjustment 26"/26", Stroke Per Minute 9-12
(2) **USI MDL. B4-1000-144-90 STRAIGHT SIDE PRESS**, S/N's 10-1947 and N/A, Stroke 42", Shut Height 71", Slide Adjustment 24", Stroke Per Minute 16, One press is missing the crown



PRESS LINE 14

- (1) **DANLY MDL. DU4-1250/800-144-96 DOUBLE ACTION STRAIGHT SIDE PRESS**, S/N 79373802, Stroke 27"/36", Shut Height 76"/86", Slide Adjustment 24"/24", Stroke Per Minute 16, Auto Die Clamps, Rolling Bolsters
(5) **DANLY MDL. DU4-1000-144-90 DOUBLE ACTION STRAIGHT SIDE PRESSES**, S/N's 53063108, 69275401, N/A, N/A and N/A, Stroke 30", Shut Height 82", Slide Adjustment 30", Stroke Per Minute 15, Auto Die Clamps



PRESS LINES

PRESS LINE 51

- (4) **DANLY MDL. S2-600-96-54 STRAIGHT SIDE PRESSES**, S/N's 64200708, 64200705, 64200707, 64100706, Stroke 24", Shut Height 52", Slide Adjustment 26", Stroke Per Minute 18, Dual Rolling Bolsters, Die Clamps, Allen Bradley Controls
- (2) **CLEARING MDL. S4-500-96-60 STRAIGHT SIDE PRESSES**, S/N's 10-1224 & N/A, Stroke 24", Shut Height 64", Slide Adjustment 26", Stroke Per Minute 18, Dual Rolling Bolsters, Die Clamps, Allen Bradley Controls, One press does not have bolsters or a clutch



PRESS LINE 17

- (2) **DANLY MDL. SU4-1000-180-100 STRAIGHT SIDE PRESSES**, S/N's 54075301 and N/A, Stroke 36", Shut Height 82", Slide Adjustment 30", Stroke Per Minute 14
- (3) **DANLY MDL. SU4-1000-144-90 STRAIGHT SIDE PRESSES**, S/N's 53063106, 53063112 and N/A, Stroke 30", Shut Height 82", Slide Adjustment 30", Stroke Per Minute 15



PRESS LINE 23

- (1) **DANLY MDL. DU4-1000-600-108-64 DOUBLE ACTION STRAIGHT SIDE PRESS**
- (2) **NIAGARA MDL. SE4-800-108-72 STRAIGHT SIDE PRESSES**, S/N's 51908, 51909, Stroke 24", Shut Height 60", Slide Adjustment 20", Stroke Per Minute 20
- (2) **DANLY MDL. S4-800-108-72 STRAIGHT SIDE PRESSES**, S/N's 82386703, 82386604, Stroke 24", Shut Height 77", Slide Adjustment 20", Stroke Per Minute 20



PRESSES

HYDRAULIC STRAIGHT SIDE & FOUR POST PRESSES

6,000-TON BIRDSBORO 4-POST DOWNACTING HYDRAULIC PRESS, *(Not on site, call for inspection details)*

5,000-TON LAKE ERIE 4-POST HYDRAULIC DOWNACTING PRESS w/Rubber Forming Pad, *(Not on site, call for inspection details)*

3,500-TON LAKE ERIE 4-POST HYDRAULIC DOWNACTING PRESS, *(Not on site, call for inspection details)*

2,000-TON K.R. WILSON MDL. DC-SA 4-POST DOWNACTING HYDRAULIC PRESS, *(Not on site, call for inspection details)*

100-TON HANNIFIN MDL. 4C-100-P DYNA-QUIP 4-POST HYD. PRESS, *(Not on site, call for inspection details)*

(2) 100-TON SUTHERLAND MDL. HD1-100 HYD. STRAIGHT SIDE PRESSES, *(Not on site, call for inspection details)*

STRAIGHT SIDE LINK DRIVE PRESS

1500-TON SCHULER STRAIGHT SIDE LINK DRIVE PRESS, Stroke 40", Shut Height 62", Slide Adj. 2", Strokes per Minute 8-20, Bed Size 216" x 108", 1986, Dual Rolling Bolsters, Link Drive, Micro Inch, Main Drive 250HP, Inch Drive 150HP, Dist. Bet. Cols. 173", *(Not on site, call for inspection details)*

STRAIGHT SIDE PRESSES

1000-TON DANLY MDL. U4-1000-132-84 STRAIGHT SIDE PRESS, S/N 49032102, Stroke 30", Shut Height 60", Slide Adjustment 24", Stroke Per Minute 14, Rebuilt by Schuler, Used as a Tryout Press, (Press Line 15)

800-TON DANLY MDL. DU4-800-120-90 DOUBLE ACTION STRAIGHT SIDE PRESS, S/N 55088101, Stroke 33", Shut Height 73", Slide Adjustment 20", Stroke Per Minute 16, (Press Line 22)

800-TON WEINGARTEN MDL. VK800.45.40, S/N 215220, Stroke 400/400mm, Shut Height 1,100mm, Strokes per Minute 16-50, 1984, Siemens S5 for Stroke Adjustment, Bi Directional Rolling Bolster, Coil Line-Width 600-2,000 x 0.5-2mm, Coil Diameter 1-2m, Siemens S7, Stacker- Blank W x L is 600-2,000 x 200-3,300mm/S- 500-2,000 x 400-2,000mm, *(Not on site, call for inspection details)*

BLANKING PRESSES

(2) 630-TON METRIC-TON SCHMID FINE HSR 630 BLANKING PRESS LINES, *(Not on site, call for inspection details)*

SPOTTING PRESS

DANLY MDL. SH300-144-100 SPOTTING PRESS, S/N 67251102, Stroke 48", Rolling Bolster

GAP FRAME DBL. CRANK PRESSES

1985 175-TON AIDA NC2- 160 DOUBLE CRANK GAP FRAME PRESS, *(Not on site, call for inspection details)*

1994 176-TON HELLER SUTHERLAND MARK II 176, HELLER DBL. CRANK GAP PRESS, *(Not on site, call for inspection details)*

GAP PRESSES

(6) NIAGARA SP20-225-77-32 GAP PRESSES, Stroke 16", Shut Height 30", Slide Adjustment 6", Strokes Per Minute 30
USI MDL. SG2-225-77-32 1/2 GAP PRESS, S/N 51-1144, Stroke 16", Shut Height 30", Slide Adjustment 5", Strokes Per Minute 30

HIGH SPEED PRESSES

(2) 1998 100-TON BLISS HP2-100 HIGH SPEED STRAIGHT SIDE PRESS, *(Not on site, call for inspection details)*

1978 60-TON MINSTER P2-60-36 HIGH SPEED STRAIGHT SIDE PUNCH PRESS, *(Not on site, call for inspection details)*

1986 60-TON FEDERAL PD2-60X42 PRESS, *(Not on site, call for inspection details)*

TRYOUT PRESSES

(2) CLEARING MDL. PS4100-144-100 TRYOUT PRESSES, S/N's 54-18136, 54-18137, Stroke 66"



PRESSES



2000-TON


Rubber Forming Pad

2,000-TON K.R. WILSON 4-POST DOWNACTING HYD. PRESS



1500-TON

1,500-TON SCHULER STRAIGHT SIDE LINK DRIVE PRESS



1000-TON

1000-TON DAILY STRAIGHT SIDE PRESS




800-TON

800-TON WEINGARTEN STRAIGHT SIDE PRESS



630-TON

630-TON SCHMID HYD. BLANKING PRESS



300-TON

300-TON DAILY SPOTTING PRESS



225-TON

225-TON NIAGARA GAP PRESS

PRESSES



176-TON

1994

176-TON HELLER SUTHERLAND DC GAP PRESS



175-TON

175-TON AIDA DC GAP FRAME PRESS



144-TON

144-TON CLEARING TRYOUT PRESS



100-TON

100-TON HANNIFIN 4-POST HYD. PRESS



100-TON

1998

2 Available

100-TON BLISS HP2-100 HIGH SPEED SS PRESS



100-TON

1990's

100-TON SUTHERLAND HYD. SS PRESS



60-TON

1986

60-TON FEDERAL SSDC PUNCH PRESS



60-TON

1978

60-TON MINSTER HIGH SPEED SS PUNCH PRESS

VERTICAL MILLS

INGERSOLL 5 AXIS GANTRY TYPE CNC VERTICAL MILLING MACHINE, Fanuc Series 150-M control, X-axis 225.2", Y-axis 231.5", Z-axis 39.3", C-axis 360 degrees, W-axis 96.4", Width between columns 147.6", Height between table top and MASTERHEAD face 31.5"-127.9", Table width 137.795", Table length 196.8", Chip conveyor

CINCINNATI MILACRON MDL. M1977 3 AXIS BRIDGE TYPE CNC VERTICAL MILLING MACHINES, S/N M19770103
Fidia C2 Control

CINCINNATI MILACRON MDL. M1935 CNC VERTICAL MACHINING CENTER, S/N M193591001, shares a control w/the other Cincinnati Milacron Mill

**Complete Photos
& Lot Listings at
biditup.com**



5-Axis

INGERSOLL CNC VERTICAL MILLING MACHINE



CINCINNATI MILACRON CNC MILL

ROBOTS

(40) KAWASAKI UX150 ROBOTS
w/UX150FA720 controllers
(24) KAWASAKI ZX165U ROBOTS
w/ZX165UFC32 controllers
(17) KAWASAKI ZX200S ROBOTS
w/ZX200SFC32 controllers
(6) KAWASAKI UX200 ROBOTS
w/UX200FA720 controllers
(6) KAWASAKI UX120 ROBOTS
w/UX120FA72 controllers
(1) KAWASAKI UT150 ROBOT w/controller
(8) ABB IRB 6600 ROBOTS w/S4C Plus controllers
(6) KUKA KR125 ROBOTS
w/controller, on travelling carts
(4) KUKA IR 761/125/150 ROBOTS w/controllers
2005 ABB IRB 6600 ROBOT with S4C Plus
Controllers, *(Not on site, call for inspection details)*
ABB IRB 6650S-200/3.0 ROBOT,
(Not on site, call for inspection details)



1 of 24

KAWASAKI ZX165U ROBOT



17 Available

KAWASAKI ZX200S ROBOTS



1 of 6

KAWASAKI UX120 ROBOT



2005

ABB IRB 6600'S ROBOT




ABB IRB 6650S-200/3.0 ROBOT

**Over 100
Robots**

CRANES & STRADDLE LIFTS

- (1) P&H 80/15-TON DBL. GIRDER BRIDGE CRANE, 80' span
- (3) WHITING 70/15-TON DBL. GIRDER BRIDGE CRANES, 80' span
- (3) P&H 70/15-TON DBL. GIRDER BRIDGE CRANES, 80' span
- 1987 70-TON PROGRESSIVE DUAL HOIST DBL GIRDER BRIDGE CRANE, *(Not on site, call for inspection details)*
- (2) 2006 70-TON ACE DUAL HOIST DOUBLE GIRDER BRIDGE CRANES, *(Not on site, call for inspection details)*
- (1) 60-TON P&H DOUBLE GIRDER TOP RUNNING BRIDGE CRANE, *(Not on site, call for inspection details)*
- (3) P&H 50/15-TON DBL. GIRDER BRIDGE CRANES, 80' span
- (2) P&H 40/10-TON DBL. GIRDER BRIDGE CRANES, 80' span
- (1) 40/5-TON CONCO DUAL HOIST TOP RIDING DOUBLE GIRDER OVERHEAD BRIDGE CRANE, *(Not on site, call for inspection details)*
- (1) 40-TON P&H DOUBLE GIRDER TOP RUNNING BRIDGE CRANE, *(Not on site, call for inspection details)*
- (1) 1998 40-TON P&H DOUBLE GIRDER TOP RUNNING BRIDGE CRANE, *(Not on site, call for inspection details)*

- 40-TON DROTT M7901-800AC STRADDLE MOBILE GANTRY CRANE, *(Not on site, call for inspection details)*
- (2) 40-TON DROTT/MI-JACK MDL. TRAVELIFT 800 STRADDLE MOBILE GANTRY CRANES, *(Not on site, call for inspection details)*
- (1) P&H 35-TON DBL. GIRDER TOP RUNNING BRIDGE CRANE, *(Not on site, call for inspection details)*
- (1) P&H 35/15-TON DBL. GIRDER BRIDGE CRANE, 120' span
- (1) 2009 33-TON HECO PACIFIC TOP RIDING DOUBLE GIRDER BRIDGE CRANE, Explosion Proof, New Cost Over 1MM Dollars, *(Not on site, call for inspection details)*
- (2) P&H 30/10-TON DBL. GIRDER BRIDGE CRANES, 80' span
- (1) 2013 DC VIRGINIA 30 TON DBL. DROP PLATE SHIPPING CRANE, 100' Span, *(Not on site, call for inspection details)*
- (1) 2013 30-TON VIRGINIA DUAL HOIST TOP RUNNING DOUBLE GIRDER DC BRIDGE CRANE, *(Not on site, call for inspection details)*
- (1) 2000 30-TON OMI DOUBLE GIRDER TOP RUNNING BRIDGE CRANE, *(Not on site, call for inspection details)*
- (1) 15-TON ARROW CRANE & HOIST MDL. C-75 TOP RUNNING DOUBLE GIRDER BRIDGE CRANE, *(Not on site, call for inspection details)*
- (1) P&H 40-TON CRANE HOOK
- (2) COIL GRABBERS, (1) 32.5-Ton cap. and (1) 30-Ton cap.



1 of 3

70/15-TON WHITING DOUBLE GIRDER BRIDGE CRANE



1 of 3

70/15-TON P&H DOUBLE GIRDER BRIDGE CRANE



70-TON PROGRESSIVE DUAL HOIST DBL GIRDER BRIDGE CRANE



1 of 2

2006

70-TON ACE DUAL HOIST DOUBLE GIRDER BRIDGE CRANE




60-TON P&H DOUBLE GIRDER TOP RUNNING BRIDGE CRANE



1 of 2

40-TON P&H DOUBLE GIRDER TOP RUNNING BRIDGE CRANE



40/5-TON CONCO DUAL HOIST TOP RIDING OVERHEAD BRIDGE



2009

Explosion Proof,
New Cost Over
1MM Dollars

33-TON HECO PACIFIC TOP RIDING DOUBLE GIRDER BRIDGE



30-TON OMI TOP RUNNING BRIDGE CRANE



1 of 2

40-TON P&H TOP RUNNING BRIDGE CRANE



30-TON DC VIRGINIA SHIPPING CRANE




15-TON ARROW CRANE & HOIST BRIDGE CRANE



3 Available

40-TON DROTT STRADDLE MOBILE GANTRY



LINK BELT MOBILE CRANE



AUTO LIFT ELECT. FORKLIFT



ELWELL-PARKER ELECT. FORKLIFT



1 of 6

YALE ELECT. FORKLIFT



CLARK ELECT. FORKLIFT



1 of 22

SIEMENS GUIDED VEHICLE



VIEW OF DIE TRUCKS



BROWN & SHARP CMM



TRITON WASHER



VIEW OF DIE CLAMPS



ROMAN TRANSFORMERS



WELDING TABLE

MOBILE EQUIPMENT

LINK BELT MDL. LS-318 MOBILE CRANE, 80-Ton cap., S/N 21G6565F
 ADVANCED VEHICLES MDL. MDHR-DD-E ELECTRIC STAND UP DIE TRUCK, S/N 94154, 60,000lb cap.
 AUTO LIFT MDL. ERA-400 ELECTRIC STAND UP FORKLIFT, S/N B-1563, 40,000lb cap.
 ELWELL-PARKER MDL. E21T-418-30W ELECTRIC STAND UP DIE TRUCK, S/N 26277, 30,000lb cap.
 ELWELL-PARKER MDL. R12T275 ELECTRIC STAND UP FORKLIFT, S/N 26624, 27,500lb cap.
 ADVANCED VEHICLE MDL. MDHR-DD-E ELECT. STAND UP DIE TRUCK, S/N 96307, 20,000lb cap.
 (6) YALE MDL. ERC120HDN48SV096 ELECTRIC FORKLIFTS, S/N's A839V02964X, A839V02898X, A839V02849X, A839V02951X, A8039V02896X and A8039V02610W
 CLARK MDL. ECG32 ELECTRIC FORKLIFT, S/N ECG358-0058-6859FB, 6,000lb cap.
 CLARK MDL. CGS25WC FORKLIFT, S/N G138WC-0911-6086FA, Propane, 5,000lb cap.
 (22) SIEMENS MDL. DT60W AUTOMATED GUIDED VEHICLES, 30,000lb towing cap.
 (12) BURDEN CARRIERS
 TENNANT MDL. M20 RIDING FLOOR SCRUBBER, S/N 420-3318
 JLG MDL. 1930ES SCISSOR LIFT

CMM

BROWN AND SHARP MDL. VALIDATOR COORDINATE MEASURING MACHINE, S/N 1294-527, w/probe

MISC. EQUIPMENT

Lathes, Mills, Grinders, Shears, Drill, Saws, Utica Automation
 Triton Washer, w/automatic recoiler, (15) Jit Die Clamps,
 (8) Bliss Counter Balances, Transformers, Welding Tables,
 Welders, Lista Cabinets, Tool Boxes, Storage Cabinets,
 Large Quantity of Wire Baskets, Tilt and Lift Tables, Workout
 Equipment, Power Tools, Hand Tools, Spare Parts
 To Include: Press Parts, Crane Parts, Circuit Breakers,
 Relays, Starters and Much More

ON-SITE & WEBCAST AUCTION

AUCTION:

Tuesday, Dec. 1st at 10:00am (EST)

LOCATION:

7845 Northfield Rd., Walton Hills, OH

MAJOR FORMER AUTOMOTIVE STAMPING FACILITY

FEATURING:

(25) Press Lines to 4,500-Tons:
Transfer, Double Action, Hydraulic,
Straight Side, OBI, Gaps, Tryout,
Cranes: Overhead, Mobile,
Straddle, Gantry Cranes to 80-Ton,
5-Axis Vertical Gantry Milling
Machine, Over 100 CNC Robots,
Forklifts, Rolling Stock, Tool Room,
CMM and Much More



PRESS LINE 4



INGERSOLL CNC VERTICAL MILL



VIEW OF KAWASAKI ROBOTS

BIDITUP

BIDITUP AUCTIONS WORLDWIDE
AN INDUSTRIAL ASSETS COMPANY

11426 Ventura Boulevard
Studio City, California 91604
Phone: 818.508.7034
Fax: 818.508.3025
info@biditup.com

Steven Mattes, OH Lic. 2005000217
BIDITUP, OH Lic. 2005000218



SCAN QR CODE
TO SEE ALL INFORMATION
ABOUT THIS AUCTION!

MACHINERY AUCTION, LOOK INSIDE!

**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**



ON-SITE & WEBCAST AUCTION

AUCTION: Tuesday, December 1st, 2015, Beginning at 10:00am (EST)

LOCATION: 7845 Northfield Road, Walton Hills, OH 44146

MAJOR FORMER AUTOMOTIVE STAMPING FACILITY

FEATURING: (25) Press Lines to 4,500-Tons, Transfer, Double Action, Hydraulic, Straight Side, OBI, Gaps, Tryout • Cranes: Overhead, Mobile, Straddle, Gantry Cranes to 80-Ton • 5-Axis Vertical Gantry Milling Machine • Over 100 CNC Robots • Forklifts • Rolling Stock • Tool Room • CMM and Much More

LODGING

HOLIDAY INN EXPRESS – (440) 786-1998
23303 Oakwood Commons Dr., Oakwood, OH
HILTON GARDEN INN – (330) 405-4488
8971 Wilcox Drive, Twinsburg, OH

DIRECTIONS

FROM: CLEVELAND HOPKINS INT'L AIRPORT (CLE): Take Terminal Dr toward Airport Exit/I-71 N/I-480/Cleveland/ OH-237 N/Rental Car Return. Turn left to stay on Terminal Dr. Turn slight left to take the OH-237 N ramp toward I-71 N/I-480/Cleveland. Merge onto Berea Fwy N. Merge onto I-480 E toward Youngstown. Take the Forbes Rd/OH-14 W exit, EXIT 23, toward Broadway Ave. Turn right onto Forbes Rd. Turn left onto Northfield Rd/OH-8. 7845 NORTHFIELD RD is on the left. Watch for Auction Signs.

*Over 1,000 Lots
Over 1 Million Sq.Ft.
Facility*



ONSITE BIDDER INSTRUCTIONS: \$500 cash minimum registration deposit or 25% of approximately bid amount (whichever is greater) via wire transfer ACH, cashier's check or bank letter to – Blank Signed Company Check (To be returned once final payment is received). Please refer to www.biditup.com for complete registration information.

ONLINE BIDDER INSTRUCTIONS: All internet bidders must register for this auction at least 72-hours prior to the sale date, if you do not you will not be approved. All internet bidders must provide a wire transfer deposit of approximately 25% of your planned spending amount or \$2,500 minimum, whichever is greater in order to be approved to bid. Those who do not post the deposit will not be approved. Period. Please refer to www.biditup.com for online bidder terms.

UPCOMING AUCTION CALENDAR

PLASTIC DRESS-UP CO – SILOS, DRYERS, HOPPERS, THERMOLATORS, METALIZER, EDM & MORE!

Bidding Starts to Close: Thurs., Nov. 12 at 10:00am (PDT) • Asset Location: 11077 Rush St., So. El Monte, CA

ONLINE ONLY

CONTINENTAL COMMERCIAL PRODUCTS – INJECTION MOLDING MACHINES, CRANES, ROLLING STOCK

Wednesday, December 2, 2015 at 10:00am (EDT) • Location: 305 Rock Industrial Park Dr, Bridgeton, MO

ONSITE & WEBCAST

SOITEC USA – LATE MODEL SEMICONDUCTOR & SOLAR PANEL MANUFACTURING EQUIPMENT

Bidding Starts to Close: Thursday, December 17 at 10:00am (EDT) • Asset Location: San Diego, CA

2-DAY ONLINE ONLY

FOR THE COMPLETE TERMS & CONDITIONS OF THE FEATURED AUCTION
Please visit our website www.BIDITUP.com

Thinking of having an auction or need an appraisal?
Call us at 818.508.7034