

# Biditup Auctions Worldwide, Inc./Maynards Industries



Accurshear & Piranha Shears, HTC Press Brake, Greenerd Hyd Press, Bertsch Roll, Grinders, Saws, Welders/Plasma Cutter, Rolling Stock & More

2016 East Indiana Ave  
Bismark  
North Dakota  
58504  
United States

Formerly Of Mac Inc.

Starts Sep 09, 2016 11am CDT

Lot	Description
1	2008 Louisville, L-3212-06-CAM, A Frame Ladder, 6 ft, Load Capacity 225LBS
2	2011 EIIIS, MODEL #1800, Mitre Band Saw, Blade Size - 110" x 1", 208v/3ph, S/N 189564 with Lenox Band Ade Sawing Fluid
3	2013 Thermco, 8505OA10x1100, Gas Mixer with Rexarc, 4-04-0147 Argon Manifold Control, Mixture: 0 - 10% Oxygen in Argon, Capacity: 0 - 750 SCFH, Outlet Pressure: 10 -50 PSIG, S.O. number: 147686, Argon: 100-125 PSIG, Oxygen: 100 - 125 PSIG, Power: 115 Vac, 50/60 HZ, Amps 0.3, S/N 32501
4	Alkota Natural Gas Fired Stationary Pressure Washer, Mdl: 320X4, S/N 253870, Max 350 Bar, 5000 PSI, Max 320 Deg F and A.O. Smith 4hp Century AC Motor on Mobile Cart w/ 8" Casters
5	PEM Corporation Eco-Green Paint System Pressure washer, Mdl: P400, S/N: 119404, 320,000 BTU, 1800 PSI, Balder 7.5 HP Motor, 440.3 Hrs, 5 GPM, (Out of Service)
6	2012 Scotchman Cold Saw, Mdl: CPO 350 LT, S/N: B91911011, 460V, 60ph, 3HP w/ (2) 10' Long x 13" Wide x 34" High Lewco Brand Roller Conveyor
7	Polar Air, PRS1000003, Rotary Screw Air Compressor, 100 HP, 74.56 KW, 3 PH, 460/480 V, 50-60 Hz, Motor Current 117.43 Amps, Max Pressure : 145PSI / 6.21 Bar, Minimum Pressure : 90 PSI / 6.21 Bar, Temp Range 32-115 F, 0-47 C , Control Type Standard Drive
8	Caldwell, Univac 250, PAC Vacuum Lifter, Unit Capacity 480 Lbs, Pad Capacity 80 Lbs, Unit Weight 220 Lbs , 120 Volts
9	Hydraulic Bushing Press
10	(2012) Graco, Ultra Max 2 795, Paint Sprayer, Maximum Delivery: 1.1 gpm, Max Tip Size 0.033, fluid Outlet NPSM 1/4', 89 lbs
11	(1998) 50-Ton Greenerd C-Frame Hydraulic Press, Mdl: HCA-50-18R, S/N 98T5539, 480v/3HP, Pressure Control: PSI 520 - 2600 / Tons 10 -50 Ton, Reservoir Capacity 110 Gallons
12	TimeSaver, WDC-5 Series 1200, Surface Grinder / Deburring Machine, 36" Width, 480 Volt / 3 PH, Manufacturing No. 18WDC504, S/N 32381, With 5 Boxes of Replacement Belts: 3M 577F, Grade 40, Size 37" x 60 "
13	TimeSaver, WDC-5, Wet Dust Collector, Manufacturing No. 18WDC504, S/N 32381

14	2012 Hyd-Mech Horizontal Band Saw, Mdl: S-20 Series III, S/N: 6A0808774, 3 Hp, With One Box of Replacement Saw Blades
15	Western Arcronics, Spot Welder, 3 PH
16	Mi-T-M, HSP 2403, Hot and Cold Pressure Washer, Gas Powered, 3GPM, 2400 PSI, Burner Fuel Tank Cap. 5.5 Gallons, Engine Honda GX 200, BTU Per Hour 294,000
17	ESAB PCM 1125 Plasma Cutter, 3 Ph, 208/230/460/575 Volt, 28/25/14/11 Amp, Power Factor 93%, Duty Cycle 100%, Output Amps@120V DC 70, Open Circuit Voltage 285V DC
18	Lincoln Electric, IdealArc DC-600, Constant Voltage/ Constant Current DC Arc Welder, LN-7 Wire Speed Control, Max 500 Inches Per Minute, 480V, 50/60Hz, 2.5 Amps, 3 PH, SN/ 81960618368
19	Lincoln Electric, DC-400, Constant Voltage/ Constant Current DC Arc Welder, Cool Arc 40, LN-7 Wire Speed Control, Max 500 Inches Per Minute, 115V, 50/60Hz, 2.5 Amps, 3 PH, SN/U1070607845
20	Lincoln Electric, IdealArc DC-600, Constant Voltage/ Constant Current DC Arc Welder, Cool Arc 40, LN-7 Wire Speed Control, Max 500 Inches Per Minute, 480V, 50/60Hz, 2.5 Amps, 3 PH, SN/ 1990312736
21	Lincoln Electric, IdealArc DC-600, Constant Voltage/ Constant Current DC Arc Welder, Cool Arc 40, LN-7 Wire Speed Control, Max 500 Inches Per Minute, 480V, 50/60Hz, 2.5 Amps, 3 PH, SN/ AC 663168, 6789MSP
22	Miller, CP 300, Constant Voltage DC Arc Welding Power Supply, Millermatic s-52E Wire Feeder, Volts 200/230/460, Amps 38/33/16.5, KW 12.3, PH 3 , 60 Hz, SN/ JK654783
22A	Honeywell, C7031D2003, 5" Immersion Sensors (New in the Box), PT 1000 Output, Thermowell Included, Range -40 to 350 F
23	Miller, CP 300 , Constant Voltage DC Arc Welding Power Supply, Millermatic s-52E Wire Feeder, Volts 200/230/460, Amps 38/33/16.5, KW 12.3, PH 3 , 60 Hz
24	Lincoln Electric, IdealArc DC-1000, Constant Voltage/Constant Current DC Arc Welder, 3 PH, 60 Hz, 150A/16V-1300A/46V, SN/ U1071104187
25	(2010) 1/4" X 12' AccurShear Hydraulic Power Shear, Front Operated CNC Back Gauge, Mdl: 625012, S/N 6029, 20 Hp Baldor Motor
26	Vectrax Milling & Drilling Machine, Mdl: 00492108, S/N: 032018, 300 – 2000 RPM Spindle Speeds, 22" x 19 1/2" Table, 20" Swing, 1/64 – 1/2" Chuck, 1.5 Hp Motor
27	Contrx Industries, 2 Ton Jib Crane, 2 Ton Max Capacity, 14' Arm
28	Caterpillar, 4500LBS, Fork Lift, LP Gas, Solid Tires, 2 Stage Mast, 5 ft Forks, SN/ P4814L, 3755 Hrs
29	Caterpillar, 3700LBS, Fork Lift, LP Gas, Solid Tires, 2 Stage Mast, 5 ft Forks, SN/ 2JN00431, 4530 Hrs
30	Doosan, G25E-3, 4400LBS Fork Lift, LP Gas, Solid Tires, 5 ft forks, SN/NA, 4612 Hrs.
31	Advance Machine, The Tiger Cat, Street Sweeper, SN/ 462001, Mdl: 462001, S/N: 465532, Propane, 881 Hrs.

32	Hotsy Hot Water Pressure Washer, Mdl: 14255, S/N: 1109590-161438, 3000 Psi, 3.9 GPM, 225 Deg F Max Temp
32A	Ballard Corp CO2 Monitoring Unit, Mdl: 744B
33	1985 Case, MW24C, Wheel Loader, W/2.5 Yard Bucket and ACS Forks (7ft)
34	1996 Volvo L70C Wheel Loader, VIN#: L70CV12603, 16,122 Engine Hrs., 5' Forks & 3 Yard Wheel Loader Attachment
35	36" x 60" x 36" Steelman Model 353BA-C Burn-Off Oven, S/N B010405 (2001), 36" x 48" x 36" Work Area, 1,000 Degrees F, Honeywell Programmable Digital Controls, Exhaust Blower, Location: Painesville, OH
36	12" W x 20" D x 8" H Cress Model C01228TCZ Electric Furnace, S/N 8602, 2,000 Degrees F, Digital Temperature Control, Timer, Stand, Location: Los Angeles, CA
37	2007 16" x 60" Vectrax Model DY-410-1500 Engine Lathe, 36 - 2,000 RPM Spindle Speeds, 3 Jaw Chuck, 4 Jaw Chuck, Steady Rest, Follow Rest, Tool Post, Coolant System, Horsepower: 3, Location: Painesville, OH
38	Bertsch Century 2 #7, Plate Bending Roll, Bending capacity: 6' x 1/4" mild steel , Roll diameter: 6-3/4", Roll length: 74", Pass line: 35", Speeds approx.: 22 FPM EQUIPPED WITH: Manual drop end with automatic balance bar Power rear roll adjustment with control , Manual bottom roll adjustment ,Pu ...[more]
39	6 Ton Pot and 500 CFM Eductor Vac system with Hopper
40	2013 Air Cleaning Technology (ACT) 3-24, Dust Collector, 30 HP, Height 146", 80" Width, 87" Depth, # of Filters 24, Filter Area 6,096
41	36" Timesaver Model 137-HDMW Belt Grinder, S/N 12162, 36" x 60" Belt Size, 15- 45 FPM Conveyor Speed, Electric Eye Belt Tracking, Manual Bed Height Adjustment With Indicator, Spring Loaded Hold Downs, Emergency Stop Bar, Horsepower: 15, Location: Painesville, OH
42	12" x 28" Chevalier Model FSG-1228AD Automatic Surface Grinder, S/N F282C001, 3 Axis Power Feeds With Incremental Spindle Down Feed, 12" x 28" Electro Magnetic Chuck, Variable Chuck Control, Parallel Over The Wheel Dresser, Paper Filter Type Coolant System, Auto Lube System, Horsepower: 5, Locat ...[more]
43	6" x 18" Jones & Shipman Model #540 Automatic Surface Grinder, S/N BO14951, 6" x 18" Electro Magnetic Chuck With Control, Plunge Grinding, Splash Guard, Horsepower: 2, Location: Painesville, OH
44	MQ Power Whisperwatt 220 KVA Portable AC Generator, Prime Rating: 176 Kw 220KVA, Standby Rating : 194KW 242KVA, Generator RPM 1800, Voltage - # Phase 208,220,240,416,440,460,480V Reconnectable, Single Phase 120, 127,139,240,254, 277V Adjustable, Generator Design Revolving Field, Self-Ventilated, Dr ...[more]
45	Open lot
46	Open lot
47	2013 Schmidt Axxiom 6.5 Cu. Ft. Abrasive Blaster, Max PSI 150 @ 205 Deg F, S/N 24L-10441 w/ Hopper
48	Paint System

49 PosiTector 6000 Coating Thickness Gage

---

50 1/4" x 10' Piranha Hydraulic Shear, S/N: M1/2-10-1039, 20 Hp Baldor Motor, Capacity: 1/4" Mild Steel (3/16"SS), 10' Cut Length, 208 Volt, 3 Ph, Located at 7670 23rd Avenue NW, Glenburn, ND 58740

---

51 100 Ton x 12' HTC Press Brake, 124" Between Centers, 8" Throat, Triad Light Curtains, Single Acting Compound Lever, 208V/3ph, Located at 7670 23rd Avenue NW, Glenburn, ND 58740

---

52 1990 10" x 11" Amada Model HFA-250 W Automatic Horizontal Bandsaw, S/N 25060119, 1 1/4" x 0.037" x 138" Blade Size, 88 - 295 FPM Blade Speed, Programmable Control, Multiple Indexing Bar Feed, Hydraulic Vises, Chip Auger, Variable Cutting Pressure Control, Hydraulic BladeTension Control, Coolant ...[more]

---

53 1999 14" Soco Model VS- 355H/AC Semi- Automatic Cold Saw, S/N 1334, 52 - 104 RPM Blade Speed, Pnuematic Head Feed, Pneumatic Vise, Mitering Head, Work Length Stop, Electric Foot Pedal, Coolant System, Horsepower: 3/2, Location: Los Angeles, CA

---

54 1989 13" x 18" Hyd-Mech Model S20 A Automatic Swivel Head Horizontal Band Saw, S/N 10189305, 1" x 13' 6" Blade Size, 75- 400 FPM Blade Speed, Automatic Cycle Controls, Multiple Indexing Bar Feed, Hydraulic Vises, Swivel Head For Miter Cutting, Coolant System, Horsepower: 3, Location: Painesville ...[more]

---