

# Biditup Auctions Worldwide, Inc./Maynards Industries



High Speed Headers, 2 Die 2 Blow Cold Headers, Rivet Headers, Snow & Universal Drillers, Inspection & Plant Support Equipment, & More

266 N. Board St  
Doylestown  
Pennsylvania  
18901  
United States

Complete Manufacturing Facility For Semi-Tubular & Solid Parts

Starts Sep 20, 2016 10am EDT

Lot	Description
-----	-------------

- |    |  |
|----|--|
| 1  | 6" Engelberg Huller Vertical Belt Sander   |
| 2  | 6" Dayton Dual Bench Grinder, with pedestal, model 2Z425U, 1/4 HP                            |
| 3  | 6" Rockwell Delta Dual Pedestal Grinder, model 23-200, 1/2 HP, 1725 RPM                      |
| 4  | 2-Door Cabinet with Contents, including drill bits and new in box grinding wheels            |
| 5  | Mitutoyo Optical Comparator/Profile Projector, 14" screen, bench type, model PH-350, s/n 157 |
| 6  | Rack of Feed Rolls   |
| 7  | Bar Stock and Rack   |
| 8  | Dual Chamber Oven, 2400 F max. temp., Honeywell controls, 14" x 9" x 32" chambers            |
| 9  | Cooling Table  |
| 10 | Cornell Dubilier Capacitor Bank, 3 phase, 240 V, 60 cycles, s/n 0094                         |
| 11 | Clifton 4-Post Hydraulic Press, 200 Ton, 5000 operating PSI. model 2P-200                    |
| 12 | Welding Cart, with torches and regulators, tanks not included                                |
| 13 | Johnson Horizontal Band Saw , model B, s/n B-4177  |
| 14 | Arbor Press, with steel table and contents   |
| 15 | 10" South Bend Quick Change Gear Lathe, with table and contents                              |
| 16 | 6' Wood Top Work Bench with arbor press, manual drill and contents                           |

17	8' Work Bench, with contents including tool box, stick laps, and more
18	Canady Otto Drill Press
19	6' Work Bench with 6" bench vise and contents
20	Clousing Colchester 15" Lathe, geared head, 7 1/2" swing, 42" travel, 3 phase, 230V, 7.5 HP
21	Bridgeport Vertical Mill, Pullyhead, table travel X axis - 36", saddle travel Y axis - 12", quill travel - 5", knee travel Z axis - 16", ram travel - 12", throat distance min - 6.75", throat distance max - 18.75", table to spindle nose gauge line - 2.5" min / 18.25 max. Table - overall s...[more]
22	24" x 18" Steel Table with Collet Holder, contents not included
23	Wood Table and Shelves, with 20" x 20" steel box and contents
24	Parts Washing Tubs, dual tubs
25	Craftsman Drill Press, model 150 with Ettco- Emmerick 3/8" tapping head
26	Girard Machine Drill Press
27	Delta Milwaukee Drill Press, 1/3 HP, 1735 RPM
28	Knock Out Table Grinder
29	Collets, assorted collets with wood table and steel organizer with contents
30	Knock Out Table Grinder
31	Parts Bins and Plastic Organizers with contents, including nuts, bolts, springs, and stick laps
32	10-Drawer Vidmar Cabinet, loaded with assorted dies
33	Bovar-Schultz Six Twelve Surface Grinder with table and contents
34	Wilton 4" Bench Vise, with 6' work bench and contents (excludes lot #35)
35	Wilbur Demags Demagnetizer
36	Reid Surface Grinder with dust collector system
37	2-Door Cabinet, with contents
38	Racks of Hobs, Finger Blanks, First Blows and more,

39	Racks of Extruding Pens
40	11-Drawer Vidmar Cabinet, loaded with assorted dies
41	6' Work bench with contents
42	Rack of Tool Sets
43	Tool Holders and Tools for Sunnen Hone, with four shelf rack and all contents
44	Sunnen Precision Hone, model MBB-1600, s/n 42762
45	KO Cylindrical Grinder
46	Hardinge HSL-59 Super Precision Speed Lathe, 220V/440 3PH/60HZ, Spindle capacities: Round 5C collets: 1-1/16", Hexagon 5C collets: 7/8", Square 5C collets: 3/4", Jaw chucks: 6", Spindle speeds: 750, 1800, 3000 RPM, Swing over bed from face of spindle: 10", Spindle drive motor: 1/2 HP
47	Hardinge Precision Lathe
48	9' Wood Work Bench with 3 1/2" bench vise and contents
49	5' Wood Work Bench with contents
50	9' Wood Work Bench with contents (excludes Lot #56)
51	Walker-Turner Bench Top Drill Press
52	Bridgeport Vertical Mill, Pullyhead, table travel X axis - 36", saddle travel Y axis - 12", quill travel - 5", knee travel Z axis - 16", ram travel - 12", throat distance min - 6.75", throat distance max - 18.75", table to spindle nose gauge line - 2.5" min / 18.25 max. Table - overall s...[more]
53	Delta Milwaukee Table Jigsaw
54	Bovar-Schultz Hydraulic Surface Grinder, model 2A618, s/n CH-2880-2A
55	Contents of Parts Room
56	Rockwell Hardness Tester
57	Shelves of Misc. Parts
58	Shelves of Misc. Parts
59	Shelves of Misc. Stick Laps

60	Shelves of Misc. Parts
61	Rack of Feed Rolls
62	Collets, lot of two (2) tables of assorted collets
63	Contents of Office, including desk, file cabinets and chair
64	6' Work bench with Dayton dual bench grinder and Wilton 4" bench vise
65	Bottle Jack Press, Westward 20 ton hydraulic bottle jack
66	Di-Acro Notcher
67	Detecto Portable Manual Scale, 100 lbs. capacity
68	Bin of Assorted Dies
69	Lot of two (2) Bins of Assorted Hand Tools
70	6' Work Bench with grinder
71	Shop Fans, lot of three (3), 20" Dayton, and two (2) 18" Air King
72	Hardinge HSL-59 Super Precision Speed Lathe, 220V/440 3PH/60HZ, Spindle capacities: Round 5C collets: 1-1/16", Hexagon 5C collets: 7/8", Square 5C collets: 3/4", Jaw chucks: 6", Spindle speeds: 750, 1800, 3000 RPM, Swing over bed from face of spindle: 10", Spindle drive motor: 1/2 HP
73	4" Vertical Belt Sander
74	5' Work Bench with 3 1/2" bench vise
75	4' Work Bench with 3" Wilton bench vise
76	6' Work Bench
77	6' Work Bench
78	5' Work Bench with 3" Wilton bench vise
79	5' Work Bench with 6" dual bench grinder
80	Shop Fans, lot of three (3), 18" Air King shop fans

81	Rolling Cart of Assorted Hand Tools
82	Steel Bins
83	Shop Fans, lot of two (2), 32" Air King and 24" Dayton shop fans
84	6' Work Bench
85	Bin of Assorted Dies
86	Lot of three (3) Bins of Assorted Feed Rolls
87	6' Work Bench with 4" Wilton bench vise
88	Rivet Machine, 1/8" Carlo Salvi RF/PSV double blow, single die for solid parts/screw blanks-wire diameter 1/32"-1/8", 1" shank length, 1 7/16" cutoff length, up to 600 PPM (set for semi tubular, can run solid)
89	Rivet Machine, 1/8" Carlo Salvi RF/PSV double blow, single die for solid parts/screw blanks-wire diameter 1/32"-1/8", 1" shank length, 1 7/16" cutoff length, up to 600 PPM (set for semi tubular, can run solid)
90	Rivet Machine, 1/8" Carlo Salvi RF/PSV double blow, single die for solid parts/screw blanks-wire diameter 1/32"-1/8", 1" shank length, 1 7/16" cutoff length, up to 600 PPM (set for semi tubular, can run solid)
91	Rivet Machine, 1/8" Carlo Salvi RF/PSV double blow, single die for solid parts/screw blanks-wire diameter 1/32"-1/8", 1" shank length, 1 7/16" cutoff length, up to 600 PPM (set for semi tubular, can run solid)
92	Rivet Machine, 3/16" Carlo Salvi RF/476/SV Single Die, Set for Semi-Tubular Parts --- 1-3/8" Shank Length, 2" for Solid Parts, 450 – 470 PPM
93	Rivet Machine, 1/4" Carlo Salvi RF/635/SV Single Die, Set for Semi-Tubular Parts, 2.559" Shank Length, 3.307" Cutoff Length, 350 PPM, PKO, Stripper
94	Rivet Machine, 1/8" Carlo Salvi DL/330 Single Die, Set for Semi-Tubular Parts --- 1-1/4" Shank Length, 1-3/4" Cutoff Length, 600 PPM, Sound Enclosure – s/n #1820
95	Rivet Machine, 1/8" Waterbury Farrel #0, 2 Die 4 Blow set for Semi-Tubular Parts --- 5/8" Shank Length, 1-1/4" Cutoff Length, 100 PPM
96	Rivet Machine, 1/8" Waterbury Farrel #0, 2 Die 4 Blow set for Semi-Tubular Parts --- 5/8" Shank Length, 1-1/4" Cutoff Length, 100 PPM, NOTE: Parts Only
97	Rivet Machine, 1/8" Waterbury Farrel #0, 2 Die 4 Blow set for Semi-Tubular Parts --- 5/8" Shank Length, 1-1/4" Cutoff Length, 100 PPM
98	Rivet Machine, 3/16" National High Speed Single Die, Set for Semi-Tubular Parts, can run Solids as well, 3/4" Rivet Length, 3/16" Max. Depth of Pierce, 300 PPM, Bushing Cutoff, Split Punch Block, Stripper NOTE: Parts Only
99	Rivet Machine, 3/16" National High Speed Single Die, Set for Semi-Tubular Parts, can run Solids as well, 3/4" Rivet Length, 3/16" Max. Depth of Pierce, 300 PPM, Bushing Cutoff, Split Punch Block, Stripper

100	Rivet Machine, 1/8" Carlo Salvi RF/PSV double blow, single die for solid parts/screw blanks-wire diameter 1/32"-1/8", 1" shank length, 1 7/16" cutoff length, up to 600 PPM (set for semi tubular, can run solid)
101	Rivet Machine, 3/16" National High Speed Single Die, Set for Semi-Tubular Parts, can run Solids as well, 3/4" Rivet Length, 3/16" Max. Depth of Pierce, 300 PPM, Bushing Cutoff, Split Punch Block, Stripper
102	Rivet Machine, 3/16" National High Speed Single Die, Set for Semi-Tubular Parts, can run Solids as well, 3/4" Rivet Length, 3/16" Max. Depth of Pierce, 300 PPM, Bushing Cutoff, Split Punch Block, Stripper
103	Rivet Machine, 3/16" National High Speed Single Die, Set for Semi-Tubular Parts, can run Solids as well, 3/4" Rivet Length, 3/16" Max. Depth of Pierce, 300 PPM, Bushing Cutoff, Split Punch Block, Stripper
104	Rivet Machine, 3/16" National High Speed Single Die, Set for Semi-Tubular Parts, can run Solids as well, 3/4" Rivet Length, 3/16" Max. Depth of Pierce, 300 PPM, Bushing Cutoff, Split Punch Block, Stripper
105	Rivet Machine, 3/16" National High Speed Single Die, Set for Semi-Tubular Parts, can run Solids as well, 3/4" Rivet Length, 3/16" Max. Depth of Pierce, 300 PPM, Bushing Cutoff, Split Punch Block, Stripper
106	Rivet Machine, 3/16" National High Speed Single Die, Set for Semi-Tubular Parts, can run Solids as well, 3/4" Rivet Length, 3/16" Max. Depth of Pierce, 300 PPM, Bushing Cutoff, Split Punch Block, Stripper
107	Rivet Machine, 3/16" National High Speed Single Die, Set for Semi-Tubular Parts, can run Solids as well, 3/4" Rivet Length, 3/16" Max. Depth of Pierce, 300 PPM, Bushing Cutoff, Split Punch Block, Stripper
108	Rivet Machine, 3/16" National High Speed Single Die, Set for Semi-Tubular Parts, can run Solids as well, 3/4" Rivet Length, 3/16" Max. Depth of Pierce, 300 PPM, Bushing Cutoff, Split Punch Block, Stripper
109	Rivet Machine, 3/16" National High Speed Single Die, Set for Semi-Tubular Parts, can run Solids as well, 3/4" Rivet Length, 3/16" Max. Depth of Pierce, 300 PPM, Bushing Cutoff, Split Punch Block, Stripper
110	Rivet Machine, 1/8" National High Speed Single Die, Set for Semi-Tubular Parts, 1/2" Max Length of Rivet, 3/16" Depth of Pierce, 400 PPM, Bushing Cutoff, Integrated Sound Enclosure
111	Rivet Machine, 1/8" National High Speed Single Die, Set for Semi-Tubular Parts, 1/2" Max Length of Rivet, 3/16" Depth of Pierce, 400 PPM, Bushing Cutoff, Integrated Sound Enclosure
112	Rivet Machine, 1/8" National High Speed Single Die, Set for Semi-Tubular Parts, 1/2" Max Length of Rivet, 3/16" Depth of Pierce, 400 PPM, Bushing Cutoff, Integrated Sound Enclosure, NOTE: Parts Only
113	Rivet Machine, 1/8" National High Speed Single Die, Set for Semi-Tubular Parts, 1/2" Max Length of Rivet, 3/16" Depth of Pierce, 400 PPM, Bushing Cutoff, Integrated Sound Enclosure
114	Rivet Machine, 1/8" National High Speed Single Die, Set for Semi-Tubular Parts, 1/2" Max Length of Rivet, 3/16" Depth of Pierce, 400 PPM, Bushing Cutoff, Integrated Sound Enclosure, NOTE: Parts Only
115	Rivet Machine, 1/8" National High Speed Single Die, Set for Semi-Tubular Parts, 1/2" Max Length of Rivet, 3/16" Depth of Pierce, 400 PPM, Bushing Cutoff, Integrated Sound Enclosure

116	Rivet Machine, 1/8" National High Speed Single Die, Set for Semi-Tubular Parts, 1/2" Max Length of Rivet, 3/16" Depth of Pierce, 400 PPM, Bushing Cutoff, Integrated Sound Enclosure
117	Rivet Machine, 1/8" National High Speed Single Die, Set for Semi-Tubular Parts, 1/2" Max Length of Rivet, 3/16" Depth of Pierce, 400 PPM, Bushing Cutoff, Integrated Sound Enclosure
118	Rivet Machine, 1/8" National High Speed Single Die, Set for Semi-Tubular Parts, 1/2" Max Length of Rivet, 3/16" Depth of Pierce, 400 PPM, Bushing Cutoff, Integrated Sound Enclosure
119	Coffing Electric Chain Hoist, 1 ton capacity, mounted on 8' I-beam with approx. 100' of track
120	Rivet Machine, 5/16" Asahi Okuma AOT-8B-15, 2 Die 2 Blow, Set for Semi-Tubular Parts, 2-3/16" Die Kick-out, 2-3/8" Cutoff Length, 250 PPM, Stripper
121	3/16" Waterbury Farrel #1, 2 Die 4 Blow, Set for Semi-Tubular Parts, 1" Shank Length, 1-1/2" Cutoff Length, 100 PPM, Stripper in 4th Blow
122	3/16" Waterbury Farrel #1, 2 Die 4 Blow, Set for Semi-Tubular Parts, 1" Shank Length, 1-1/2" Cutoff Length, 100 PPM, Stripper in 4th Blow
123	3/16" Waterbury Farrel #1, 2 Die 4 Blow, Set for Semi-Tubular Parts, 1" Shank Length, 1-1/2" Cutoff Length, 100 PPM, Stripper in 4th Blow NOTE: Parts Only
124	3/16" Waterbury Farrel #1, 2 Die 4 Blow, Set for Semi-Tubular Parts, 1" Shank Length, 1-1/2" Cutoff Length, 100 PPM, Stripper in 4th Blow
125	Rivet Machine, 2.5 mm Nakashimada MF220, 2 Die, 3 Blow, Set for Semi-Tubular Parts, 12 mm Shank Length, 18 mm Cutoff Length, 200 PPM, PKO, Inverter
126	1/8" Waterbury Farrel #0, 2 Die 4 Blow set for Semi-Tubular Parts --- 5/8" Shank Length, 1-1/4" Cutoff Length, 100 PPM
127	1/8" Waterbury Farrel #0, 2 Die 4 Blow set for Semi-Tubular Parts --- 5/8" Shank Length, 1-1/4" Cutoff Length, 100 PPM
128	Electric Chain Hoist mounted on approx. 100' of 4" track
129	Smog Hog Dust Collector
130	Buss Bars, approx. 200'
131	Wire Straightener
132	Wire Straightener
133	Detecto Portable Manual Scale, 100 lbs. capacity
133A	NATIONAL, 1 1/8" National 5 Die 6 Station Cold Former Model: 1000-6 S/N: 38907 (1982), 3-1/2" Max. Cut Off Length, 5" Max. Die Kickout, Nut Transfer/Turnaround And/Or Straight Across, Timed Knockout, 5 Roll Power Pre-Straightener & Smog Hog, Bushing Cutoff, Extra Rebuilt Transfer Unit, Never Used, ...[more]

133B	Nakashimada, .190" x 1.771" Nakashimada Model: NH-15A, Vertical Shifting Punches, PKO 1st Or 2nd, To Be Sold Via Photo - Location: Oceanside, NY
133C	Ashahi Okuma, .236" x 3.349" Ashahi Okuma Model: AOL- 6- 6,1 Die 2 Blow Header, S/N 1025, Wire Feeder, Variable Speed Control, Horsepower: 10, To Be Sold Via Photo - Location: Los Angeles, CA.
133D	KINEFAC, 2" Kinefac Model MC-9 Kline 3 Die Cylindrical Die Rolling Machine, S/N 1194 (2000), 2 1/2" Spindle Diameter, 4 1/4" - 6" Die Diameter, Allen Bradley Panelview 600 PLC Control, Electronic Penetration & Die Load Control, Electronically Adjustable Dwell Control, Hydraulic Die Actuation, A ...[more]
133E	KINEFAC, 2" Kinefac Model MC-9 Kline 3 Die Cylindrical Die Rolling Machine, S/N 1195 (2000), 2 1/2" Spindle Diameter, 4 1/4" - 6" Die Diameter, Allen Bradley Panelview 600 PLC Control, Electronic Penetration & Die Load Control, Electronically Adjustable Dwell Control, Hydraulic Die Actuation, A ...[more]
133F	KINEFAC, 2" Kinefac Model MC-9 Kline 3 Die Cylindrical Die Rolling Machine, S/N 1196 (2000), 2 1/2" Spindle Diameter, 4 1/4" - 6" Die Diameter, Allen Bradley Panelview 600 PLC Control, Electronic Penetration & Die Load Control, Electronically Adjustable Dwell Control, Hydraulic Die Actuation, A ...[more]
133G	INGRAMATIC, 0.078"- 0.236" Ingramatic Model RP- 11- RU Flat Die Thread Roller, S/N 732 (1998), 0.236"- 2.95" Blank Length, 1.57" Length Of Thread Roller, PLC Digital Control, Vibratory Feeder, Horsepower: 10, To Be Sold Via Photo - Location: Los Angeles, CA
133H	OSTER, 6" Oster Model 716 Pipe Threader, S/N YE-187 (1982), 3 Jaw Front Chuck, Rear Centering Chuck, Chamfer Tool, Cut- Off Tool, Swing Type Reamer, Oil Type Coolant System, Horsepower: 5, To Be Sold Via Photo - Location: Painesville, OH
133J	HILL ACME, 2" Hill Acme Model XLA Dual Head Lead Screw Threader, S/N M17156, Landis Model 16R-3304 Threading Head, ST 1/2"- 7/7" Threading Head, Leadscrew & Power Feed Attachment, Horsepower: 7 1/2, To Be Sold Via Photo - Location: Painesville, OH
133K	WILLIAMS, 6" Williams Model #6 Pipe & Bolt Threading Machine, S/N 5-5723-27, 6" Die Head, 24" Front & Rear 3 Jaw Chuck, Chamfer Tool, Cut- Off Tool, Coolant System, Horsepower: 7 1/2, To Be Sold Via Photo - Location: Painesville, OH
133L	LANDIS, 1 1/2" Landis Model 12 CL1B Lead Screw Threading Machine, S/N 12CL1B- 66X, Lead Screw Threading, Landis Threading Head Model 12R-6033, Coolant System, Horsepower: 3, To Be Sold Via Photo - Location: Painesville, OH
133M	NATIONAL HARTFORD, 3/4" National Hartford Model 40-140 Thread Roller, S/N 20442, 4 5/8" (120 MM) Max. Die Length, 6" (150 MM) Max. Shank Length, WF# 40 Die Pocket, SK Load Monitor, Spectrum Feeder For Long Parts, Horsepower: 25, To Be Sold Via Photo - Location: Painesville, OH
134	4' Wood Top Work Bench with contents
135	Square D Sorgel Three Phase General Purpose Transformer
136	Contents of Crib, including new in box filters, two electric motors, spools of wire and more
137	Steel Bins
138	Snow 2 Spindle Model HDO-1 Horizontal Opposed, Drilling Capacity #60 - #2, Standard Spindle Speeds 1875 / 2600, Spindle Motor 1/2 HP, Motor 3,450 RPM 440V SnowM42633-390



---

139	Snow 2 Spindle Model HDO-1 Horizontal Opposed, Drilling Capacity #60 - #2, Standard Spindle Speeds 1875 / 2600, Spindle Motor 1/2 HP, Motor 3,450 RPM 440V SnowM42624-390
140	Cabinet with broaches and other assorted parts
141	Rack of Clamps
142	Welding Wire and C-clamps
143	Assorted Hand Tools
144	Lincoln Electric Lincwelder, AC 225 Amp, single phase, model 7533-812
145	72" x 48" Steel Welding Table
146	HMI Surface Grinder
147	Wendt-Sonis Tool Grinder
148	Central Machinery 4" Belt and Disc Sander
149	Craftsman 8" Dual Pedestal Grinder, 3/4 HP
150	Vertical Band Saw with blades
151	Rack and Rolling Cart with contents
152	Kondia Powermill Vertical Mill with 6" Abwood Machine Vise
153	Rack and Table of Collets and Drill Bits
154	2-Door Cabinet loaded with parts and tools
155	2-Door Cabinet loaded with parts and tools
156	Rack with Feed Rolls
157	Buffalo No. 18 Drill Press with 4" Stanley machine vise
158	15" Lathe, 7 1/2" swing, 44" travel with chucks and tools
159	4' Work Bench, 1 3/4" wood top with tools, bins and contents
160	Assorted Belts

---

---

161	Williams 17-Drawer loaded full of tools, bits, reamers, tap and die sets, and much more
162	Steel Bins full of assorted nuts and bolts
163	Dake Hydraulic H-Press
164	Arbor Press
165	Dumore Hand Grinder, 1/4 HP, 23,000 RPM
166	Makita 10mm Drill, model 6510LVR
167	Companion 1/2" Drill
168	Black & Decker 5/8" Standard Drill
169	Hand Drill
170	Hand Grinder
171	Lot of three (3) Albion Casters
172	Drill Bits
173	Tuf-Flex 1" Saw Blade
174	Hydraulic Jack
175	Bearings, assorted surplus bearings
176	Bar Stock
177	Assorted Pullers
178	Plastic Gears
179	Tif 240 Multimeter
180	UVP Blak-Ray Lamp model UVL-21
181	Assorted Micrometers
182	Lot of two (2), 4' Work Benches, with 1 3/4" wood top

---

---

183	8' Work Bench
184	Yale Chain Hoist, 1 ton with 8' track
185	Universal Automatics, Model ARS Single Spindle, Drilling Capacity .020" – 3/8", Tapping Capacity up to 3/8", Spindle Speed 500 – 10,000 RPM, Stroke 1/8" – 2-1/2", Dovetail Slide Adjustment 5-1/2" SN# 474
186	Deep Hole Drilling Machine, Note: Parts Only
187	Deep Hole Drilling Machine, Note: Parts Only
188	New Holland Parts Dryer with second parts dryer
189	Dual Hopper
190	Mixer
191	Mixer
192	Detecto Portable Manual Scale, 100 lbs. capacity
193	Banding Cart with tools
194	10' Conveyor with 10" rollers
195	Oval Strapping Mini Max Strapping Table, 22" x 35" stainless steel table top
196	AD Shipping Scale cap. 550g x 0.05g, 1 lb. x 0.0001lb. Model FC-500
197	Service Desk with two tables and desk
198	Retina Systems Model 106 Laser Parts Inspector, will inspect rivets / screws ranging from M3 – M8, for accurate diameter and length – s/n 159
199	Retina Systems Model 106 Laser Parts Inspector, will inspect rivets / screws ranging from M3 – M8, for accurate diameter and length – s/n 301
200	2-Door Cabinet
201	FMC Syntron Roll Sorter, 36"
202	Shelving
203	Heavy Duty 4-Wheel Cart, 30" x 48"

---

---

204	Picnic Table
-----	--------------

---

205	Time Clock, Table and Microwave Oven
-----	--------------------------------------

---

206	Lockers, lot of two (2) banks
-----	-------------------------------

---

207	Yale Forklift Truck, Electric, Battery Type E0, 36V, 4000 lbs. capacity, solid tires, Mast Type: Triple Mast, Mast Dimensions: 84" Lowered Height, 189" Maximum Fork HeightForks: 42" Or 48"
-----	--

---

208	B-Tek Bullseye Shipping Scale with desk and table
-----	---

---

209	Exact Weight Manual Floor Scale
-----	---------------------------------

---

210	US Motors Wire Draw Machine
-----	-----------------------------

---

211	Rockwell Dual Pedestal Grinder
-----	--------------------------------

---

212	Contents of Offices
-----	---------------------

---

213	Permea Air Dryer, 3/4 HP compressor, refrigerant type: R12, 3 phase 230V, model 150 HSBA500
-----	---

---

214	Kaeser Air Compressor, 75HP rotary screw, model CS 91
-----	---

---

215	LeRoi Air Compressor, 30HP rotary screw, model 30 SS
-----	--

---

216	LeRoi Air Compressor, 20HP rotary screw, model 20 SST
-----	---

---

217	Holding Tank
-----	--------------

---

218	Steel Bins
-----	------------

---

219	Crown Pallet Jack
-----	-------------------

---

220	Harrington Electric Chain Hoist, 1 Ton
-----	--

---