

Biditup Auctions Worldwide, Inc./Maynards Industries



(26) Minster, Danly, Verson, Niagara, Bliss Stamping Presses Up To 600-Ton, Feed Lines, Tishken Rollforming Lines Up To 3" Capacity & More

6400 Jenny Lind Rd
Fort Smith
Arkansas
72908
United States

No Longer Required In The Continuing Operations Of Whirlpool

Starts Feb 02, 2017 10am CST

Lot	Description
1	600 Ton Danly SSDC Press, Model #S4-600-216-72T, s/n:68266401, 216 x 72" Bed, 16" Str, 8-20 SPM, 32" SH 10" Adj, 94" Windows, Rolling Bolster Plate, (2) Rolling Die Carriers, Wintriss Smart Pac with Auto Set Pac, Light Curtains, New Allen Bradley Vari Speed Drive, ICSE Press Parts flipper
2	600 Ton Verson Eccentric Geared Mechanical Press, Model #: S2-600-96-60T, Serial #: 23513, 18" Str., 20 SPM, 35" SH, 10" Adj., 24" Window, Autotech Mini PLS Control.
2A	Huffy Material Handling System (Destacker, Stacker, and Transfer)
3	600 Ton Minster SSDC Mechanical Press Model #S2-600-120-72, s/n:12790, 120 x 72" Bed, 20"Sstr., 8 - 16 spm, 24" SH, 16" Ad, 40" Window
4	400 Ton Verson Eccentric Geared Mechanical Press, Model #: S2-400-132-48, Serial #: 29198, New in 1995, OmniLink Controls (New in 2008), 14" Str., 24 SPM, 37" SH, 8" Adj., Mini Safe Light Curtains
4A	60" Wide x 20,000# x .010 - .090" Thick Rowe Servo Coil Feed Line, including Servo Feeder, #C-6-6, 7- Roll Straightener s/n:R29438STR,#PTD-60 Thread Table s/n:R29438PT with electric eye, #2000060-H-DSJ Uncoiler with Coil Car s/n:R29438SR.
4B	Rowe Thread Table s/n:R29438PT with electric eye,
4C	Rowe #C-6-6, 7- Roll Straightener s/n:R29438STR
4D	Rowe #PTD-60 #2000060-H-DSJ Uncoiler with Coil Car s/n:R29438SR.
5	400 Ton Verson Eccentric Geared Mechanical Press, Model #: S2-400-132-60T, Serial #: 22446, 14" str., 12-17 SPM, 34" SH, 16" Adj., 30" wide windows, Light Curtains, Link Brake Monitor
6	400 Ton Verson Eccentric Geared Mechanical Press, Model #: S2-400-132-60T, Serial #: 22445, 14"str., 12-17 SPM, 34" SH, 16" Adj., 30" wide windows, Black Max Light Curtains, Link Brake Monitor
7	400 Ton Niagara Straight Side Mechanical Press, Model #SE4-400-108-72, Serial #: 39264, 108" x 72" bed, 20" str., 12 SPM, 28" SH, 14" Adj..
8	400 Ton Hamilton SSDC Mechanical Press, Model #S4-400-108-72, 108 x 72" Bed, 20" Str, 10 SPM, 30" SH, 16" Adj, Die Clamping

9	300 Ton Verson SSDC Mechanical Press, Model #: SS2-300-96-60, Serial #: 23509, 96" x 60" bed, 12" Str, 20 SPM, 35" SH, 8" Adj., 37" Windows, Mini Safe Lite Curtains, Allen Bradley Panelview 1000 Control Console
10	300 Ton Verson SSDC Mechanical Press, Model #: S2-300-96-54, Serial #: 23901, 96" x 54" Bed, 12" Str., 25/30/40 SPM, 27" SH, 6" Adj., 38" Window
11	250 Ton Verson Straight Side Eccentric Geared, Model #: S2-250-96-72, Serial #: 20259, 96" x 72" bed, 20" Str., 14 SPM, 34" SH, 14" Adj., 66" Windows, Autotech PLS Control.
12	250 Ton Verson Straight Side Backshaft Driven, Model #: S2-250-72-48, Serial #: 20791, 72" x 48" bed, 10" Str., 20-40 SPM, 20" SH, 8" Adj., 24" Window, Wintriss Smart Pac Control, DSI2 Die Protection.
12A	50" Rowe #FAC 123450 Servo Feeder s/n:R031715
12B	#CPTT-1248 Thread Table
12C	#CPPS-PO-48 Coe Powered Straightener,
12D	Coe Coil Reel with Travelling Coil Car s/n: JOI4600
13	250 Ton Niagara Straight Side Twin End Backshaft Driven, Model #: SC2-250-120-60, Serial #: 51031, Year of Manufacture: 1980, 120" x 60" bed, 12" str., 18 SPM, 30" SH, 11" Adj., 29" Window
14	250 Ton Clearing Twin End Backshaft Driven, Model #: SD-2250-96-T, Serial #: 50-16840-P, 96" x 60" Bed 14" Str 14 SPM, 32" SH, 10" Adj., Link 501 Electrical Control
15	250 Ton Clearing Twin End Backshaft Driven, Model #:SD-2250-96-T, Serial #: 50-18839-P, 96" x 60" Bed, 14" Str., 14 SPM, 32" SH, 10" Adj.
16	250 Ton Warco SSDC Mechanical Press, Model #: 250-2-96, Serial #: 46577, 96" x 60" bed, 18" str., 20 SPM, 28" SH, 9" Adj, 20" Window
17	200 Ton Verson Straight Side Eccentric Geared, Model #: S2-200-96-60, Serial #: 24718, 96" x 60" Bed, 14" Str, 22 SPM, 34" SH, 15" Adj., 30" Windows, (2) sets of Light curtains, Link Brake Monitor
18	200 Ton Bliss SSDC Mechanical Press, Model #: 7-72, 72" x 42" bed, 8" str., 21 SPM, 16.25" SH, 4" Adj, Fawick Air Clutch
19	150 Ton Bliss High Speed Mechanical Press, Model #: SC2-150-72-36, 72" x 36" bed, 6" str., 30-70 SPM, 18.75" SH, 3" Adj., Wintriss Smart Pac Control, Allen Bradley Vari Speed Drive, Light Curtains
19A	Dallas 18" Wide servo Feeder
19B	8,000#x 20" Wide Rowe #C3-20/8J Straightener s/n:23334
19C	20,000# Rowe #20040-DSV Coil Reel s/n:21428, 36" Wide
20	150 Ton Warco SSDC Mechanical Press, Model #: 150-2-84, 84" x 48" bed, 10" str., 30 SPM, 16.25" SH, 4.5" Adj

20A	150 Ton Warco SSDC Mechanical Press, Model #: 150-2-84, 84" x 48" bed, 10" str., 30 SPM, 16.25" SH, 4.5" Adj..
21	100 Ton Minster Piecemaker SS High Production Press, Model #P2-100-36, s/n:3932, 36 x 31" Bed, 5" Str, 0 - 100 SPM, 18" SH, 4" Adj
21A	12" Dallas servo Press Feeder
21B	Rowe Coil Cradle Straightener s/n: 22664
22	100 Ton Niagara Single End Backshaft Driven High Speed Press, Model #:SC2-100-48-36, Serial #: 48594, 48" x 36" bed, 6" Str., 50-100 SPM, 20" SH, 7" Adj., Window, Slide Press Feeder
22A	Rowe 10,000#Coil Reel Model #10030DSJ, s/n: 23966
22B	Rowe 30" Wide Straightener Model #B-30, s/n: 24019
23	100 Ton Niagara Single End Backshaft Driven SS Press, Model #BP2-100-36-36, s/n:P53747, 3" Str, 36 x36" Bed,75 SPM,, 24" SH, 7" Adj, Windows, Helm Load Guard, Tonnage Monitor, Light Curtains, Link Brake Monitor
24	100 Ton Niagara Single End Backshaft Driven SS Press, Model #BP2-100-36-36, s/n:P53747, 3" Str, 36 x36" Bed,75 SPM,, 24" SH, 7" Adj, Windows, Helm Load Guard, Tonnage Monitor, Light Curtains, Link Brake Monitor
25	150 Ton Niagara #M150 OBI Press, s/n:41396, 6" Str., 18" SH, 4 7/8" Adj, 50 x 30" Bed, 35 SPM
26	100 Ton Danly Gap Frame Press, Model #IN2-100-31-40, s/n:47-12002, 40 x 31" Bed, 8" Str, 19" SH, 4" Adj
27	Macrodyne Die Lift System, (3) Storage Systems
28	(2) MLS System Upacting Hydraulic Presses s/n:44-3000R/44 and 44-3000L, Presses share one Hydraulic Unit, Allen Bradley Control Console
29	Open
30	4-Post Hydraulic Press, 84 x 60" upper and lower platens, top mounted hydraulic power pac, controls
31	FMT Inc. Parts Washer, s/n:040188-AT5, Manufactured 3/10/2005, 84" belt
32	US Filter System, Model#BROHZ OSCX, s/n:063788-03, #GPD 27360, 10 HP, 14 AMP, Membrane Filmatic #BWLE-4040
33	Wayne Trail Parts Transfer System, with lifters and conveyors
34	32 stand Tishken #32-HW-AS-3 Duplex Style Rollformer, s/n:21130-293 (New: 1993), REBUILT 2003, 30 Spindles on a 32 Stand Base, 3" Diameter Spindles, 30 - 40" Roll Space, 14" Horizontal Centers, 6.5" - 8 3/8" Vertical Adjustment
35	28 Stand Tishken #28-HW-3S Rollformer s/n:19212-585 (New: 1985), 3" Diameter Spindles, 40" Roll Space, 6.6 - 8 3/8" Vertical Adjustment, 14" abd 18" Horizontal Centers

36	28 Stand Tishken #28-HW-3S Rollformer s/n:18329-83 (New: 1985), 3" Diameter Spindles, 40" Roll Space, 6.6 - 8 3/8" Vertical Adjustment, 14" abd 18" Horizontal Centers
37	20 Stand Tishken #20HW-AS-3 Rollformer, s/n:22751-403 (New: 2003), (3) Bases, 3" Spindle Diameter, 22 - 36" Roll Space, 6.5 - 8.375" Vertical Adjustment
37A	Tishken #ACO-24-20LP Pre Notch Press s/n:22749
37B	Tishken #ACO-10-LP Cut Off Press s/n:22753
38	20 Stand Tishken #20HMMW-1 1/2 Rollformer s/n: 20795-592 (New:1992), 1 1/2" Diameter Spindles,11" Roll Space, 9" Horizontal Center Line, 4 - 6" Vertical Adjustment,.
38A	Taylor Winfield #C2-2000 Induction Heater
38B	Tishken #ACO-15 Cutoff Press s/n:202796/20739
38C	Tishken #ACO-15 Cutoff Press s/n: n/a
39	(3) Horizontal Pallet Decoilers
40	Jardan Plastic Solutions, Model 86R3, s/N:03640 Rotary Thermalforming System, with Conair Tempo Temperature Control
41	Cannon Polyuriththane Technology Rotary Thermalforming Drum Door Foam Line System, Manufactured (2000), Allen Bradley Control
42	Scott Refrigerator Door Line 15 Station
43	Scott Refrigerator Door Line 15 Station
44	Scott Refrigerator Door Line 4 Station
45	Scott Refrigerator Door Line 4 Station
46	20 Ton P&H Double Girder Top Running Overhead Bridge Crane, s/n:CH26207, 60' span (prox), pendant control
47	20 Ton Omni Double Girder Top Running Crane
48	5 Ton Yale Single Girder Underhung Crane
49	Coffing 3 Ton Single Girder, Under hing Crane
50	Rail and uprights
51	12" x 0.170" Dallas Air Feeder, Model D325-12x18RH, S/N 17822, Location: Los Angeles, CA

52	2,500 Lb. x 12" CWP Model C-2512 Coil Cradle, S/N 478, 50" Diameter, Loop Control Arm, 1 Hp, Location: Los Angeles, CA
53	2,500 Lb. x 12" CWP Model C-2512 Coil Cradle, 50" Diameter, Loop Control Arm, 1 Hp, Location: Los Angeles, CA
54	30" Pro Eco Col Straightener, Model 630, S/N 12675, Entry Pinch Rolls, Pneumatic Roll Adjustment, Down Loading, Cascading Rolls, Location: Holland, OH
55	30" x 0.225" Rowe Coil Straightener, Model D8-30, S/N 23437, 2 Pneumatic Pinch Rolls, 4 Pneumatic Coil Breaker Rolls, Entry Material Adjustable Guide Rolls, Location: Los Angeles, CA
56	18" x 0.125" Benchmaster Coil Straightener, Model Series 1100, 4 Pinch Rolls, Remote Hand Control With Jog, Loop Control Arm, Manual Straightening Roll Adjustment, Location: Los Angeles, CA
57	15" x 0.080" Rowe Coil Straightener, Model R15-TC, S/N 19726, 4 Pinch Rolls, Entry Material Guide Rolls, Manual Straightening Roll Adjustment, Location: Los Angeles, CA
58	30" x 0.190" Rowe Coil Straightener, Model 11T30-H3, S/N 18042, 4 Pneumatic Pinch Rolls, Remote Hand Jog Control, Manual Straightening Roll Adjustment, Location: Los Angeles, CA
59	54" Laminating Roll, 7" Diameter Of Rolls, Manual Height Adjustment, Forward/ Reversing Switch, Location: Los Angeles, CA
60	1,000 Lb. x 18" American Payoff Coil Reel, Model 60, S/N 8457 (1989), Adjustable Sliding Base, Manual Expansion, Back Plate, Location: Los Angeles, CA
61	12" x 0.125" Dallas Air Feeder, Model D250-12X6RH, S/N 7574, Location: Painesville, OH
62	18" x 0.090" Dallas Coil Straightener, Model 81923, S/N 17263, Pneumatic Pinch Rolls, Location: So. El Monte, CA
63	4,000 Lb. x 12" Littell Coil Reel, Model 40-12, S/N S-8408-81, Manual Expansion, Back Plate, 4 Keepers, Servo Drive Motor, Location: Los Angeles, CA
64	4,000 Lb. x 18" Littell Coil Reel, Model 40-18, S/N 69246-61, Manual Expansion, Back Plate, Location: Los Angeles, CA
65	40" x 0.080" Rowe Servo Feeder, Model FDC-053-440SS, S/N 24298, Rexroth Indramat System 200 Remote Digital Control, Air Pinch Rolls, Entrance Cantenary, Remote Hand Jog, Location: Los Angeles, CA
66	6,000 Lb. x 30" Littell Payoff Coil Reel, Model 60-30, S/N 67437-60, Manual Expansion, 2 Keepers, Variable Electric Brake, Location: Los Angeles, CA
67	2,500 Lb. x 18" Littell Coil Reel, Model 25-18, S/N 65088-59, Manual Expansion, Back Plate, Location: Los Angeles, CA
68	1,000 Lb. x 18" American Coil Reel, Model #60, S/N 9133-8/94 (1994), Manual Expansion, Back Plate, Location: Los Angeles, CA
69	20,000 Lb. Coil Transfer Car With Rails, 62" X 64" V Bed, 72" Diameter, Location: Holland, OH
70	6,000 Lb. x 18' Regal Coil Reel, Model 6000-18-SRP, S/N 3782305, Manual Expansion, 6 Keepers, Location: Los Angeles, CA

71	18" x 0.187" Coe Servo Feeder, Model 318, S/N 20213-1, Power Adjustment Of Feed Roll, Built In Hand Crank Adjustable Legs For Height, Remote Control Cabinet, Location: Los Angeles, CA
72	12" x 0.078" CWP Coil Straightener, Model 12SPS, S/N 18996, Push Button Variable Speed Control, 2 Dial Indicators For Height Adjustment, Manual Height Adjustment, Trabon Lube System, Location: Los Angeles, CA
73	6,000 Lb. x 18" Regal Coil Reel, Model 6000-18-SRNP-SDB, S/N 12792804, Manual Expansion, 4 Keepers, Location: Los Angeles, CA
74	12" x 0.125" Dallas Air Feeder With Pull Thru Straightener, Model D250-12X6RH, S/N 17574, Location: Painesville, OH
75	6" x 0.040" Clinton Coil Straightener, Model STR-11-76, S/N 1660, Pneumatic Pinch Rolls, Location: Holland, OH
76	5,000 Lb. x 36" CWP Coil Reel, Model CWP 5000-36, S/N M2699, Manual Expansion, Back Plate, Loop Control Arm, Location: Los Angeles, CA
77	6,000 Lb. x 24" Coe Coil Reel, Model CPR-6024, S/N B03413B, Manual Expansion, Back Plate, 3 Keepers, Location: Los Angeles, CA
78	8" x 0.041" Littell Coil Straightener, Model 308-7PDL, S/N 80071-72, Manual Roll Adjustment, Loop Control Arm, Location: Los Angeles, CA
79	8 Stands x 8"-60" Roll Space x 1 1/2" Shafts, Metform Duplex Rollformer, Model MCO, S/N 1178 (1988), 7" Horizontal Center Distance Between The Stands, 4 1/2" Vertical Center, 60 FPM Rolling Speed, Horsepower: 7 1/2, Location: Ferndale, MI
80	24" Pro Eco Coil Straightener, Model 13131, S/N 34725, Pneumatic Pinch Rolls, Location: Holland, OH
81	30" x 0.080" Pro Eco Coil Straightener, S/N 2297-1, Pneumatic Pinch Rolls, Location: Holland, OH
82	24" x 0.062" Jaybird Air Feeder & Straightener, Model J12-2418, S/N 2787, 5 Roll Pull Thru Type Straightener, Entry Pinch Rolls, Adjustable Height Cabinet, Location: Painesville, OH
83	4,000 Lb. x 18" Coe Coil Reel, Model CPR-4018, S/N D081304-B, Manual Expansion, 6 Keepers, Back Plate, Material Hold Down Arm, Loop Control Arm, Location: Los Angeles, CA
84	44" Black Brothers Top & Bottom Panel Cleaner, Model 490, S/N 204183, Rubber Coated Top & Bottom Feed Rolls, Top & Bottom Brush Rolls, Manual Work Height Adjustment, Auto Lube System, Horsepower: 1, Location: Los Angeles, CA
85	12 Stands x 48" Roll Space x 3 1/2" Shafts, Bradbury Rollformer, Model 225-3 1/2, S/N 15666, 17" Horizontal Center Distance Between Stands, 3"-5 1/2" Vertical Stand Adjustment, Variable Roll Speed, Horsepower: 30, Location: Los Angeles, CA
86	3,000 Lb. x 12" x 0.078" Dickerman Combination Coil Reel & Straightener Model 12CRS, S/N 12CRS-12-04, Flip Top Head, Variable DC Drive, Entry & Exit Pinch Rolls, Remote Jog, Pneumatic Brake On Coil Reel, 6 Keepers, Horsepower: 1, Location: Los Angeles, CA
87	6 Stands x 12" Roll Space x 1 1/2" Shafts, Bradbury Rollformer, Model Series 400, S/N 19533 (1989), 4" -7 3/8" Vertical Stand Adjustment, 30-90 FPM Rolling Speed, Horsepower: 10, Location: Painesville, OH
88	500 Lb. Ransome Welding Positioner, Model 5P, S/N 1315821, 30" Table Size, 0 -135 Degree Tilt Range, 2 Post Adjustable Height (Manual), Brake Motor, Horsepower: 1/2, Location: Los Angeles, CA

89	6 Stands Nucon Rollformer, Model 915, 18-24 Ga. Capacity, U-Channel Product, Location: Mansfield, OH
90	48" Proma Coil Straightener, 7 Number of Rolls , 3" Diameter of Straightening Rolls, Pneumatic Pinch Rolls, Entry Edge Guides, Cascade Rolls, Location: Holland, OH
91	74" Black Brothers Pneumatic Rotary Press, Model RPP-875-74, S/N 157497, Reeves Variable Drive, Pneumatic Clamping Horne, Digital Counter, Push Button Controls, Horsepower: 2, Location: Los Angeles, CA
92	40" x 0.110" Rowe Coil Straightener, Model C3-40, S/N 23043, Sabina Variable Drive, Pneumatic Pinch Rolls, 35-100 FPM, Location: Painesville, OH
93	12" x 0.080" Littell Coil Straightener, Model 312, S/N 90394-91 (1991), Loop Control Arm, Brake Motor, Manual Roll Adjustment With Indicators, Location: Los Angeles, CA
94	15,000 Lb. x 18" Dahlstrom Coil Reel & Traveling Car, Model 14H-18-1622L S/N R485, Hydraulic Expansion, Back Plate, Remote Hand Jog, Air Clutch & Brake, Location: Holland, OH
95	10,000 Lb. x 36" Dahlstrom Coil Reel & Traveling Car, Model MCL-10-15 S/N L-207, Hydraulically Operated Coil Car Combination, Hydraulic Expansion, Hydraulic Hold Down Arm, Location: Holland, OH
96	6,000 Lb. x 24" Air Feeds Coil Reel, Model R-60, Manual Expansion, Electric Brake, Loop Control Arm, 6 Keepers, Location: Los Angeles, CA
97	50" x 16 Ga. Dahlstrom Traveling Head Power Shear, Model SH5016, S/N SH175, Air Clutch, Auto Lube System, Adjustable Hold Down Bar, Note: This Shear Is For Cut To Length Line, Horsepower: 5, Location: Holland, OH
98	12 Stands x 34" Roll Space x 3" Shafts, B & K Geared Rollformer, 14 Stand Base, 16" Horizontal Center Distance Between Stands, 0"-5" Vertical Stand Adjustment, Variable Rolling Speed, Horsepower: 50, Location: Holland, OH
99	10,000 Lb. x 36" Pro Eco Coil Reel, Model 10-36, S/N 1267-1, Hydraulic Expansion, Air Drag Brake, Back Plate, Location: Holland, OH
100	12 Stands x 10" Roll Space x 1 1/2" Shafts, Tishken Geared Rollformer, Model 12-HMW-11/2, S/N 15150 A, 9" Horizontal Center Distance Between The Stands, 4"-6 1/2" Vertical Stand Adjustment, Variable Rolling Speed, Tishken CO-6-2 Cut Off 18 Ton 2" Storke, Air Clutch, Coolant System, Horsepower: 15, ...[more]
101	20,000 Lb. x 48" American Coil Reel With Bradbury Traveling Coil Car, Model 1000, S/N 6585, Hydraulic Expansion, Air Clutch & Brake, Back Plate, Bradbury Traveling Coil Car (1999), Location: Holland, OH
102	20,000 Lb CWP Coil Upender, Model CU-2036, S/N 319336, Location: Painesville, OH
103	19 Stand x 20"-48" Roll Space x 1 3/4" Shafts Maplewood Duplex Rollformer, S/N 1607-PY-5-19, Motorized Width Adjustment, Manual Micro Width Expansion, 8 1/2" Horizontal Centers , 4 1/2"-6" Vertical Centers, 7th Station From Entry Lower Roll Shaft Only, Exit Guides, Horsepower: 20, Location: Paine ...[more]
104	20,000 Lb. x 36" x 0.080" Egan Coil Reel & Straightener Model N2001-36, S/N 4256, Hydraulic Expansion, Loop Control Arm, Keepers, Pneumatic Pinch Rolls, Remote Egan Press Partner Control Cabinet, Location: Los Angeles, CA

105	1/2" x 12' Lodge & Shipley Power Shear, Model 0812, S/N W189-10, Front Operated Power Back Gauge With Indicator, Front Material Support, Air Clutch, Dual Counter Balance, Electric Foot Pedal, Note: All Above Ground No Pit Required, Horsepower: 20, Location: Los Angeles, CA
106	12,000 Lb. x 20" x 0.250" Rowe Coil Cradle & Straightener Model C8-20/12J, S/N 24279, Pneumatic Coil Breaker, Pneumatic Pinch Rolls, Pneumatic Coil Hold Down Roll, Electric Clutch & Brake, Horsepower: 10, Location: Painesville, OH
107	48" x 16 Ga. X 20,000 Lb. Dahlstrom Cut To Length Line, Hydraulic Expansion-Hydraulic Hold Down Bar-Traveling Coil Car, Traverse Base, 30-180 FPM, Air Clutch & Brake, Location: Painesville, OH
108	16,000 Lb. x 50" Rowe Dual End Coil Reel, Model 16050-DSVO-DE, S/N 28320 (1994), Power Expansion, Modulated Drive, Coil Clamping Arms, Thread Jogging, Variable Brake Control, Location: Painesville, OH
109	15 Stands x 30" Roll Space x 1 1/2" Shafts, Vargus Geared Rollformer Model 1 1/2-30, 14" Horizontal Center Distance Between Stands, 4 1/2" -7" Vertical Shaft Adjustment, Variable Rolling Speed, Horsepower: 20, Location: Holland, OH
110	20,000 Lb. x 42" Dual End Coil Reel, Model 1425-1302, Hydraulic Expansion, Coil Clamping Arms, Thread Jogging, Variable Brake Control, Horsepower: 10, Location: Painesville, OH
111	16 Stands x 24" Roll Space x 1 1/2" Shafts, Pro Eco Geared Rollformer Model 1 1/2-24RF, S/N 1267-9, 14" Horizontal Center Distance Between Stands, 4" -7" Vertical Shaft Adjustment, Horsepower: 75, Location: Holland, OH
112	14 Stands x 30" Roll Space x 1 1/2" Shafts, Pro Eco Geared Rollformer, Model 3-15-30, S/N 2519-2-76, 16 Stand Base, 14" Horizontal Center Distance Between Stands, 4" -7" Vertical Shaft Adjustment, Horsepower: 50, Location: Holland, OH
113	3/4" x 6' Cincinnati Hydraulic Power Shear, Model 6006-6G, S/N 38063, Front Operated Power Back Gauge With Indicator, Square Arm, Front Material Support, Quick Adjustment Rake Angle, Ball Transfer Table, Electric Foot Pedal, Horsepower: 60, Location: Los Angeles, CA
114	14 Stands x 8" Roll Space x 1 1/2" Shafts, Yoder Geared Rollformer, S/N 3515, Equal Geared Head Stands, 11" Horizontal Center Distance Between Stands, 4" -7" Vertical Stand Adjustment, Variable Roll Speed, Coolant System, Note: 2 Additional stands come with machine, but are missing the gears, Hors ...[more]
115	18 Stand x 36" Roll Space x 2 3/4" Shafts, ASC Geared Rollformer Model A.S Former, S/N 227, 10 1/2" Horizontal Center Distance Between Stands, 4 3/4-6" Vertical Stand Adjustment, Variable Rolling Speed, Horsepower:20, Location: Los Angeles, CA
116	50" x 0.068" Herr Voss Model VKL-60/1156-19/9 4HI RH Precision Leveler, S/N 104955-010 (2005), 7 Flights Of Back Ups, Independant Roll Adjustment, Variable Speed Up To 150 FPM, Allen Bradley Versa View 1500P Control, Horsepower: 30, Location: Painesville, OH