

PUBLIC AUCTION

WEBCAST ONLY!

COMPLETE FACILITY FOR MANUFACTURING HEAT & FLAME RESISTANT FIBERS

Melamine Fiber Production Line, Material Handling, Rolling Stock & More



FLEISSNER DRYING OVEN



BERSTORFF 125 HP TWIN SCREW EXTRUDER REACTOR



SUPER SACK TOWER BULK BAG UNLOADER



KNIGHT FABRICATORS 25,741 & 17,734 GAL. SS TANKS



**TUESDAY,
FEB. 28TH 2017
@ 11AM EST**

PREVIEW & INSPECTION:
Fri., Feb. 24 & Mon., Feb. 27
from 9am-4pm
or by Appointment

**1451 Sand Hill Road
Enka, NC 28715**

SALE CONDUCTED BY
Maynards
SINCE 1902
AUCTIONS | LIQUIDATIONS | APPRAISALS

21700 Northwestern Hwy.
Suite 1180
Southfield, MI 48075
Tel: (248) 569-9781
www.maynards.com

IN CONJUNCTION WITH
BIDITUP
BIDITUP AUCTIONS WORLDWIDE
AN INDUSTRIAL ASSETS COMPANY
www.biditup.com

Place your bid now!
REGISTER AT
BidSpotter.com

Melamine Fiber Production Line, Material Handling, Rolling Stock & More



SUPER SACK TOWER BULK BAG UNLOADER



K-TRON SS LOSS IN WEIGH FEEDERS



MUNTERS CARGOCAIRE DESICCANT AIR DRYER



BERSTORFF 125 HP TWIN SCREW EXTRUDER



FLEISSNER DRYING OVEN



RECUPERATIVE THERMAL OXIDIZER



SPINNING TOWERS

CHEMICAL PREPARATION AREA

- **Super Sack Tower Bulk Bag Unloader** Consisting of: Tubular CS bag lift frame with 2 ton hoist, motorized trolley & festoon, pneumatically operated bag agitators, untie enclosure, (3) cubic foot power hopper with cone bottom, 500 PPH CS 3" x 15" Incline Screw Conveyor complete with belt drive, inlet adapter, flow sock, Powder Feed Station with vacuum assist hoist to handle 55 lb. bags of powder, gravity feed to mixing station
- **K-Tron SS Loss in Weigh Feeders**, (3) LIW powder feeders with 2.0 cubic foot hopper, auger, outlet downspout, support stand, DC motor, DC drive, weight sensors, and control panel with digital display, (1) Volumetric feeder with drive and auger, (1) liquid LIW feeder with 2 cubic foot storage tank, weigh sensor, and gear pump
- **Knight Fabricators 500-Gallon SS Tank**, 304L SS, 4' diameter x 6' high, 3" diameter vent line, insulation rings, cone bottom complete with pump, base, gear motor, (Day) (HOM)
- **Wolf Mechanical 314-Gallon SS Tank**, 304L SS, 3' diameter x 7' high, 3" diameter vent line, insulation rings, flat bottom complete with (2) turbine pumps with base, motor, (Day) (Capro)
- **Ward 50-Gallon SS Tank**, 316L SS, 3' diameter x 3' high, 3" diameter vent line, insulation rings, flat bottom complete with pump with base, gear motor, coupling, Drum Unload System Catch pans, dip tube, hoses, (2) Pressure Vacuum Relief Valve, (DEEA)
- **Knight Fabricators 250-Gallon SS Tank**, 304L SS, Jacketed (Formic Acid) Tank, 3' x 4' x 7', 3" diameter level guage port, flat bottom
- **Wolf Mechanical 129-Gallon SS Tank**, 304L SS, 30" diameter 39" high, 2" diameter vent line, with transfer pump, agitator, and automatic valving.

REACTOR

- **1994 Berstorff 125 HP 6 Meter x 180mm Twin Screw Extruder Reactor**, 30,000 Flender process speed reducer, screws, barrel, die, outlet flange, (2) heating zones, (2) cooling zones, (4) circulation pumps, shaft equipment packing, integral heat transfer jackets, includes AC variable speed drive, TEBC inverter duty motor, coupling, equipment lubrication system, Nametre Viscoline Viscosity Measuring Device, Foxboro IA Series Control System CPU, supervisor software, S/N E05750/94
- **Intensive Mixing Unit** with separator tank with Moyno Progressive cavity pump and motor system
- **Knight Fabricators 1,000-Gallon SS Tank**, Resin Tank, 304L SS, 5' diameter x 10' high, 3" diameter vent line, insulation rings, flat bottom complete with SS pump with base, gear motor, coupling, Resin Maag Circulation Pump System, Resin Filtration Unit, Control Valves, Resin Metering
- **Sarco Steam Heat Exchanger**, Skid mounted for temperature control of jacketed line.
- **Knight Fabricators 500-Gallon SS Tank**, Waste Tote Filling Station, 304L SS (Resin Waste) Tank, 6' diameter x 8' high, flat bottom

SPINNING TOWER AREA

- **Dry fiber output 3,200,000 #/year/line** based on 8320 hours per year
- **72' long x 20' wide x 24' high**, Constructed w/integral ductwork for drying of product
- **Jacketed resing line consisting of:** 100' of 3" 304L Jacketed Piping, Tubing, Couplings & Flanges, (40) 1" 24" long flexible jumpers, 2" instrument taps
- **PATT Automatic Rotary Filter**, Model N/A, Year N/A, constant pressure, pneumatic drive, 3" channel inlet & outlet
- **(22) Head Positions**, each with inverter drive, spin block, resin pump, shaft, gearbox, coupling, steel baseplate, inverter duty motor 34 pph @ 150 psig, 2 HP motor, sound enclosure"

Tuesday, February 28th @ 11:00am EST – Enka, NC

WEBCAST ONLY AUCTION – Basofil Fibers LLC



SPINNING TOWER AREA



MECAP 2.0 METER FIBER FINE OPENER



AUTEFA HYDRAULIC FIBER BALER



DEINES SPLITTING LINE



LAROACHE 0.7 METER FIBER OPENER



1,000 GAL. SS TANK



SS TANKS



YALE 5,000-LB LPG FORKLIFT



YALE ELECTRIC FORKLIFTS

DRYING AREA

- **Fleissner Drying Oven**, 30' high x 30' wide x 80' long, includes (12) motorized dampers, (12) zone circulation fans, main conveyor wire mesh belt conveyor, tension device, 2 FPM max speed, inverter duty motor, transfer section, Curing Oven 8 Sections, each section 12' long with 8' exit zone, total length 96', includes (8) motorized dampers, (8) zone circulation fans, lubricant spray system, dry and curing have closed exhaust systems to reclaim heat and burn off gases, 25 HP 5000 SCFM exhaust pickup fan, centrifugal, belt driven, inverter duty motor
- **Recuperative Thermal Oxidizer**, 2.24M Btu/Hour NG Input, control panel, stack, IRI approved safety 21,000, pipe train, modulating motor and damper assembly, belt guard, 304 SS Exothermal Air/Air Heat Exchanger, insulated, tack, 98% VOC destruction efficiency @ 1400 F comb temp at 45 pph Formaldehyde

DEHUMIDIFIER/HEATING SYSTEM FOR DRYER

- **Air Filtration Dust/Bag House**, 12' high x 9' wide x 26' long, with 2' x 2' x 2' filter media and 2' x 2' x 2' HEPA filter
- **1997 Munters HCE-20000-DGBA Cargocaire Desiccant Air Dryer**, with Eclipse natural gas heater, 2.2 MBtu/Hour SPA284

FIBER HANDLING

- **Deines Center Cut Slitter**, Motorized shear slitting knife
- **1997 Mecap 2.0 Meter Fiber Fine Opener**, Wire feed roll, single cylinder incline pin drum, VF belt conveyor feed, compression roll
- **1997 Laroache 0.7 Meter Fiber Opener**, Single cylinder, condenser feed
- **1997 Autefa Hydraulic Fiber Baler** Consisting of: fiber condenser, conveyor feed to baler, single box baler, 28" x 54" box, hydraulic pump and motor, Seneca Environmental bag house large waste filter, separator and collection unit
- **1997 Truetzschler DX Deduster Unit**

SUBSTATION

- **GE AKD/8-104 1500 KVA Transformer/Substation**, Dry Type Class AA/FA, 4160 volts to 480 volts
- **Static UPS System 300 KVA Power Distribution Panel**

MATERIAL HANDLING

- **Liquid Tanker Unloading Station** Complete with overhead safety cage, mezzanine, and hose winch
- **Knight Fabricators 25,741 Gallon SS Tank**, 304L SS (HOM) Complete with (2) Waukesha positive displacement pumps for unload and transfer, flow meters, heat tracing and level sensors
- **Knight Fabricators 17,734 Gallon SS Tank**, 304L SS (Formaldehyde), Complete with (2) Klaus Union mag drive pumps for unload and circulation, flow meters, heat tracing and level sensors.

ROLLING EQUIPMENT

- **Yale GLC050 5,000-Lb LPG Forklift**, 3-Stage Mast, 189" Max Lift, Cushion Tires
- **(3) Yale Electric Forklifts**, (1) ERC060 6,000-Lb, (2) ERC050 5,000-Lb, 3-Stage Mast, 194" Max Lift, Cushion Tires, 36-Volt, Clamping Attachment

ITEMS THROUGHOUT FACILITY

- **HVAC Systems, Air Make Up Units, Exhaust Fans, 1 Ton Gorbal Bridge Crane System, 24' x 85', Blue M Electric Oven, (4) Blower Fans, Dake No. 4 Arbor Press, Econoline Blast Cabinet, Dake H-Frame Shop Press, Drill Press, 4" Belt Sander, Double End Grinder, Vidmar Cabinets, Forklift Jib Attachment, Tennant 5700 Floor Scrubber, Cotterman Manlift, Taylor Dunn 2 Seat Cart, Shelving Units, 2-Door Cabinets, Pallet Racking, Tool Boxes, Lab Equipment, Workstations, Electric Tools, Hand Tools, Pallet Jacks & More**

PUBLIC AUCTION

WEBCAST ONLY!

COMPLETE FACILITY FOR MANUFACTURING HEAT & FLAME RESISTANT FIBERS

Melamine Fiber Production Line, Material Handling, Rolling Stock & More



**TUESDAY,
FEBRUARY 28TH
@ 11AM EST**

PREVIEW & INSPECTION:
Fri., Feb. 24th & Mon., Feb. 27th
from 9am-4pm or by Appointment

**1451 Sand Hill Road
Enka, NC**



21700 Northwestern Hwy.
Suite 1180
Southfield, MI 48075



RECUPERATIVE THERMAL OXIDIZER



SPINNING TOWER AREA



DEINES SPLITTING LINE

TERMS & CONDITIONS | PAYMENT: 25% NON-REFUNDABLE DEPOSIT ON AWARD OF BID, BALANCE WITHIN 24 HOURS. PAYMENT IS CASH, CASHIER'S CHECK, CERTIFIED CHECK, WIRE TRANSFER, COMPANY CHECK ONLY IF ACCOMPANIED BY A LETTER FROM YOUR BANK GUARANTEEING AMOUNT OF CHECK FOR DEPOSIT AND/OR PAYMENT IN FULL. NO PERSONAL CHECKS. FULL PAYMENT MUST BE MADE BEFORE REMOVAL OF PURCHASE. **REMOVAL:** LAST DAY OF REMOVAL IS FRIDAY, MARCH 31, 2017 (NO EXCEPTIONS), AND AS FURTHER DEFINED IN THE SALE CATALOGUE. EVERYTHING IS SOLD "AS IS, WHERE IS" ALL SALES FINAL. COST AND RESPONSIBILITY FOR REMOVAL OF PURCHASE REMAINS WITH THE PURCHASER. EVERY EFFORT WILL BE MADE TO FACILITATE REMOVAL. WHILE QUANTITIES AND DESCRIPTIONS ARE BELIEVED TO BE ACCURATE, THE AUCTIONEER, OWNERS OR COUNSEL MAKE NO WARRANTIES OR GUARANTEES EITHER EXPRESSED OR IMPLIED AS TO AUTHENTICITY, GENUINENESS OF, OR DEFECTS IN ANY LOT AND WILL NOT BE HELD RESPONSIBLE FOR ANY ADVERTISING DISCREPANCIES OR INACCURACIES. NO WARRANTIES WHATSOEVER ARE MADE AS TO CONDITION MERCHANTABILITY OR FITNESS FOR USE OF ANY ITEM. MAY WE SUGGEST YOU TAKE FULL ADVANTAGE OF THE PREVIEW AND INSPECTION PERIOD. **SALE SUBJECT TO ADDITIONS, DELETIONS & PRIOR SALES. PLEASE CHECK AVAILABILITY OF EQUIPMENT.**

18% BUYERS PREMIUM WILL APPLY.



DIRECTIONS FROM ASHEVILLE REGIONAL AIRPORT

Head south on Terminal Dr. Turn left onto Airport Rd. Turn left to merge onto I-26 W/US-74 W toward Asheville. Take the State Route 191 exit toward 33/Blue Ridge Pkwy. Drive to NC-112 W. Turn right onto NC-191 S/Brevard Rd. Turn right onto NC-112 W. Turn Right onto Sand Hill Rd. Watch for Auction Signs.

DIRECTIONS FROM CHARLOTTE DOUGLAS INT'L AIRPORT

Get on I-85 S from Josh Birmingham Pkwy and Little Rock Rd. Continue to Crowders Mountain. Take exit 10B from I-85 S. Merge onto US-74 W. Follow US-74 W and I-26 W to NC-191 S/Brevard Rd in Asheville. Take the State Route 191 exit from I-26 W. Turn right onto NC-191 S/Brevard Rd. Turn right onto NC-112 W. Turn Right onto Sand Hill Road. Watch for Auction Signs.



21700 Northwestern Hwy.
Suite 1180
Southfield, MI 48075
Tel: (248) 569-9781

www.maynards.com

IN CONJUNCTION WITH



www.biditup.com

Place your bid now!
REGISTER AT



AUCTIONS | LIQUIDATIONS | APPRAISALS