

Biditup Auctions Worldwide, Inc./Maynards Industries



Compressors/Dryers, Blast Cleaning Equipment, Boring Mills, Press Brakes, Cold Formers, Grinders, Presses, Lathes, Rollformers & Much More

Los Angeles
Los Angeles
California
90255
United States

Bank Owned Equipment To Be Auctioned, Moved To Warehouse For Convenience Of Sale
Starts Mar 07, 2017 10am PST

Lot	Description
1	Open Lot ...[more]
2	Leroi - Rotary Screw Air Compressor, 1,600 CFM, 400 HP, 125 PSI - Located At: Delta, OH ...[more]
3	Dahlstrom - Coil Reel & Traveling Coil Car, 10,000 Lbs. x 36", Hydraulic Expansion, Hydraulic Hold Down Arm, Hydraulically Operated Coil Car Combination - Located At: Holland, OH
4	Yoder - Open Throat Cut-Off Press, 25 Ton x 8" x 21 3/4" Bed, 2 1/4" Stroke, Air Clutch & Brake, Adjustable Sub Base - Located At: Painesville, OH
5	Wafios - Spring Coiler, 3,300 Lbs., 10-30MM Outside Diameter Of Spring, 13,000MM Max. Length Of Feed Wire, 90 & 75 MM/MIN Feed Speeds, Titan Vertical Conveyor, 29" x 23" Hopper, FSX Fume Smoke Extractor - Located At: Toledo, OH
6	Wafios - Spring Coiler, 3,300 Lbs., 10-30MM Outside Diameter Of Spring, 13,000MM Max. Length Of Feed Wire, 90 & 75 MM/MIN Feed Speeds, Titan Vertical Conveyor, 29" x 23" Hopper, FSX Fume Smoke Extractor - Located At: Toledo, OH
7	Feeler - High Precision Toolroom Lathe, 11" x 18", Lever 5C Collet Closer, 5C Collets, Coolant System, Horsepower: 2 - Located At: Huntington Park, CA
8	Bridgeport - Vertical Mill, 9" x 42", DRC Digital Readout System, Bridgeport Table Power Feed, Horsepower: 2 - Located At: Huntington Park, CA
9	Hall Sciaky - Spot Welder (Press Type), 150 KVA x 36", Sciaky Control, Air Clamping, Electric Foot Pedal - Located At: Huntington Park, CA
10	Hankison - Desiccant Dryer, 47.5 SCFM, 150 PSI, Outlet Pressure Gauge, Left & Right Tower Pressure Gauges, Purge Flow Indicator - Located At: Huntington Park, CA
11	Nova 3000 Surface Area Analyzer, Vacuum Pump - Located At: Huntington Park, CA
12	Radiant Technology Infrared Furnace, 37 KW - Located At: Huntington Park, CA
13	Reliable Lab Two Roll Mill, S/N 2020 - Located At: Huntington Park, CA

14	Schenk AccuRate Hopper & Morse Hopper Drum Dumper, Model 904, S/N 109852-02A-910 - Located At: Huntington Park, CA
15	Pioneer - Refrigerated Air Dryer, 250 PSI, Pressure Gauge, Horsepower: 1/2 - Located At: Huntington Park, CA
16	Hydraulic - Pump & Tank, 10 Gallon x 2 HP - Located At: Huntington Park, CA
17	Hobart - Mig Welder, 200 Amps, Model RC-256, S/N 84WS12554, Hobart 2000 Wire Feeder, Cart & Casters - Located At: Huntington Park, CA
18	Hobart - Tig Welder, 250 Amps, Model Wave 250, S/N 394WS42613, Foot Pedal, Cart & Casters - Located At: Huntington Park, CA
19	Hobart - Tig Welder, 250 Amps, Model Wave 250, S/N 396WS17704, Cart & Casters - Located At: Huntington Park, CA
20	Hobart - Tig Welder, 250 Amps, Model Wave 250, S/N 397PS14432, Bernard Cooler, Foot Pedal, Cart & Casters - Located At: Huntington Park, CA
21	NPC Incorp Solar Cell Tester, Model NCT-M-180A, S/N 2025, 10 KW - Located At: Huntington Park, CA
22	Denison - Multipress Hyd. Press, 12 Ton x 22 1/2 x 14 1/2" Bed Size, Model M5P12, 12" Stroke, Dual Palm Control, Stand, Horsepower: 7 1/2 - Located At: So. El Monte, CA
23	Denison - Multipress Hyd. Press, 12 Ton x 22" x 14" Bed Size, Model M5P12, 12" Stroke, Dual Palm Control, Stand, Horsepower: 7 1/2 - Located At: So. El Monte, CA
24	Semilab Cell Characterization System, Model WT2000PVN, S/N WS-1003095 (2010) - Located At: Huntington Park, CA
25	Darex - Drill Grinder, 1/16" - 3/4" , Model M-4, S/N 534130C, Stand, Note: Single Phase Motor, Horsepower: 1/3 - Located At: Huntington Park, CA
26	Hannifin - Hydraulic Press, 10 Ton x 20" x 18" Bed Size, Model F-101-11, S/N D-8955, 10" Stroke, Hand Lever Control, Horsepower: 5 - Located At: So. El Monte, CA
27	American - Pay Off Coil Reel, 1,000 Lbs. x 18", Model 60, S/N 8457 (1989), Adjustable Sliding Base, Manual Expansion, Back Plate - Located At: Huntington Park, CA
28	Dallas Industries - Coil Straightener, 18" x 0.090", Model 81923, S/N 17263, Pneumatic Pinch Rolls, Horsepower 2 - Located At: So. El Monte, CA
29	Haeger - Insertion Press, 6 Ton x 18", Model HP-6, Bowl Feeder, Electric Foot Pedal, Batch Counter, Horsepower:1 - Located At: Huntington Park, CA
30	Littell - Coil Reel, 4,000 Lbs. x 12", Model 40-12, S/N S- 8408- 81, Manual Expansion, ack Plate, 4 Keepers, Servo Drive Motor, Horsepower: 2 - Located At: Huntington Park, CA
31	Denison - Multipress Hydraulic Press, 50 Ton x 29" x 20" Bed Size, Model FN 50, 15" Stroke, Hand Lever Control, Horsepower: 30 - Located At: So. El Monte, CA

- 32 Rowe - Servo Feeder, 40" x 0.080", Model FDC-053-440SS, S/N 24298, Rexroth Indramat System 200 Remote Digital Control, Air Pinch Rolls, Remote Hand Jog, Horsepower 5 - Located At: Huntington Park, CA
-
- 33 Giddings & Lewis - Rotary Table, 36" - Located At: Huntington Park, CA
-
- 34 Lee Shaffer - Shear End Welder, 0.075" x 7", Model C-20, S/N 77106, Econo Twin HF 150 Amp Welder, 12" Hand Shear, Cart & Casters - Located At: Huntington Park, CA
-
- 35 Chicago - Press Brake, 15 Ton x 6', Model 135, S/N L-17673, Mechanical Clutch, Manual Ram Adjustment, Auto Lube System, Foot Treadle, Horsepower 1 - Located At: Huntington Park, CA
-
- 36 Timesaver - Dual Head Belt Grinder (Wet Type), 37" x 60", Model 137-2HDCMW, S/N 202284, Belt & Brush Head, Powered Height Adjustment, Blower Dryer, Electric Eye Tracking, Pneumatic Disc Brakes, Trabon Auto Lube System, Horsepower: 20 - Located At: Huntington Park, CA
-
- 37 Coe - Servo Feeder, 18" x 0.187", Model 318, S/N 20213-1, Power Adjustment Of Feed Roll, Built In Hand Crank Adjustable Legs For Height, Remote Control Cabinet - Located At: Huntington Park, CA
-
- 38 Elger Mill, Model M1000 SSE-EXP, S/N 2468 - Located At: Huntington Park, CA
-
- 39 Regal - Coil Reel, 6,000 Lbs. x 18", Model 6000-18-SRP, S/N 3782305, Manual Expansion, 6 Keepers, Horsepower 2 - Located At: Huntington Park, CA
-
- 40 Whitney Jensen - Gap Frame Punch Press, 10 Ton x 12" x 48" Bed Size, Model AR150, S/N 497-7-69, 2" Stroke, Mechanical Clutch, Foot Pedal - Located At: Huntington Park, CA
-
- 41 Tannewitz - Vertical Bandsaw, 23 1/2", Model Di- Saw, S/N 13469, Blade Welder & Grinder, Chip Blower, Horsepower: 1 1/2 - Located At: Huntington Park, CA
-
- 42 Miller - Mig Welder, 300 Amps, Model Millermatic 300 CV- DC, S/N LA000207, Built- In Wire Feeder, Digital Readouts, Cart & Casters - Located At: Huntington Park, CA
-
- 43 Aaladin - Heated Pressure Washer, 3 GPM, Model 14-310-055, S/N 75982, 210 Degrees F - Located At: Huntington Park, CA
-
- 44 Rousselle - OBI Punch Press, 60 Ton x 30" x 18" Bed Size, Model 6A, S/N 25901, 4" Stroke, 3 1/2" Ram Adjustment, 11 1/2" Shut Height, Air Clutch & Brake, STI Light Curtains, Dual Palm Control - Located At: Huntington Park, CA
-
- 45 Chicago - Press Brake, 25 Ton x 6', Model 255, S/N L-336, Air Trip Mechanical Clutch, Horsepower 1 1/2 - Located At: Huntington Park, CA
-
- 46 Littell - Prepunch Station, 12" x 0.078", Model SF- 12, S/N M26227, (2001), Hydraulically Actuated, 2 Littell Spectra Servo Feeds - Located At:
-
- 47 Hannifin - C- Frame Hydraulic Press, 40 Ton x 34" x 22" Bed Size, 27" Stroke, 29 1/2" Open Height, 13 1/2" Throat Depth - Located At: Los Angeles, CA
-
- 48 Bradbury - Rollformer, 6 Stands x 12" RS x 1 1/2" Shaft, Model Series 400, S/N 19533 (1989), 4" - 7 3/8" Vertical Stand Adjustment, 30-90 FPM Rolling Speed (Variable) - Located At: Painesville, OH ...[more]
-

- 49 Metform - Duplex Rollformer, 8 Stands x 8"- 60" RS x 1 1/2" Shaft, Model MCO, S/N 1178 (1988), 4 1/2" Vertical Centers, 7" Horizontal Center Distance Between The Stands, 60 FPM Rolling Speed, Horsepower: 7 1/2 - Located At: Ferndale, MI
-
- 50 Powermatic - Vertical Bandsaw, 20", Model 87, S/N 9887030, Blade Welder & Grinder, Blade Cut Off Tool, Horsepower 1 - Located At: Huntington Park, CA
-
- 51 Chevalier - Automatic Surface Grinder, 6" x 18", Model FSG-2A618, S/N B7832006, Hydraulic 2 Axis Power Feeds, Parallel Dresser (Over Wheel), Coolant System, Horsepower: 2 - Located At: Huntington Park, CA
-
- 52 Chicago - Press Brake, 35 Ton x 8', Model 338, S/N L8933, Air Trip Mechanical Clutch, Protech Light Curtains, Front Operated Manual Back Gauge, Foot Pedal, Horsepower: 2 - Located At: Huntington Park, CA
-
- 53 Pullmax - Beveling Machine, 2 1/2" x 25- 55 Degrees, Model X- 91, 7 7/8" Diameter Of Cutting Wheel, 12 FPM Max. Beveling Speed - Located At: Huntington Park, CA
-
- 54 Pullmax - Beveling Machine, 2 1/2" x 25- 55 Degrees, Model X- 6, S/N 59883, 4 7/8" Diameter Of Cutting Wheel, 12 FPM Max. Beveling Speed - Located At: Huntington Park, CA
-
- 55 CME - Tank Turning Roll Driver & Idler Set, 300 Ton, Model 300 HD, Baldor PLC DC Variable Drive Control, Remote Push Button Hand Controls, 8"- 15' Diameter Range, 22" x 7" Steel Wheel, 1.4- 45 IPM Roller Speed - Located At: So. El Monte, CA
-
- 56 Jones & Shipman - Automatic Surface Grinder, 6" x 18", Model 540, S/N B012185, 6" x 12" Permanent Magnetic Chuck, Splash Guard, Horsepower: 2 - Located At: Huntington Park, CA
-
- 57 Timesaver - Barrel Finishing Machine, 1 Cubic Feet, Model HZ- 30, S/N 19320F, Emerson A/C Digital Drive Control, Cycle Timer, Safety Door Interlock, (4)11 1/4" x 3 1/2" x 6" Barrel Dimensions Horsepower: 3 - Located At: Huntington Park, CA
-
- 58 American - Double End Coil Reel, 2,500 Lbs. x 18", Model #60, Manual Drag Brake, 6 Keepers, Back Plate - Located At: Painesville, OH
-
- 59 Tannewitz - Vertical Bandsaw, 36", Model 3600 MH, S/N 14335, Hydraulic Blade Tension, Hydraulic Guide Post Adjustment, Coolant, 35- 6000 FPM Blade Speeds, Horsepower: 7 1/2 - Located At: Holland, OH
-
- 60 Grob - Vertical Bandsaw, 18", Model 4V-18, S/N 3160, Blade Welder & Grinder, Blade Cut Off Tool, Chip Blower, Horsepower: 3 - Located At: Huntington Park, CA
-
- 61 Arboga - Radial Arm Drill, 3' x 8", Model ER830, S/N 68640, Power Elevation, Manual Clamping, Coolant System, Horsepower: 1 1/2 - Located At: Huntington Park, CA
-
- 62 Ryder - Vertical Mill, 10" x 50", Model 3VH, S/N 73315, Heidenheim 3 Axis Digital Readout, Table- Cross & Knee Power Feed, Box Ways On Knee, Horsepower 3 - Located At: Huntington Park, CA
-
- 63 Comet - Vertical Mill, 10" x 50", Model 3KVHD, S/N 901136, Table Power Feed, Spray Mist Coolant System, One Shot Lube System, Horsepower: 3 - Located At: Huntington Park, CA
-
- 64 Harris - Hydraulic Wheel Press, 250 Ton x 50 3/4", Model 0250, Piston Pump, Hydraulic's, Counter Weight Return, 25' Length Of Strain Bars, 9" Hole Thru Resistance Block, 14" Stroke - Located At: Holland, OH
-

- 65 Niagara - Initial Pinch Power Roll, 14 Ga. x 5', Model 353, Manual Drop End, Manual Rear Roll Adjustment, Forward/Reversing Switch, Horsepower: 2 - Located At: Huntington Park, CA
-
- 66 Minster - High Speed Punch Press, 20 Ton x 24" x 19" Bed Size, Model P2-20-24, S/N 18607, 1 1/4" Ram Stroke, 2" Ram Adjustment, 9 3/4" Shut Height, 250-600 SPM, Remote Control Cabinet, Dual Air Counterbalance, Vamco 3" Mechanical Feeder, Auto Lube System - Located At: So. El Monte, CA
-
- 67 Henley Whitmore - Initial Pinch Power Roll, 10 Ga. x 5', Model 510, S/N 13324, Manual Drop End, Manual Rear Roll Adjustment, Push Button Controls, Horsepower: 5 - Located At: Huntington Park, CA
-
- 68 Supermax - Vertical Mill, 9" x 42", Model YCM 1 1/2 VS, S/N 96-0116185, Newall 3 Axis Digital Readout, Table Power Feed, Horsepower 2 - Located At: Huntington Park, CA
-
- 69 Verson - Straight Side Double Crank Press, 125 Ton x 65" x 34 1/2" Bed Size, Model 566, S/N 2217, 6" Ram Stroke, 3" Ram Adjustment, 10 1/2" Shut Height, 35 SPM, Air Trip Mechanical Clutch, Protech Light Curtain, Farval Auto Lube System, Dual Palm Control, Electric Foot Pedal - Located At: Hun ...[more]
-
- 70 Morton - Engine Lathe, 14"/21" x 40", Model FEL-1440G, S/N 884072, 3 Jaw Chuck, Taper Attachment, Coolant System, Splash Guard, Horsepower: 5 - Located At: Huntington Park, CA
-
- 71 W.F. Wells - Horizontal Bandsaw (Twin Post), 15" x 17", Model F-15, S/N 75888, Power Vise, Coolant System, Work Length Stop, Horsepower 3 - Located At: Huntington Park, CA
-
- 72 Profitmaster - Engine Lathe, 16"/24" x 60", Model CY400M x 1500, S/N 5574, 3 Jaw Chuck, Steady Rest, Follow Rest, Tool Post - Located At: Huntington Park, CA
-
- 73 HEM - Automatic Horizontal Bandsaw, 10" x 12", Model 750 A, S/N 117680, Pneumatic Bar Feed, Pneumatic Clamping Vise, Part Cut Counter, Blade Brush, Coolant System, Horsepower: 2 - Located At: Huntington Park, CA
-
- 74 Greenerd - Hydraulic C-Frame Press, 8 Ton x 17" x 12" Bed Size, Model HA-8-8, S/N 73T3139, 14" Ram Stroke, 19" Day Light, Dual Palm Control, Horsepower 5 - Located At: Huntington Park, CA
-
- 75 Pines - Horizontal Hydraulic Tube Bender, 1 1/2" x 0.188" WT, Model #1, S/N 11035-77014, Digital Dial- A- Bend Programmable Control, Auto Lube System, Turret Stop, Horsepower: 7 1/2 - Located At: Huntington Park, CA
-
- 76 Niagara - Initial Pinch Power Roll, 12 Ga. x 4', Model 351, Manual Drop End, Manual Rear Roll Adjustment, Wire Grooves, Brake Motor, Electric Foot Pedal, Horsepower: 2 - Located At: Huntington Park, CA
-
- 77 Pines - Vertical Hydraulic Tube Bender, 1 1/4" x 0.083" WT, Model 3T, S/N 44361-87054 (1987), Digital Dial- A- Bend Programmable Control, Work Support Bars, Oil Cooler, Horsepower: 20 - Located At: Huntington Park, CA
-
- 78 Strippit - Power Notcher, 10 Ga. x 8 3/4", Model Notch- Rite, S/N 6721880, Twin Work Guides, Scrap Chute, Joy Stick Control, Horsepower: 3 - Located At: Huntington Park, CA
-
- 79 Pines - Horizontal Hydraulic Tube Bender, 1 1/2" x 0.093" WT, Model 3/4, S/N 11015-69400, Remote Dual Palm Control Stand, Turret Stop, Horsepower: 7 1/2 - Located At: Huntington Park, CA
-
- 80 Morton - Engine Lathe, 14"/21" x 40", Model FEL-1440G, S/N 884073, 3 Jaw Chuck, Taper Attachment, Coolant System, Splash Guard, Horsepower: 5 - Located At: Huntington Park, CA
-

- 81 Kent - Automatic Surface Grinder, 8" x 18", Model KGS-250 AH, S/N 791241-44, 2 Axis Hydraulic Feeds, 8" x 16" Permanent Magnetic Chuck, Parallel Presser Over The Wheel, Coolant/ Dust Suction System, Splash Guard, Horsepower: 1 1/2 - Located At: Huntington Park, CA
-
- 82 Cuevas - Straightening Press, 75 Ton x 30" x 30" Bed Size, Model 1761, 2 Vertical Rams, 2 Horizontal Rams, Push Button Controls, 10"- 20" Ram Stroke, 46" Distance Between Housings,Horsepower: 25 - Located At: Huntington Park, CA
-
- 83 Littell - Coil Straightener, 12" x 0.080", Model 312, S/N 90394-91, Manual Roll Adjustment With Indicators, Loop Control Arm, Brake Motor, Horsepower 2 - Located At: Huntington Park, CA
-
- 84 W.B Knight - Powered Rotary Table, 50", Model 50, S/N 32067, Davong DC Variable Drive Control With Indicator, Horsepower 1 - Located At: So. El Monte, CA
-
- 85 Carlton - Radial Arm Drill, 3' x 9", Model 1A, S/N 2229, Box Table, Power Clamp On Arm, Power Elevation, Coolant System, Horsepower: 5 - Located At: Huntington Park, CA
-
- 86 Okuma - Engine Lathe, 21" x 60", Model LS- 540, S/N 4104-9572, 3 Jaw Chuck, Tool Post, Live Center, Horsepower: 7 1/2 - Located At: Huntington Park, CA
-
- 87 Victor - Engine Lathe, 16"/23" x 60", Model 1660G, S/N 581004, Burnerd 8" Adjust True 3 Jaw Chuck, 4 Jaw Chuck, Steady & Follow Rest, Tool Post, Horsepower: 5 - Located At: Huntington Park, CA
-
- 88 Bridgeport - Vertical Mill, 9" x 42", Model Series 1, S/N 254715, Mitutoyo Digital Readout, Servo Table Power Feed, Chrome Ways, Horsepower: 2 - Located At: Huntington Park, CA
-
- 89 Federal - High Speed Straight Side Double Crank Punch Press, 60 Ton x 42" x 25" Bed Size, Model PD2-60 x 42, S/N PD2-106, 3" Ram Stroke, 3" Ram Adjustment, 17" Shut Height, 50-260 SPM, P.R.F Programmable Digital Control 8" Servo Feeder, Shadow IV Light Curtains, Power Ram Adjustment, Wintress ...[more]
-
- 90 Bliss - OBI Punch Press, 45 Ton x 29 1/2" x 19 1/2" Bed Size, Model C-45, S/N 64419, 4" Ram Stroke, 3" Ram Adjustment, 12 1/4" Shut Height, 90 - 180 SPM, Air Clutch & Brake, Dual Air Counter Balance, Auto Lube System, Dual Palm Control, Horsepower 3 - Located At: Huntington Park, CA
-
- 91 Brown & Boggs - Initial Pinch Power Roll, 12 Ga. x 5', Model 4561, Manual Drop End, Front Operated Manual Rear Roll Adjustment, Push Button Controls, Brake Motor, Horsepower: 2 - Located At: Huntington Park, CA
-
- 92 Carlton - Radial Arm Drill, 3' x 11", Model 1A, S/N 2480, Tilting Box Table, Power Clamping On Arm, Power Elevation, Coolant System, Horsepower: 5 - Located At: Huntington Park, CA
-
- 93 Wysong Initial Pinch Power Roll, 14 Ga. x 6', Model 472- PR, S/N PR- 132, Manual Drop End, Power Rear Roll Adjustment, Electric Foot Pedal, Horsepower: 2 - Located At: Huntington Park, CA
-
- 94 Cincinnati - Vertical Mill, 15" x 63", Model #3, S/N B6103-10, 3 Way Geared Power Feeds With Rapid Traverse, Coolant System, One Shot Lube System, Horsepower: 15 - Located At: Huntington Park, CA
-
- 95 Neff - C-Frame Hydraulic Press, 7 Ton x 14 1/2" x 11" Bed Size, Model D7-5M, S/N 10252 (1995), 7" Ram Stroke, 18" Day Light, Allen Bradley Panel View 600 Control, Sick Light Curtains, Dual Palm Control, Horsepower: 5 - Located At: Huntington Park, CA
-

- 96 Minster - OBI Press, 32 Ton x 24" x 15" Bed Size, Model #4, S/N 4-20279, 4" Ram Stroke, 2 1/4" Ram Adjustment, 11 1/2" Shut Height, 100 SPM, Air Clutch & Brake, Dual Palm Control, Electric Foot Pedal, Auto Lube System, Horsepower: 3 - Located At: So. El Monte, CA
-
- 97 Meuser - Engine Lathe, 20"/30" x 60", Model 2060, S/N MIL-45093, 3 Jaw Chuck, Tool Post, One Shot Lube System, Horsepower: 10 - Located At: Huntington Park, CA
-
- 98 Behringer - Automatic Horizontal Band Saw, 11.8" x 10.2", Model HBP260A, S/N 288604 (1988), Hydraulic Bar Feed, Hydraulic Vise, Bundling Attachment, Chip Conveyor, Coolant System, Horsepower 5.5 - Located At: Huntington Park, CA
-
- 99 HTC - Hydraulic Deep Throat C- Frame Press, 40 Ton x 26" x 19" Bed Size, Model 4036PP, S/N479T1649, 10" Ram Stroke, 11 1/2" Max Open Height, 36" Throat Depth, Electric Foot Pedal, Horsepower: 10 - Located At: Huntington Park, CA
-
- 100 Strippit - Hydraulic Single End Fabricator, 40 Ton, Model Super 30/40 HD, S/N 06242877, 48" x 72" Table Size, 30" Throat Depth, Back Gauge With Fingers, Electric Foot Pedal, Cabinet Of Punches & Dies, Horsepower 10 - Located At: Huntington Park, CA
-
- 101 Diacro - Hydra-Mechanical Press Brake, 17 Ton x 4', Model 14-48-2, S/N 682087325, Front Operated Manual Back Gauge, Manual Ram Adjustment With Indicators, Foot Pedal, Horsepower:3 - Located At: Huntington Park, CA
-
- 102 Pines - Horizontal Hydraulic Tube Bender, 1 1/2" x 0.093" WT, Model 3/4, S/N 11000-84173, (1984), Hydraulic Mandrel Extractor, Horsepower: 7 1/2 - Located At: Huntington Park, CA
-
- 103 Clausing Colchester - Engine Lathe, 17" x 60", Model 1760GH, S/N 7-0015-09353, 3 Jaw Chuck, Taper Attachment, Coolant System, Horsepower: 7 1/2 - Located At: Huntington Park, CA
-
- 104 Minster - OBI Press, 32 Ton x 15" x 10 1/2" Bed Size, Model #4, S/N 18716, 3" Stroke, 2 1/4" Ram Adjustment, 12 1/2" Shut Height, 100 SPM, Air Clutch & Brake, Rockford Brake Monitor, Dual Palm Control, Auto Lube System, Horsepower: 3 - Located At: So. El Monte, CA
-
- 105 Cincinnati - Power Shear, 3/16" x 10', Model 1410, S/N 21259, Rear Operated Manual Back Gauge, Square Arm, Front Material Supports, Auto Lube System, Horsepower: 7 1/2 - Located At: Huntington Park, CA
-
- 106 Okamoto - Automatic Surface Grinder (Profile Type), 6" x 18", Model PFG-500SL, S/N 694 (1989), 5" x 15" Electro Magnetic Chuck , Rotating Sine Chuck, Power Profile Over The Wheel Dresser, Variable Chuck Control, Auto Lube System, Coolant System, Horsepower: 1 - Located At: Huntington Park, CA
-
- 107 Pines - Vertical Hydraulic Tube Bender, 1 1/4" x 0.083" WT, Model 3T, S/N 44361-91096 (1991), Digital Dial- A- Bend Programmable Control, Work Support Bars, Dual Palm Control Stand, Auto Lube System, Horsepower: 20 - Located At: Huntington Park, CA
-
- 108 Niagara - Initial Pinch Power Roll, 12 Ga. x 10', Model 6-120, Manual Drop End, Power Rear Roll Adjustment, Horsepower: 5 - Located At: Huntington Park, CA
-
- 109 Tishken - Geared Rollformer, 12 Stands x 10" RS x 1 1/2" Shaft, Model 12-HMW-11/2, S/N 15150 A, 9" Horizontal Center Distance Between The Stands, 4"-6 1/2" Vertical Stand Adjustment, Variable Rolling Speed, Tishken CO-6-2 Cut Off 18 Ton 2" Storke, Air Clutch, Coolant System, Horsepower: 15, No ...[more]
-
- 110 AFM Andychow - Engine Lathe, 18"/25" x 80", Model TUG- 40, S/N 4079, 3 Jaw Chuck, Taper Attachment, Steady Rest, Tool Post, Coolant System, Horsepower: 7 1/2 - Located At: Huntington Park, CA
-

- 111 Atlanta Grotness - Barrel Beading & Welding Machine, 10 Ga. x 0"-110", S/N 89-1806 (1989), Motorized Length Adjustment, Hydraulic Adjustable Roller Supports, Hydraulic Work Piece Kickout, Linde Mig Welder MDL. V1-400 S/N: 2731183 Dimensions (L x W x H)...60" x 32" x 58" Weight...1,000 Lbs. Equi ...[more]
-
- 112 Warner & Swasey - Turret Lathe, 18" x 32", Model 1A, S/N 2494432, Power 3 Jaw Chuck, 3 Slide Heads On Turret, Tool Post, Coolant System, Horsepower: 30 - Located At: Huntington Park, CA
-
- 113 Hill Acme - Alligator Shear, 24", Model 22 A, Air Clutch & Brake, Electric Foot Pedal, Air Vertical Material Clamp, Horsepower: 10 - Located At: Huntington Park, CA
-
- 114 Summit - Engine Lathe, 16"/24" x 80", SNB400/ 2000, S/N 78B2P052, 3-Jaw Chuck, Taper Attachment - Located At: Huntington Park, CA
-
- 115 Carlton - Radial Arm Drill, 8' x 26", Model 5A, S/N 1457, T-Base, Power Elevation, Power Head Traverse, Power Clamping On Head & Arm, Tapping, Box Table, Coolant System, Horsepower: 20 - Located At: Huntington Park, CA
-
- 116 Morando - Engine Lathe, 24"/31" x 120", Model PA-24, S/N 045658419, 3 Jaw Chuck, Taper Attachment, Follow Rest, Tool Post, Rapid Traverse, Horsepower: 15 - Located At: Huntington Park, CA
-
- 117 Mitchell - Push Pointer, 33,000 lbs, S/N PP-258, 33,000 LBS @ 1989 PSI, 41,480 LBS @ 2500 PSI, 2-Hole Rotary Die Holder, 8-Sided Grip Jaws, Vickers Pumps & Valves, Current EST Pointing Dies For Taking 1-1/16" Down To 7/8" In (2) Hits, Push Buttons & Controls - Located At: Toledo, OH
-
- 118 Greenerd - Double Action 4 Post Hydraulic Press (Downacting), 150 Ton x 50" x 30" Bed Size, 24" Ram Stroke, 35" Daylight , 36" x 14" Distance Between 5" Dia. Post (L-R, F-B), 36" x 30" Ram Size (Nominal) (L-R, F-B), Stroke & Pressure Controls, Dual Palm Buttons, Pressure Gauge, Horsepower: ...[more]
-
- 119 Summit - Engine Lathe, 19"/29" x 80", Model 19-4, S/N 3254832, 3 Jaw Chuck, Taper Attachment, Tool Post, Coolant System, Horsepower: 15 - Located At: Huntington Park, CA
-
- 120 Minster - Straight Side Single Crank Press, 100 Ton x 24" x 30" Bed Size, Model S1-100-24-30, S/N 9945, 5" Ram Stoke, 5" Ram Adjustment, 14" Shut Height, 37 SPM, 13" x 16" Window Size (W x H), Air Clutch & Brake, Triad Light Curtains, IMCO Controls, Bed Cushion, Farval One Shot Lube System, D ...[more]
-
- 121 Ingersoll Rand - Centac II Rotary Screw Air Compressor, 2,500 CFM, Model Centac- II/ 26 M2, S/N M78-1467, 125 PSI, 700 Horsepower, After Cooler, 3 Stage Intake Filter, Oil Pump Motor, Digital Readout Controls, 4 Way Back Flush Valve, By Pass Silencer, Condensate Trap - Located At: Huntington Park, ...[more]
-
- 122 Wysong - Power Shear, 10 Ga. x 10', Model 1010, S/N P32-1595, Front Operated Manual Back Gauge With Indicator, Square Arm, Pneumatic Sheet Support With Rollers, Front Material Supports, One Shot Lube System, Electric Foot Pedal, Horsepower: 10 - Located At: Huntington Park, CA
-
- 123 Niagara - Press Brake, 200 Ton x 12', Model N200- 10- 12, S/N 44146, Air Clutch & Brake, Front Operated Manual Back Gauge, Power Ram Adjustment, Auto Lube System, Electric Foot Pedal, Horsepower: 20 - Located At: Holland, OH
-
- 124 Metl- Saw - Plate Saw, 6" x 12', Model NFS- 1204- T6/4, S/N 123, 34" Blade Size, 6" Non- Ferrous (Aluminum), 4" Ferrous (Steel), 35-50 RPM Blade Speeds (Programmable), 32 Number Of Hold Downs (Hydraulic), Fluke Touch Screen Programmable PLC Control , Front Operated Programmable Back Gauge, Mayf ...[more]
-

- 125 HEM - Seimi-Automatic Horizontal Bandsaw, 18" x 20", Model H130 HM- DC, S/N 524196 (1996), Full Stroking Hydraulic Vise, Powered Guide Arm, Powered Blade Tension, Chip Augar, LED Blade Speed Readout, Auto Blade Break Shut Down, Coolant System, Horsepower: 10 - Located At: Huntington Park, CA
-
- 126 Summit - Engine Lathe, 19"/27" x 120", Model 19-4, S/N U73407949, 3 Jaw Chuck, Taper Attachment, Tool Post, Coolant System, Horsepower 7 1/2 - Located At: Huntington Park, CA
-
- 127 Haeger - Insertion Press (Programmable), 8 Ton x 24", Model 824 XYZ, S/N 947 (1997), Haeger TO 6000 Programmable Control, Haeger Modular Bowl Feeder, Tool Protection System, Dual Foot Pedal - Located At: Huntington Park, CA
-
- 128 Minster - OBI Punch Press, 45 Ton x 28" x 18" Bed Size, Model #5, S/N 28026, 2 1/2" Ram Stroke, 2 1/2" Ram Adjustment, 13" Shut Height, 90 SPM, Air Clutch & Brake, STI Light Curtains, Blow Off, Auto Lube System, Horsepower 3 - Located At: Huntington Park, CA
-
- 129 PH Hydraulics - C-Frame Hydraulic Press, 50 Ton x 26" x 18" Bed Size, Model OGP-50, S/N 60606, 13" Ram Stroke, 17" Daylight, 26" x 18" Ram Size (L-R, F-B), Infared Dual Palm Controls, STI Light Curtains, Allen Bradley Panel View 550 Digital Control, Tonnage Control Valve With Gauge, T-Slotted ...[more]
-
- 130 Heim - Gap Frame Deep Throat Press, 120 Ton x 40" x 30" Bed Size, Model 12 GTX, 6" Ram Stroke, 4" Ram Adjustment, 16" Shut Height, 19" x 13" Ram Size (L-R, F-B), 31 1/2" Throat Depth, 45 SPM, Air Clutch & Brake, Dual Air Counter Balance, Dual Palm Control, Auto Lube System, Horsepower 15 - ...[more]
-
- 131 Shibaura - Table Type Horizontal Boring Mill, 3.5", Model BFT-9, S/N 4210, 35" x 59" Table Size, 43" Longitudinal Table Travel, 47" Cross Saddle Travel, 37" Vertical Head Travel, Acu-Rite 2 Axis Digital Readout, Tail Stock, Rapid Traverse, Pendant Control, Horsepower: 15 - Located At: Huntin ...[more]
-
- 132 Kaltenbach - Semi Automatic Cold Saw, 48", Model HDM-48, 16" x 36" Rectangle, 18" Round, 26-98 SFM Blade Speeds, Hydraulic Vise, Hydraulic Head Feed, Out Board Support, Coolant System, Vertical Material Hydraulic Power Clamping, Horsepower: 25 - Located At: Huntington Park, CA
-
- 133 Mattison - Automatic Surface Grinder, 16" x 48", Model 1648, S/N 21531, 18" x 48" Electro Magnetic Chuck, Variable Chuck Control, 2 Axis Hydraulic Power Feeds, Variablle Speed Hydraulic System, Auto Lube System, Over The Wheel Dresser, Coolant System, Horsepower: 15 - Located At: Huntington Pa ...[more]
-
- 134 Behringer - Semi-Automatic Horizontal Bandsaw (Twin Post), 16" x 27.5", Model HPB-420, S/N 290209, Hydraulic Vise, Hydraulic Blade Tension, Mitering Head, Variable Cutting Pressure, Bundling Attachment, Chip Conveyor, Coolant System, Horsepower: 7 1/2 - Located At: Huntington Park, CA
-
- 135 Geminis - Engine Lathe, 27"/37" x 120", Model GE-650, S/N 4590HV480F, 3 & 4 Jaw Chucks, Taper Attachment, Steady Rest, Rapid Traverse, Coolant System, Horsepower: 15 - Located At: Huntington Park, CA
-
- 136 Feldman - Metal Panel Bender, 10 Ga. x 24", Model DH-24M-37, S/N 1509, 10" -36" Between Bend Adjustment, 3"-6" Clamp Stroke, Push Button Controls - Located At: Huntington Park, CA
-
- 137 Wysong - Power Shear, 14 Ga. x 10', Model 1410, S/N P9- 395, Front Operated Power Back Gauge With Indicator, Squaring Arm, Front Material Supports, Auto Lube System, Horsepower:5 - Located At: Huntington Park, CA
-
- 138 Wysong - Power Shear, 10 Ga. x 10', MObel 1010, S/N P32-1396-F, Front Operated Manual Back Gauge With Indicator, Square Arm, Front Material Supports, One Shot Lube System, Electric Foot Pedal, Horsepower: 10 - Located At: Huntington Park, CA
-
- 139 Pacific - Hydraulic Press Brake, 100 Ton x 10', Model 100-10, S/N 3275, Front Operated Manual Back Gauge , Tonnage Control Valve, Electric Foot Pedal, Horsepower: 15 - Located At: Huntington Park, CA

-
- 140 Dake - Wheel Press, 150 Ton x 48", Model 32-17, S/N 172622, 12" Ram Stroke, 240" Max. Face Of Ram To Resistance Block, 8" Hole Through Resistance Block, 60 Degrees Incline - Located At: Holland, OH
-
- 141 Waterbury-Farrel - Hydraulic Press, 110 Ton x 25" x 22" Bed Size, Model 70S, S/N 240556-1-240576, 6" Ram Stroke, 30" Width Between Uprights, 8" x 8" Side Frame Opening, 23- 1/2" x 15-3/4" Ram Area (L-R, F-B)(With (2) T-Slots), Press Force Adjustment Controls, Air Blow Off, Down Dwell And Str ...[more]
-
- 142 Bliss - High Speed Straight Side Press, 200 Ton x 57" x 36" Bed Size, Model HP2-200-48-36, S/N H61921, 1 1/2" Ram Stroke, 4" Slide Adjustment, 24" Shut Height, 75-150 SPM, Air Clutch & Brake, Air Counterbalances, 16" Wide VAMCO Servo Feed #SRYA2416CT2R2, Floor Standing - Located At: Painesvi ...[more]
-
- 143 King - Vertical Boring Mill, 46", Model 46, S/N 20084, 46" 3 Jaw Chuck, 5 Position Turret, Side Head With Tool Post, Pendant Control, Horsepower: 50 - Located At: Tulsa, OK
-
- 144 HTC - Hydraulic Power Shear, 1/2" x 12', Model 500-12 AH, S/N A9771131 (1997), Front Operated Power Back Gauge, Square Arm, Front Material Support, Power Blade Gap Adjustment, Auto Lube System, Ball Transfer Table, Electric Foot Pedal, Horsepower: 40 - Located At: Holland, OH
-
- 145 Nordson - Hand Touch Up Booth, 48" x 7', (2005), 8 Manual Spray Guns And Controls Model NPE-CC2 Control Consoles , NPE-CC8 Guns - Located At: Huntington Park, CA
-
- 146 Adira - Hydraulic Power Shear, 1/4" x 10', Model GHR-0630, S/N 2490-7052 (1994), Front Operated Programmable Back Gauge, Square Arm, Power Length Of Cut Control, Quick Change Gap Blade Adjustment, Swing Up Back Gauge, Auto Lube System, Electric Foot Pedal, Horsepower: 10 - Located At: Huntington ...[more]
-
- 147 Polamco - Wafum Engine Lathe, 25" x 80", Model TUR 63A/80, S/N 46417, 5 1/2" Hole Thru Spindle, 2 16" 3 Jaw Chucks, Taper Attachment, Steady Rest, Tool Post, Rapid Traverse, Horsepower: 15 - Located At: Huntington Park, CA
-
- 148 Tos - Engine Lathe, 25" x 144", Model SU63, S/N 0436-681, 4 Jaw Chuck, Steady Rest, Coolant System, Tool Post, Rapid Traverse, Horsepower: 25 - Located At: Huntington Park, CA
-
- 149 Promecam - CNC Hydraulic Press Brake, 200 Ton x 13' 3", Model RG204, S/N 330200401A9, Hurco Autobend 7 CNC Back Gauge , Tonnage Control Valve With Gauge, Horsepower 30 - Located At: Clinton Township, MI
-
- 150 Komatsu - OBS Gap Press, 45 Ton x 31.50" x 17.72" Bed Size, Model OBS-45H-VS-3, S/N D0154 (2000), 1.96" Ram Stroke, 2.36" Ram Adjustment, 9.84" Shut Height, 15.75" x 13.78" Ram Size (L-R, F-B), 100-200 SPM, Wet Air Clutch & Brake, Hydraulic Overload Protection, Smartpac Digital Touch Pad Pres ...[more]
-
- 151 Nordson - Automatic Powder Coat Paint Booth W/ 10 Nordson Automatic Powder paint Guns, 48" W x 7' H, Fire Suppression, 8 Canister Filters, Pull-Away Robot Spray Arms & Manual NPE-CC8 Gun - Located At: Huntington Park, CA
-
- 152 Nilson - Automatic Wire Stamping & Forming, 1/8" Model 752, S/N 752103 (1996), ir Clutch & Brake, Shell Type Cams, Form Stripper(2) 10-Ton Die Heads, Lube System, Front & Read Cutoff Rear Auxiliary Slide, Extra Slides (Split) Cams Etc.Variable Speed Driver, Roll Type Wire Straightener, Plus 6000 Se ...[more]
-
- 153 Yoder - Geared Rollformer, 14 Stands x 8" RS x 1 1/2" Shaft, S/N 3515, 11" Horizontal Center Distance Between Stands, 4" - 7" Vertical Stand Adjustment, Variable Roll Speed, Equal Geared Head Stands, Coolant System, Note: 2 Additional stands come with machine, but are missing the gears, Horsepo ...[more]
-

- 154 Webb - Initial Pinch Power Roll, 5/8" x 8", Model 9L- 1208, 12" Roll Diameter, 6- 12 FPM Rolling Speed, Air Drop End, Power Rear Roll Adjustment, Horsepower: 20/ 7 1/2 - Located At: Huntington Park, CA
-
- 155 Toshiba Shibaura - Table Type Horizontal Boring Mill, 3.94", Model BR-10BR, S/N 6504, 49" x 44" Table Size (Rotary), 57" Longitudinal Travel, 70" Cross Travel, 57" Vertical Head Travel, 3 Axis Digital Readout, Power Draw Bar, Auto Lube System, Pendant Control, Horsepower 15 - Located At: Mi ...[more]
-
- 156 ASC - Geared Rollforming Line, 18 Stands x 36" RS x 2 3/4" Shaft, Model A.S Former, S/N 227, 10 1/2" Horizontal Center Distance Between Stands, 4 3/4- 6" Vertical Stand Adjustment, Variable Rolling Speed, Falk Enclosed Gear Drive, 48" Coil Reel, Hold Down Bar, Loop Control Arm, ASC Coil Car, AS ...[more]
-
- 157 Wotan - Table Type Horizontal Boring Mill, 4", Model B-100S, S/N 52386, #50 Spindle Nose, 43" x 50" Table Size (Rotary), 83" Longitudinal Table Travel, 80" Cross Saddle Travel, 52" Vertical Head Travel, Power Draw Bar, Fagor 3 Axis Digital Readout, Spindle Support, Pendant Control, Horsepower: ...[more]
-
- 158 Leblond - Sliding Gap Bed Engine Lathe, 26"/52" x 96"- 156", Model 5H, S/N 5H-841, 21" 3 Jaw Chuck, 38" Face Plate, Taper Attachment, 2 Steady Rests, Tool Post, Coolant System, Horsepower: 15 - Located At: Huntington Park, CA
-
- 159 Wheelabrator - BCP 2 Spinner Hanger Blast Machine, 36" x 48", Model 42X72, S/N 1686 (1996), 2 30 HP Blast Wheels, Dust Collector, Pneumatic Locking Doors, Upper & Lower Screw Conveyors - Located At: New Kensington, PA
-
- 160 Conrac - Horizontal Hydraulic Tube Bender, 4.5" x 0.312" WT, Model Digicon 255-SX, S/N 84998-22 (1983), Digicon Digital Programmable Control, Hydraulic Mandrel Extractor, Dual Pressure Die Slide Boosters, Overarm Support, Oil Cooler, Horsepower: 20 - Located At: So. El Monte, CA
-
- 161 Cincinnati - Power Shear, 1/4" x 10', Model 2CC10, S/N 44492, Cincinnati Microprocessor Programmable Power Back Gauge, Squaring Arm, Front Material Supports, Dual Counter Balances, Pneumatic Sheet Supports, Auto Lube System, Electric Foot Pedal, Horsepower: 7 1/2 - Located At: Huntington Park, CA
-
- 162 Pacific - Hydraulic Press Brake, 175 Ton x 18', Model K175-18, S/N 5117, 16' 4" Distance Between Housing, Tonnage Control Valve, Auto Lube System, 2 Electric Foot Pedals, Horsepower: 25 - Located At: Huntington Park, CA
-
- 163 Pacific - Down Acting Hydraulic Press, 200 Ton x 96" x 48" Bed Size, Model 200-D8-48-96, S/N A963 (1992), 24" Ram Stroke, 36" Daylight, 26" Window Size, Hydraulic Die Cushion-Estimated @ 66 Ton. 34" x 34" PAD/ 8-18" Stroke, Programmable Cushion Control For Tonnage And Height, Programmable Dr ...[more]
-
- 164 Wotan - Table Type Horizontal Boring Mill, 5", Model B130L, S/N 54353, #50 Spindle Nose, 50" x 79" Table Size, 60" Longitudinal Table Travel, 84" Cross Saddle Travel, 72" Vertical Head Travel, DRC 3 Axis Digital Readout, Power Draw Bar, Auto Lube System, Pendant Control, Horsepower 20 - Locat ...[more]
-
- 165 Pacific - Down Acting Hydraulic Press, 200 Ton x 96" x 48" Bed Size, Model 200-D8-48-96, S/N A1183 (1995), 24" Ram Stroke, 36" Daylight, 26" Window Size, Hydraulic Die Cushion-Estimated @ 66 Ton. 34" x 34" PAD/ 8-18" Stroke, Programmable Cushion Control For Tonn - Located At: Detroit, MI
-
- 166 Bliss - High Speed Straight Side Press, 400 Ton x 62" x 36" Bed Size, Model HP2-400-48-36, S/N H61922, 1 1/2" Ram Stroke, 4" Slide Adjustment, 24" Shut Height, 75-150 SPM, 32" Window Size, Air Clutch & Brake, Air Conterbalances, Floor Standing - Located At: Toledo, OH
-
- 167 Nomura - Table Type Horizontal Boring Mill, 4", Model B-100 WR, S/N 3864, #50 Spindle Nose, 55" x 63" Table Size (Rotary), 70" Longitudinal Table Travel, 50" Cross Saddle Travel, 60" Vertical Head Travel, Power Draw Bar, Anilam Wizard 3 Axis Digital Readout, Tapping Cycle, Power Table Clamping ...[more]
-

- 168 Cincinnati - CNC Hydraulic Press Brake, 90 Ton x 13', Model 90 FM II-8, S/N 48605 (1995), Form Master II CNC Programable Back Gauge Control, Power Upper Die Clamping, Dual Palm Buttons, Merlin 3000 Light Curtain, Electric Foot Pedal - Located At: Clinton Township, MI
-
- 169 Cincinnati - Hydraulic CNC Power Shear, 3/8" x 10', Model 3750 x 10, S/N 44386, Cincinnati CNC Control Front & Rear Gauging, Swing Up Back Gauge (Hydraulic), Front Material Supports, Oil Cooler, Auto Lube System, Electric Foot pedal, Horsepower: 25 - Located At: Huntington Park, CA
-
- 170 Komo - CNC Table Router, 96" x 60" x 8", Model VR805Q, S/N 1552, GE Fanuc OMC Operators Control Station W/CRT & Numeric Key Pad, Horsepower (4- Routers) 12, 4- Piggyback High Speed Drills, 18,000 RPM Spindle Speeds (Programmable), Dual Vacuum Tables - Located At: Los Angeles, CA
-
- 171 Bliss - OBI Punch Press, 110 Ton x 42" x 27" Bed Size, Model C110, S/N 70991, (1991), 8" Ram Stroke, 4" Ram Adjustment, 17" Shut Height, 28" x 21" Ram Size (L-R. F-B), 30- 60 SPM, Air Clutch & Brake, Power Ram Adjustment, Dual Air Counter Balance, Dual Palm Control Stand, Auto Lube System, Ho ...[more]
-
- 172 Cincinnati - CNC 5 Axis Vertical Profiler |120" x 42" x 24", Model 20V, S/N 87-416Q779-1, 7,200-24,000 RPM Spindle Speeds, Torit 19 Cyclone Dust Collector, CNC-PC Control Panel Keyboard, Torit Down Flow Bagger, 2 Outrigger Table Supports - Located At: Los Angeles, CA
-
- 173 Cincinnati - CNC Hydraulic Press Brake, 175 Ton x 10', Model 175AS x 8, S/N 45151, Cincinnati Auto Shape 2 Axis CNC Back Gauge, ISB Merlin Light Curtains, Hydraulic Bed & Ram Clamping, Remote Dual Palm Control Stand, Auto Lube System, (2) Electric Foot Pedals, Horsepower 25 - Located At: Huntingt ...[more]
-
- 174 Cincinnati - CNC Hydraulic Press Brake, 230 Ton x 12', Model FM-10, S/N 42985, Hurco 5C CNC Back Gauge, Blackmax Light Curtains, Auto Lube System, Remote Dual Palm Control Stand, Electric Foot Pedal, Horsepower: 30 - Located At: Holland, OH
-
- 175 Open Lot ...[more]
-
- 176 Cincinnati - CNC Hydraulic Press Brake, 175 Ton x 12', Model 175AF x 10, S/N 46152, Cincinnati Autoform 6 Axis CNC Back Gauge, Automatic Bed Crowning, Hydraulic Ram Die Clamping, Auto Lube System, Remote Dual Palm Control Stand, 2- Electric Foot Pedal, Horsepower 20 - Located At: Huntington Park, ...[more]
-
- 177 Komo - CNC Table Router, 96" x 60" x 8", Model VR805Q, S/N 12446944, (1994) GE Fanuc OMC Operators Control Station W/CRT & Numeric Key Pad, Horsepower (4- Routers) 12, 4- Piggyback High Speed Drills, 18,000 RPM Spindle Speeds (Programmable), Dual Vacuum Tables - Located At: Los Angeles, CA
-
- 178 Giddings & Lewis - CNC Floor Type Horizontal Boring Mill, 7", Model H70- F, S/N 426-020-75, 90" x 84" Table Size (Power Clamping) (Hydrostatic Ways), 96" Table Travel, 144" Column Longintudinal Travel On Runway, 60" Spindle Travel, Delta Dynapath Autocon CNC Control, Built- In Facing Head, 15' ...[more]
-
- 179 Tishken - Geared Rollformer, 32 Stands x 70" RS x 4 1/2" Shaft, Model 32-XHW-4, S/N 21823-10-97 (1997), 18" Horizontal Centers, 8"- 11" Vertical Centers, Equal Geared, Tooled For GMT 900 Panel, Quantum III Digital DC Drive, Horsepower: 100 - Located At: Toledo, OH
-
- 180 UBE - New Rheo Casting System, 880 Ton x 37.4", Model 800 HVSC, S/N 3016, 53.10" x 53.10" Platen Dimensions, 29.92" Max. Die Stroke, 33.50" Clearance Between Tie Bars, 29.9" Shot Cylinder Stroke, Dual Automatic Tie Bar Pulling-Top Two Tie Bars Traditional Squeeze Slurry & New Rheocast Shot Cap ...[more]
-
- 181 National - 5 Die 6 Station Cold Former, 1 1/8", Model 1000-6, S/N 38907, 3-1/2" Max. Cutoff Length, 5" Max. Die Kickout, 40-70 PPM, 365 Forging Tonnage, Bushing Cutoff, Nut Transfer/ Turnaround And/Or Straight Across, Timed Knockout, Discharge Conveyors, 5 Roll Power Pre-Straightener & Smog Hog, ...[more]

182

Giddings & Lewis - Floor Type Horizontal Boring Mill, 8", Model 70-N8-UF, S/N 270-21-71, 102" x 96" Giddings & Lewis Table, 96" x 96"
Giddings & Lewis Rotary Air Lift Table, 30' Longitudinal Travel Of Column, 12' Vertical Travel Of Head, 60" Travel Of Spindle, Power
Draw Bar, G&L Numeriread Co ...[more]
