

Biditup Auctions Worldwide, Inc./Maynards Industries



Surplus Assets Of McSwain Manufacturing LLC, Large Capacity Precision Machining Facility

382 Circle Freeway Drive
Cincinnati
Ohio
45246
United States

(2) TOSHIBA BP150.R22 CNC HBMs, New 2008/2009 • (2) TOSHIBA BP130.R22 CNC HBMs • OLYMPIA HT 120 x 80 CNC HBM, Vertical & Horizontal boring mills!
Starts Sep 26, 2017 10am EDT

Lot	Description
1	Real Estate Formerly Of McSwain Manufacturing - 46,000 Square Foot Manufacturing Warehouse & OfficesSpecial Features: +/-46,740 Square Feet Total • +/-4,040 SF Office • +/-42,700 SF Manufacturing Warehouse • 34' - 37' Clear Ceiling Height • T5 lighting • Heavy Power • Fully Air Conditioned • M-2 In ...[more]
1A	TOSHIBA BP150.R22 CNC Table Type Horizontal Boring Mill (New 2009), 5.9" Spindle, X-160", Y-100", Z-28", W-60", 71" x 86" B-Axis Rotary Table, 360,000 Positions, 44,000 Lbs. Table Cap., 5-2500 RPM, 60 ATC, Tosnuc 888 CNC, Thru Spindle Coolant, Chip Conveyor, 50 HP, 2009, S/N 130385
2	Lot-(10) 50-Taper Plain and Collet Style Tool Holders
3	Lot-(10) 50-Taper Plain and Collet Style Tool Holders
4	Lot-(10) 50-Taper Plain and Collet Style Tool Holders
5	Lot-(10) 50-Taper Plain Tool Holders
6	KENNEDY Hardwood Top 5-Drawer Tooling Cabinet Bench
7	HALLOWELL 2-Door Supply Cabinet with Assorted Setup Hold Down Tooling Contents
8	TOSHIBA BP150.R22 CNC Table Type Horizontal Boring Mill (New 2008), 5.9" Spindle, X-160", Y-100", Z-28", W-60", 71" x 86" B-Axis Rotary Table, 360,000 Positions, 44,000 Lbs. Table Cap., 5-2500 RPM, 60 ATC, Tosnuc 888 CNC, Thru Spindle Coolant, Chip Conveyor, 50 HP, 2008, S/N 130373
9	75" Diameter Angle Plate
10	Lot-(10) 50-Taper Plain Tool Holders
11	Lot-(10) 50-Taper Plain Tool Holders
12	Lot-(10) 50-Taper Plain Tool Holders
13	Lot-(10) 50-Taper Plain and Collet Style Tool Holders

14	KENNEDY Hardwood Top 5-Drawer Tooling Cabinet Bench
15	2-Door Heavy Duty Industrial Supply Cabinet with Setup Hold Down Tooling Contents
16	TOSHIBA BP130.R22 CNC Table Type Horizontal Boring Mill, 5.12" Spindle, X-137", Y-90", Z-27.5", W-63", 70.8" x 86.6" B-Axis Rotary Table, 360,000 Positions, 44,000 Lbs. Table Cap., 5-2500 RPM, Tosnuc 888 CNC, Thru Spindle Coolant, Chip Conveyor, 40 HP, 1999, S/N 130308
17	72" Diameter Angle Plate
18	Lot-(3) 50-Taper Tool Holders with Asst'd Cutters
19	Lot-(7) 50-Taper Plain Tool Holders
20	Lot-(10) 50-Taper Plain and Collet Style Tool Holders
21	Lot-Hold Down Tooling with 6" 3-Jaw Chuck
22	KENNEDY Hardwood Top 5-Drawer Tooling Cabinet Bench
23	30,000 Lbs. Taylor TC-300S Fork Lift, with Hydraulic Fork Adjustment, Side Shift, S/N S-D729186
24	TOOL-CUTTER MODEL 64169741 6" X 1/2-HP Double End Bench Top Grinder, S/N 120904451
25	Lot-Hold Down Tooling with Jaws, Clamps and Bottle Jack
26	Hardwood Top 5-Drawer Tooling Cabinet Bench
27	LYON 2-Door Heavy Duty Industrial Supply Cabinet
28	66" OLYMPIA V60 CNC Vertical Boring Mill, 66" Table Dia., 70" Max. Swing, 62" Max Height Under Rail, 33,000 Lbs. Table Cap., 1-350 RPM, 12 ATC, Fanuc 21i-M CNC Control, 75 HP, 1999, S/N OE-99-329
29	Hardwood Top 5-Drawer Tooling Cabinet Bench
30	LYON 2-Door Heavy Duty Industrial Supply Cabinet
31	Open Lot
32	50-Taper Tool Holder
33	Lot-Hand Tools, Cutters and Hold Down Tooling
34	Hardwood Top 5-Drawer Tooling Cabinet Bench

35	HALLOWELL 2-Door Supply Cabinet
36	118" TITAN CNC Vertical Boring Mill, Model S298-8046, 118" Table Dia., 137" Max Swing, 78" Max Height Under Rail (1) Ram, Retrofit with GE Fanuc 21i-T CNC Control, Fanuc Red Cap Motors, Flush Floor, Chip Conveyor, 73 HP Table Motor, S/N 356822
37	FANUC MODEL Q40/2000 A06B-0158-B075 #7008 Servo Motor
38	SETCO 2-HP 3,600-RPM Spindle
39	Lot-Machine Attachments
40	Lot-Hold Down Tooling
41	Lot-Jaws and Setup
42	Lot-Fixtures Under (1) Bench
43	Hardwood Top 5-Drawer Tooling Cabinet Bench, (1) Drawer Missing
44	144" GRAY CNC Vertical Boring Mill, 144" Table Dia., 152" Max Swing, 120" Max Height Under Rail, (2) Rams, Ram Swivel 45 Degrees, Table Speeds 0.6-54 RPM, Fanuc 0-T CNC Control, Retrofit 2002, 125 HP Table Motor, S/N 9510
45	Lot-Hold Down Setup Tooling
46	Hardwood Top 5-Drawer Tooling Cabinet Bench
47	HALLOWELL Heavy Duty Industrial Supply Cabinet
48	60" GRAY CNC Vertical Turret Lathe, 5-Station Turret, 60" 4-Jaw Chuck, GE Fanuc 0-T CNC Control, Retrofit by Kentucky Rebuild Corporation [Not Running]
49	MAZAK HV800 5-Axis CNC Horizontal Machining Center, 31.5" x 31.5" Pallets, B-Axis 360 Degrees, Table Capacity 4850 Lbs., X-49.2", Y-39.4", Z-45.2", , Full A-Axis Articulating Spindle Head, Coolant Thru Spindle, Mazatrol M-Plus CNC Control, 6000 RPM, 120 ATC, CAT 50, Chip Conveyor, 1999, S/N 143 ...[more]
50	MAZAK FH880 4-AXIS CNC Horizontal Machining Center, 31.5" x 31.5" Pallets, Table Capacity 4850 Lbs., X-51.1", Y-43.3", Z-39.3", B-Axis 360 Degrees, Coolant Thru Spindle, Mazatrol M-Plus CNC Control, 7000 RPM, Mazak Tool Hive 237 ATC, CAT 50, 50 HP, Chip Conveyor, 1998
51	MAZAK Pallettech System with (8) Pallets, (1) Load/Unload Station [USED WITH MAZAK HV800 & MAZAK FH880]
60	Lot-(10) 50-Taper Plain and Collet Style Tool Holders with Cutters
61	Lot-(10) 50-Taper Plain Tool Holders with Cutters
62	Lot-(10) 50-Taper Asst'd Tool Holders with Cutters

63	Lot-(10) 50-Taper Plain and Collet Style Tool Holders with Cutters
64	Lot-(10) 50-Taper Plain Tool Holders with Cutters
65	Lot-(10) 50-Taper Plain Tool Holders with Cutters
66	Lot-(10) 50-Taper Plain and Collet Style Tool Holders with Cutters
67	Lot-(10) 50-Taper Plain Tool Holders with Cutters
68	Lot-(7) 50-Taper Plain Tool Holders
69	Lot-Retention Knobs and Collets in (2) Boxes
70	Lot-Hold Down Tooling and Jaws
71	Open Lot
72	Open Lot
73	Open Lot
74	Open Lot
75	Open Lot
76	Open Lot
77	Heavy Duty Steel Rack, (Contents Not Included)
78	Hardwood Top 12-Drawer Tooling Cabinet Bench
79	OLYMPIA HT 120 x 80 CNC Table Type Horizontal Boring Mill, GE FANUC 16i-M CNC, X-118", Y-63", Z-28", W-39", 49" x 63" B-Axis Rotary Table, 360,000 Positions, 22,000 Lbs. Table Cap. 6-3000 RPM, Thru Spindle Coolant, 2000, S/N 337-0E00 - Located at 189 Container Place
80	ALBERT GERARD Extended Reach Right Angle Head- Located at 189 Container Place
81	ALBERT GERARD Right Angle Head - Located at 189 Container Place
82	12" Chuck - Located at 189 Container Place
83	Lot-(9) 50-Taper Plain Tool Holders with Fluid Attachments - Located at 189 Container Place
84	Lot-(10) 50-Taper Plain and Collet Style Tool Holders with Fluid Attachments - Located at 189 Container Place

85	Lot-(2) 50-Taper Tool Holders wth Cutters - Located at 189 Container Place
86	Lot-Retention Knobs, Cutters and Collets - Located at 189 Container Place
87	KENNEDY Hardwood Top 5-Drawer Cabinet Bench with Hold Down Tooling - Located at 189 Container Place
88	LYON 2-Door Heavy Duty Industrial Supply Cabinet - Located at 189 Container Place
89	Lot-(10) 50-Taper Plain and Collet Style Tool Holders - Located at 189 Container Place +
90	Lot-(10) 50-Taper Plain, Microbore and Collet Style Tool Holders - Located at 189 Container Place
91	Hardwood Top 5-Drawer Cabinet Bench - Located at 189 Container Place
92	13-Drawer Tooling Cabinet - Located at 189 Container Place
93	63" x 157" DAINICHI Model H/NC 160x400 CNC Heavy Duty Lathe, 63" Swing, 157.5" Between Centers, 48" 4-Jaw Chuck, 44,000 Lbs. Capacity Between Centers, 500 RPM, 4.09" Spindle Bore, Fanuc 21i-T CNC Control, Tailstock, Steady Rest, Retrofit 2008 by Machine Tool Solutions Unlimited, 73 HP, S/N 187 ...[more]
94	Lot-Centers with Cart - Located at 189 Container Place
95	Lot-Boring Bars and Carbide Inserts - Located at 189 Container Place
96	Speed Reducer - Located at 189 Container Place
97	Lot-Hold Down Tooling with Die Rings - Located at 189 Container Place
98	Lot-Jaws - Located at 189 Container Place
99	BOTT KENNEDY Hardwood Top 5-Drawer Cabinet Bench - Located at 189 Container Place
100	7-Drawer Tooling Cabinet - Located at 189 Container Place
101	LYON 2-Door Heavy Duty Industrial Supply Cabinet - Located at 189 Container Place
102	63" x 177" HEYLINGSTAEDT Model NDKB-1000/III CNC Heavy Duty Lathe, 63" Swing Over Bed, , 177.16" Between Centers, 48" 4-Jaw Chuck, 4-Position Turret, 2.8 – 560 RPM, 35,200 Lbs. Max. Capacity Between Centers (No Steady Rests), Fagor CNC Control, Retrofit 2009, 3-Way Bed, 9.84" Tailstock Quill D ...[more]
102A	92" Bullard Dyn-Au-Tape VTL, 92 "Table, 4-Jaw Hydraulic Chuck, 150 RPM, 5-Position Turret, 75 HP Table Motor, Fanuc 16T CNC Control, Mechanically Rebuilt and Retrofit by Kentucky Rebuild Corporation, Retrofit 1997, S/N 32813 [NOTE: MACHINE WAS RECENTLY REMOVED FROM SERVICE AT MCSWAIN AND IS LOCATE ...[more]

102B	92" Bullard Dyn-Au-Tape VTL, 92" Table, 4-Jaw Hydraulic Chuck, 150 RPM, 5-Position Turret, 75 HP Table Motor, Fanuc 16T CNC Control, Mechanically Rebuilt and Retrofit by Kentucky Rebuild Corporation, Retrofit 1998, S/N 32717 [NOTE: MACHINE WAS RECENTLY REMOVED FROM SERVICE AT MCSWAIN AND IS LOCATE ...[more]
103	18" 4-Jaw Chuck - Located at 189 Container Place
104	Lot-(3) Nose Pieces - Located at 189 Container Place
105	Lot-(2) Live Centers - Located at 189 Container Place
106	Lot-Jaws - Located at 189 Container Place
107	Lot-Tool Holders - Located at 189 Container Place
108	Lot-Boring Bars - Located at 189 Container Place
109	Lot-Hold Down and Setup Tooling - Located at 189 Container Place
110	Hardwood Top 5-Drawer Cabinet Bench, (1) Drawer Missing - Located at 189 Container Place
111	LYON 2-Door Heavy Duty Industrial Supply Cabinet - Located at 189 Container Place
112	GIDDINGS & LEWIS HMC 410 4-Axis CNC Horizontal Machining Center, Siemens 840D CNC Control, X-129.9", Y-82.6", Z-78.7", (2) 62.99" x 49.21" Pallets, 360,000 Positions, 10-10,000 RPM, 60 ATC, 61.5 HP, 2000, S/N 495-002 - Located at 189 Container Place
113	Lot-(10) 50-Taper Plain and Collet Style Tool Holders - Located at 189 Container Place
114	Lot-(10) 50-Taper Plain and Collet Style Tool Holders - Located at 189 Container Place
115	Lot-(10) 50-Taper Plain and Collet Style Tool Holders - Located at 189 Container Place
116	Lot-(10) 50-Taper Plain Tool Holders - Located at 189 Container Place
117	Lot-Setup Tooling - Located at 189 Container Place
118	BOTT KENNEDY Hardwood Top 5-Drawer Cabinet Bench with Hold Down Tooling Inside Drawers, (Bench Top and Shelf Tooling Not Included) - Located at 189 Container Place
119	SHEFFIELD RS 150 Coordinate Measuring Machine, 50" x 85" Table, X-48", Y-80", Z-40", 54" Between Columns, 42" Under Rail, Renishaw PH10M Probe, S/N A-0030 - Located at 189 Container Place