



INDUSTRIAL ASSETS

REAL ESTATE • FINANCE • MACHINERY • AUCTIONS
industrialassets.com

**LIVE ON-SITE &
GLOBAL WEBCAST**

AUCTION

AUCTION: Thursday, December 7th, Beginning at 10:00am (PST)

LOCATION: 10038 Marathon Parkway, Lakeside, CA 92040

PREVIEW: Wednesday, December 6th, 9:00am to 4:00pm or By Appointment

EagleBurgmann®

COMPLETE 65,000 SQ.FT. WORLD-CLASS METAL BELLOWS EXPANSION JOINT MFG. FACILITY

Extremely Well Maintained, ISO 9001:2008, All Equipment UL Certified



2000

5,908 Hours

1" x 10' Bertsch Hyd. 4-Roll Plate Bending Roll



2012

Jetline 96" Longitudinal Seam Welder, Mdl. LWS-96Z



10" to 54" & 54" to 160" Bellow Re-Rolling Machines

Complete Photos & Lot Listings at www.biditup.com



BIDITUP

BIDITUP AUCTIONS WORLDWIDE
AN INDUSTRIAL ASSETS COMPANY

818.508.7034
www.biditup.com

Maynards
SINCE 1902

248.569.9781
www.maynards.com

BELLOWS DEPARTMENT

BELLOW METAL FORMING MACHINES

- **BELLOWS FORMING MACHINE**, Expanding Mandrel (Punch) Forming of Metal Bellows w/Diameters Ranging from 12-3/4" to 54", 2-Ply .078" Stainless, 30 HP Hyd. Pump w/Cooler, Up & Down on Ram (Foot Pedal), Schematics on Control w/Panasonic DRO (Updated Controls 2 Years Ago), Recently Replaced Jack Screws, 12", 18" and 25" Base Plates
- **BELLOWS FORMING MACHINE**, Expanding Mandrel (Punch) Forming of Metal Bellows w/Diameters Ranging from 54" to 170", 2-Ply .078" Stainless, 20 HP Hyd. Pump, Up & Down on Ram (Foot Pedal), Schematics on Control w/Panasonic DRO (Updated Controls 2 Years Ago), Various Dia. Base Plates, Extensions, Support Rollers
- **SMALL BELLOWS FORMING MACHINE**, Expanding Mandrel (Punch) Forming of Metal Bellows w/Diameters Ranging From 3-1/2" to 6", 2-Ply .036" Stainless, Up & Down on Ram (Foot Pedal), Schematics on Control w/ Panasonic DRO (Updated Controls 2 Years Ago), 20 HP Hydraulic Pump w/Cooler
- **MEDIUM BELLOWS FORMING MACHINE**, Expanding Mandrel (Punch) Forming of Metal Bellows w/Diameters Ranging From 6" to 16", 2-Ply .036" Stainless, Up & Down on Ram (Foot Pedal), Schematics on Control w/ Panasonic DRO (Updated Controls 2 Years Ago), 10 HP Hydraulic Pump

BELLOW RE-ROLLING MACHINES

- **BELLOW RE-ROLLING MACHINE**, Range: 10" Dia. to 54", 2-Ply .078" Stainless, 40 HP Hydraulic Pump
- **BELLOW RE-ROLLING MACHINE**, Range: 54" Dia. to 160", 2-Ply .078" Stainless, 4" Throat, Can Take Spacers Off, 20 HP Hydraulic Pump
- **BELLOW RE-ROLLING MACHINE**, Range: 6" Dia. to 58", 1-Ply .078" Stainless, 40 HP High-Volume Pump
- **MEDIUM & LARGE RE-ROLL WHEEL TOOLING**



Bellows Forming Machine, Range: 54" to 170"



Ranging 12-3/4" to 54"



Ranging 3-1/2" to 6"



Ranging 6" to 16"



Ranging 10" to 54"



Ranging 54" to 160"



Ranging 6" to 58"

BELLOWS DEPARTMENT

WEDDING CAKE EXPANDERS

- (2) 36" WEDDING CAKE EXPANDERS, w/Hydraulic Pump Systems (5 HP & 10 HP)
- (2) 12" WEDDING CAKE EXPANDERS, w/5 HP Hydraulic Pump Systems
- 1" SPACERTOOLING

SEAM WELDERS

- 2012 JETLINE 96" LONGITUDINAL SEAM WELDER, Mdl. LWS-96Z, Miller Maxstar 350, (2) Miller Coolmate 3, Jetline 9900 Weld Controller, S/N 120234, (Like New, Excellent Condition)
- 2012 JETLINE 60" LONGITUDINAL SEAM WELDER, Mdl. LWS-60Z, Miller Maxstar 200, Miller Coolmate 3, Jetline 9900 Weld Controller, S/N 120244, (Like New, Excellent Condition)
- 1996 WELDLINE 96" LONGITUDINAL SEAM WELDER, Mdl. 590, Des. SMR-8, Lincoln Elect. Square Wave Tig-355, Weldline Automation OptiMate Control
- WELDLINE 48" LONGITUDINAL SEAM WELDER, Des. CM79, Lincoln Elect. Square Wave Tig-355, Miller Coolmate 3
- JANDA 100 KVA SEAM WELDER, 36" Throat, 8" Gap, Hydraulic, Mdl. PTS2-100-36RTDF, S/N S3373



4 Available

36" & 12" Wedding Cake Expanders



Jetline 96" Longitudinal Seam Welder, Mdl. LWS-96Z



Jetline 60" Longitudinal Seam Welder, Mdl. LWS-60Z



Weldline 96" Longitudinal Seam Welder, Mdl. 590



Medium Re-Roll Wheels



Large Re-Roll Wheels

**Complete Photos & Lot Listings at
www.biditup.com**

BELLOWS DEPARTMENT

SHEARS

- 10-GA. X 10' ACCURSHEAR, Mdl. 613510, w/4' Wide x 4,000 Lb. Cap. Feeder, (Built 1989)
- 16-GA. X 52" ROPER WHITNEY PEXTO HYD. SHEAR, Mdl. PH52, S/N 1037-06-16
- 1/4" X 4' GMC HYD. SHEAR, Mdl. HS-0425E
- CLECO PNEUMATIC TRIM HAND SHEARS

RESISTANCE WELDER

- 2016 WARREN 50 KVA RESISTANCE WELDER, 28" Throat, Mdl. PT1-30-50, 300 Weld Schedules Single Phase Microprocessor Control, w/(2016) Schreiber Chiller

CRIMPING MACHINE

- 2012 SCHRODER FASTI 3MM CRIMPING MACHINE, (Outfitted for Shearing), Mdl. 417-125/3

PLANISHERS

- 52" PLANISHER, Minimum Dia. of Part: 5"
- 38" PLANISHER, Minimum Dia. of Part: 3"

H-FRAME PRESSES

- DAKE 150-TON H-FRAME PRESS, Air Operated, 48" Dia. Radial Table, (Used for Testing)
- 5,000 PSI H-FRAME SHOP PRESS, 42" Between Columns, (Used for Testing)



10-Ga. x 10' AccurShear, Mdl. 613510




Roper Whitney Pexto Hydraulic Shear



Warren 50 KVA Resistance Welder, Mdl. PT1-30-50



Janda 100 KVA Seam Welder



Cleco Hand Trim Shears



Schroder Fasti Crimper



52" Planisher, Minimum Dia. of Part: 5"



Dake 150-Ton H-Frame Press



Image of Finished Product

PRODUCTION



5,908 Hours

1" x 10' Bertsch Hyd. 4-Roll Plate Bending Roll

PLATE ROLLS

- 1" X 10' BERTSCH HYDRAULIC 4-ROLL PLATE BENDING ROLL, Roll Diameters: Top & Lower - 16", Side - 13", Rolling Speed: 14 FPM, Table Support, Power Hold Down Arm, Mdl. 87-10, 5,908 Hours, S/N M-10917, (Built: 2000)
- 1/2" X 8' WALDEMAR DESIGN AND MACHINE (WDM) HYD. DOUBLE PINCH POWER ROLL, (3) 10" Dia. Rolls, Series II, (Built: 1992)
- 1/4" X 6' RYERSON HYD. DOUBLE PINCH POWER ROLL, (3) 7" Dia. Rolls, Angle Roll Set Up on End
- 16-GA. X 4' FAMAR INITIAL PINCH PLATE ROLL, Mdl. A39 13/2.5, (Built: 2004)



1/2" x 8' Waldemar Design and Machine (WDM) Hyd. Double Pinch Power Roll



2004

16-Ga. x 4' Famar Initial Pinch Plate Roll

PLATE BEVELER

- 2011 PULLMAX X97 PLATE BEVELER, 25-55°, 0-50mm, S/N 76003-38

WELDING POSITIONERS

- ARONSON 16,000 LB. CAP. WELDING POSITIONER, Mdl. HD160, 54" Dia. Radial Table, Tilt/Rotate, Manual Elevation
- RANSOME 4,000 LB. CAP. WELDING POSITIONER, Mdl. 40-P
- (2) PANDJIRIS 3,000 LB. CAP. WELDING POSITIONERS, Mdl. 30-C
- (2) RANSOME 1,000 LB. CAP. WELDING POSITIONER, Mdl. 10-P & Mdl. 10P-A, Var. Speed



2011

Pullmax X97 Plate Beveler



Ransome 4,000 Lb. Welding Positioner



1 of 2

Pandjiris 3,000 Lb. Cap. Welding Positioner



Aronson 16,000 Lb. Cap. Welding Positioner

PRODUCTION

ANGLE BENDING ROLL

- PULLMAX MDL. Z41 5" X 5" X 1/2" HYD. ANGLE BENDING ROLL, w/(3) 16" Diameter Rolls, S/N EIS0078 (Replaced All Elect. About 2 Years Ago)

TANK TURNING ROLLS

- 2015 JOE FULLER 10-TON TANK TURNING ROLL, (Unused), Mdl. JFRD, 1 Power, 2 Idlers, Remote Hand Controlled, Variable Speed
- 2015 JOE FULLER 5-TON TANK TURNING ROLL, (Unused), Mdl. JFR110, 1 Power, 2 Idlers, Remote Hand Controlled, Variable Speed

IRONWORKER

- PIRANHA 90-TON IRONWORKER, Mdl. P90

LATHE

- 24" X 64" CLAUSING METOSA LATHE, 3" Spindle Bore, 20" 3-Jaw Chuck, 30 to 1500 RPM, Mdl. C2464SS

VERTICAL MILLING MACHINE


- BRIDGEPORT SERIES II SPECIAL, 11" x 58" Table, 2 HP Table Power Feed, Mitutoyo DRO, Kurt Vice

VERTICAL BAND SAW

- MARVEL VERTICAL BAND SAW, Mdl. 8-Mark-II, S/N 829008



Pullmax Z41 5"x 5"x 1/2" Hyd. Angle Bending Roll



2015

UNUSED

10-Ton & 5-Ton Joe Fuller Tank Turning Rolls



Piranha 90-Ton Ironworker, Mdl. P90



24" x 64" Clausing Metosa Lathe



Bridgeport Series II Special Vert. Mill



Marvel 8-Mark-II Vertical Band Saw

PRODUCTION

WELDERS

- PRESTONEASTIN SUBARC WELDING MANIPULATOR, 10' x 10', Miller Subarc DC 650, Miller Direct Current Arc Welder, Weld Engineering Head, Miller HDC 1500DX Automatic Welding Controller
- (2) MILLER INVISION 450 MPA WELDING PACKAGES, (Unused), w/Miller S-74 MPa, Plus Wire Feeders, Miller Coolmate 3 on Cart
- LINCOLN ELECT. 375 PRECISION TIG WELDER, (Unused)
- THERMAL ARC WC 100B PLASMA WELDING CONSOLE, (Unused), w/Cooler
- (8) MILLER INVISION 456MP, w/Wire Feeder & Cooler
- MILLER INVISION 456MP, w/Suitcase 12RC 24V Wire Feeder
- (4) MILLER INVISION 450 MPA, w/Wire Feeder & Cooler
- (3) MILLER MAXTRON 450 CC/CV, w/Wire Feeder
- (3) MILLER MAXSTAR 350
- (11) LINCOLN ELECT. SQUARE WAVETIG 355, w/Cooler
- (4) LINCOLN ELECT. 375 PRECISION TIG,
- LINCOLN ELECT. 275 PRECISION TIG

OVEN

- SUNBEAM OVEN, Max Temp 1800° F, 3' Wide x 5' Deep x 3' High

PIPE THREADER

- RIDGID 1/8" - 2" PIPETHREADER, Mdl. 1822-1

TOOL CRIB

- POWER HAND TOOLS, ZING LASER ENGRAVER, TOOL CHESTS, CLAMPS
- HUGE QUANTITY OF WELD WIRE



PrestonEastin SubArc Welding Manipulator




Miller Invision 450 MPA Welding Package



Miller 456MP Welder



Lincoln Electric 375 Welder



Sunbeam Oven, Max Temp 1800° F



Ridgid 1/8" - 2" Pipe Threader



Tool Chests & Hand Tools



Zing Laser Engraver



Huge Quantity of Weld Wire

TESTING EQUIPMENT

X-RAY SYSTEM

- 2015 ICM SITEX C3205 PANORAMIC PORTABLE X-RAY GENERATOR, Output Voltage: 90 to 320 kV, Tube Current Range: 1 to 5 mA, Steel Penetration: 65mm, Shoots Directionally & Panoramically, w/iCM Site-X SCU286 Control Unit

INSPECTION

- HEIGHT GAGES, MICROMETERS, CALIPERS, PIN GAGES, INSPECTION GAUGES, INDICATORS, GRANITE SURFACE PLATES AND MORE

TEST STAND

- HYDRO PRESSTEST STAND, 10-Ton 6" Cylinder, Hydraulic Pump, 2800 Gallon Water Tank, Aquafine Reverse Osmosis Filtration System w/ Model CSL-4R UV Sterilizer (66 GPM)



2008

Omega T421 Cut-Off Chop Saw



SHIPPING & RECEIVING

- 2008 OMGA T421 CUT-OFF CHOP SAW, (Air Operated)
- HOLZER PANEL SAW
- WILTON VERTICAL BAND SAW
- RADIAL ARM SAW • CANTILEVER RACKING

2015

iCM SiteX C3205 Panoramic Portable X-Ray



Holzer Panel Saw

ROLLING STOCK

FORKLIFTS / SCISSOR LIFT

- CLARK 14,165 LB. CAP. PROPANE FORKLIFT, Mdl. C500Y-155LP
- TOYOTA 9,150 LB. CAP. PROPANE FORKLIFT, Mdl. 7FGCU45
- TOYOTA 5,100 LB. CAP. PROPANE FORKLIFT, Mdl. 7FGCU30
- TOYOTA 4,960 LB. CAP. ELECT. FORKLIFT, Mdl. 5FBCU25
- RAYMOND 4,500 LB. CAP. ELECT. STAND UP ORDER PICKER
- TOYOTA 3,750 LB. CAP. PROPANE FORKLIFT, Mdl. 42-6FGU25
- 2000 MEC 1,000 LB. CAP. SCISSOR LIFT, 26' Max Platform Height, Mdl. 2647ES

TRUCKS / VEHICLES

- 2011 FORD TRANSIT CONNECT, Odometer Read: 63,835 Miles
- 2004 FORD F-150 XL V8 PICKUP TRUCK
- 2001 FORD F-450 V10 STAKE BED TRUCK



Toyota 9,150 Lb. Cap Propane Forklift



Hydro Press Test Stand



Clark 14,165 Lb. Propane Forklift



Toyota 5,100 Lb. Cap Propane Forklift



MEC 1,000 Lb. Cap. Scissor Lift



Ford Transit Connect

2011

PLANT SUPPORT EQUIPMENT

AIR COMPRESSORS

- INGERSOLL RAND 100 HP AIR COMPRESSOR, Mdl. SSR-EP100 w/Polar Air Dryer & Air Receiving Tank
- INGERSOLL RAND 100 HP AIR COMPRESSOR, Mdl. SSR-EP100 w/Zeks Air Dryer & Air Receiving Tank

INDUSTRIAL AIR CLEANERS & FUME EXTRACTORS

- (7) FILTER 1 FLOWTRON SERIES INDUSTRIAL AIR CLEANERS, Self-Cleaning Cartridge, Backward-Inclined Airfoil Blower: 1800 RPM, 22.5 Dia., 5000 CFM, Collection System at Base
- (13) DIVERSITECH TRACKER ARM FUME EXTRACTORS



Ingersoll Rand 100 HP Air Compressor, w/Air Dryer & Air Receiving Tank

1 of 2



Filter 1 Flowtron Air Cleaner

1 of 7

\$1 MILLION DOLLARS IN RAW MATERIAL AND INVENTORY

- Angle, Coil, Flat Bar, Pipe & Tubing, Plate, Rods & Square Bar Material
- Wire Mesh Rope, Braided Hoses, Insulation, Hardware, Valves & Pipe Fittings

COIL MATERIAL



SA240-T304 .015 X 24 COIL	181 LBS.
SA240-T304 .015 X 36 COIL	145 LBS.
SA240-T304 .024 X 48 COIL	904 LBS.
SA240-T304 .036 X 36 COIL	1,460 LBS.
SA240-T304 .036 X 48 COIL	2,092 LBS.
SA240-T316 .024 X 48 COIL	315 LBS.
SA240-T316 .036 X 48 COIL	787 LBS.
SA240-T316/316L .048 X 48 COIL	1,768 LBS.
SA240-T321 .010 X 24 COIL	672 LBS.
SA240-T321 .015 X 48 COIL	408 LBS.
SA240-T321 .025 X 48 COIL	1,585 LBS.
SA240-T321 .036 X 48 COIL	1,305 LBS.
SA240-T321 .048 X 48 COIL	407 LBS.
SA240-T321H .060" X 48" X COIL	774 LBS.
SB443-INCO 625 .030 X 48 COIL	856 LBS.
SB443-INCO 625 .036 X 48 COIL	130 LBS.
SB443-INCO 625 LCF .050 X 36 COIL	18 LBS.
SB443-INCO 625 LCF .050 X 48 COIL	5,049 LBS.
SB443-INCO 625 LCF .062 X 48 COIL	2,879 LBS.
SB409-800H .030" X 48" COIL	2,030 LBS.
SB409-800H .062 X 48 COIL	14,259 LBS.
254 SMO .020THK X COIL	6,666 LBS.
INCO 718/B670 .010 X 24 COIL	133 LBS.
SA240-T304 .012 X 24 COIL	70 LBS.
SA240-T304 .018 X 36 COIL	1,292 LBS.
SA240-T304L 0.018X48 COIL	607 LBS.
SA240-T304 .048 X 36 COIL	1,811 LBS.
SA240-T304H .048 X 48 COIL MIN .04% CARBON	302 LBS.
SA240-T316 .010 X 24 COIL	26 LBS.
SA240-T321 .012 X 24 COIL	53 LBS.
SA240-T321 .025 X 9.5 COIL	427 LBS.
SA240-T321H .062" X 49" X COIL TRUE "H" GRADE	5,735 LBS.
SB168-INCO 600 .010 X 24 COIL	64 LBS.
SB409-800H .012 X 12 COIL	46 LBS.
SB275-C276 .014 X 24.625 COIL	24 LBS.

PLATE MATERIAL



SA240-T304 .120 X 48 X 120	237 LBS.
SA240-T304 .018 X 48 X 120	120 LBS.
SA240-T304/304L .048 X 48 X 120 DUAL	80 LBS.
SA240-T304L .060 X 48 X 120	100 LBS.
SA240-T304/304L .075 X 48 X 95 DUAL	200 LBS.
SB443-INCO 625 LCF .040 36" X 120"	1965.2 LBS.
SB688-AL6XN .024THK X 48 X 120	5 LBS.
SB625 904L UNS N08904 0.039 SHEET & REMS	246 LBS.
SB625 904L UNS N08904 0.059 SHEET & REMS	65 LBS.
SB688-AL6XN .075THK X 48 X 120	48 LBS.
SB424-INCO 825 .048 X 48 X 120	255 LBS.
SA240-T310/310S .024" THK X 48 X 120	42 LBS.
SA240-T347 .018 X 48 X 120	180 LBS.
SA240-T347H 0.036" X 48 X 120	67 LBS.
SA240-T347H 0.048 X 48 X 120	82 LBS.
DUPLEX 2205 .036" +/- .002 X 48" X 120"	116 LBS.
DUPLEX 2205 .062 48" X 120"	98 LBS.
SA240-T316L .018 X 48 X 120	35 LBS.
SA240-T316 .048 X 48 X 120	80 LBS.
SA240-T316/316L DUAL .060 X 48 X 120	101 LBS.
SA240-T316/316L DUAL .075 X 48 X 120	504 LBS.
SB168-601 N06601 0.062THK X 48 X 120	86 LBS.
SA240-T321 .030 X 48 X 120	884 LBS.
SA240-T321 .036 X 48 X 120	422 LBS.
SA240-T409 .120 X 36 X 96	300 LBS.
SB168-INCO 617 .024 X 48 X 120	137 LBS.
SB168-INCO 600 .025 X 36 X 120	137 LBS.
SB443-INCO 625 .018 X 36 X 120	106 LBS.
SB443-INCO 625 .024 X 36 X 120	34 LBS.
SB443-INCO 625 .024 X 48 X 120	29 LBS.
SB443-INCO 625 .062 X 48 X 120	1 LB.
SB443-INCO 625 .090 X 36 X 120	487 LBS.
SB409 INCO 800 .030 X 48 X 120	104 LBS.
SB409 INCO 800H .060 X 48 X 120	205 LBS.
SB409 INCO 800 .075 X 48 X 120	137 LBS.



Surplus to the Ongoing Operations of: **ALT'S TOOL & MACHINE**

ALL ITEMS LOCATED AT: 10926 Woodside Avenue North, Santee, CA 92071

PREVIEW: Wednesday, December 6th, 9:00am to 4:00pm or By Appointment

**ALL ITEMS TO BE SOLD AT THE END OF
EAGLEBURGMANN AUCTION ON DECEMBER 7TH
AT EAGLEBURGMANN PREMISES**

**2004 SALVAGNINI S4.30/P4-2516 PUNCH, SHEAR AND PANEL FORMING LINE
WITH VERTICAL TOWER MATERIAL STORAGE SYSTEM**



S4.30 SPECIFICATIONS

• **STRUCTURE:** "C" Shaped • **WEIGHT:** 21000 kg • **DIMENSIONS:** 7635mm x 5436mm - 300.59" x 214.01" • **VOLUME OF THE OIL TANK:** 250L • **MAXIMUM SHEET DIMENSIONS:** 3048mm x 180mm - 120" x 71" • **MINIMUM SHEET DIMENSIONS:** 370mm x 300mm - 14.56" x 11.81"

PUNCHING: MAXIMUM MATERIAL THICKNESS:
Aluminium: (UTS 200 N/mm2): 0.176 mm; Steel: (UTS 410 N/mm2): 0.137 mm; Stainless Steel: (UTS 680 N/mm2): 0.078 mm •
MINIMUM MATERIAL THICKNESS: 0.19 mm

SHEARING: LENGTH OF SHEAR BLADES X, Y: (19.68) 500mm, 500mm • MAXIMUM MATERIAL THICKNESS:
Aluminium: (UTS 200 N/mm2): 5 mm; Steel: (UTS 410 N/mm2): 3.5 mm; Stainless Steel: (UTS 680 N/mm2): 2 mm • MINIMUM MATERIAL THICKNESS: 0.5 mm

P4-2516 SPECIFICATIONS

• **MAX. LENGTH OF INCOMING SHEET:** 2795mm-110.04" • **MAX. WIDTH OF INCOMING SHEET:** 1500mm-59.1" • **MAXIMUM DIAGONAL ROTATED (53" X 96"):** 2800mm-110.23" • **MAX. BEND LENGTH:** 2500-98.4" • **MAX. BEND HEIGHT:** 165mm-6.49" • **MIN. THICKNESS:** 0.5mm-0.02" • **MAXIMUM THICKNESS AND BAND ANGLE;** Steel: (410 N/mm2): 2.5mm-0.09" (±90°) 2.0mm-0.08" (±135°); Stainless Steel: (580 N/mm2): 2.0mm-0.08" (±90°) 1.5mm-0.05" (±125°); Aluminium: (265 N/mm2): 3.0mm-0.11" (±90°) 2.0mm-0.08 (±135°)

CNC WATERJETS

- 2004 OMAX 80160 BRIDGETYPE CNC WATERJET, X=160",Y=80", For Larger Parts or Multiple Parts from Large Stock up to 6' x 12', 30 HP, Omax Control, w/Omax Pump Unit (Does Not Run – Needs Work on Controller & Head)
- OMAX 2652 CNC WATERJET, X=52",Y=26", w/Omax P2040V Pump Unit

CNC TURNING CENTERS

- MAZAK QUICKTURN 8 CNC TURNING CENTER, Mazatrol CAMT-2 Control, Chip Conveyor
- 1996 MITSUBISHI M-TC10B CNC TURNING CENTER, 12-Station Turret, 10" 3-Jaw Chuck, Mayfran Chip Conveyor, Mitsubishi CNC Control

VERTICAL MACHINING CENTER

- 1988 FADAL VMC6030 VERT. MACHINING CENTER, Mdl 907-1, Fadal CNC 88 Control

HORIZONTAL MACHINING CENTERS

- 1996 MAZAK MAZATECH FH-580/40 4-AXIS HORIZ. MACHINING CENTER, X=28",Y=24", Z=26", 12000 RPM, 2 Pallets, Chip Conveyor, Mazatrol M Plus Control
- 1998 MITSUBISHI M-H4B 4-AXIS HORIZ. MACHINING CENTER, 2 Pallet, Mitsubishi Control

PRESS

- 400-TON MINSTER 90-400 PRESS, 5" Slide Stroke, 1/2" Slide Adj., Bed = 30" Wide x 31-1/4" F to B

WIRE EDM

- 1993 MITSUBISHI HA-90 WIRE EDM

PRESS BRAKE

- 1984 AMADA 35-TON X 4' PRESS BRAKE, Mdl. RG-35S, NC-9EX Control

FORKLIFTS

- TOYOTA 3,000 LB. FORKLIFT, Mdl. 2FG14, Propane
- HYSTER 2,850 LB FORKLIFT, Mdl. 525A, Propane

SUPPORT EQUIPMENT

- STRIPPETT SUPER 30/30 SINGLE STATION PUNCH PRESS
- AMADA IBT610 POLISHER • ROCKWELL DRILL PRESS
- HOBART MIG 200 WELDER • MIG MASTER 2500 WELDER



Omax 80160 Bridge Type CNC Waterjet



Mazak Quick Turn 8 CNC Turning Center



400-Ton Minster 90-400 Press

Live On-Site & Webcast

AUCTION

Thu., Dec. 7th at 10:00am (PST)
10038 Marathon Pkwy, Lakeside, CA

EagleBurgmann®

**COMPLETE 65,000 S.F.
WORLD-CLASS METAL
BELLOWS EXPANSION
JOINT MFG. FACILITY**



5,908 Hours

Bertsch Hyd. 4-Roll Plate Bending Roll



Bellows Forming Machine



Bellows Re-Rolling Machines



Jetline 96" Seam Welder

BIDITUP

BIDITUP AUCTIONS WORLDWIDE
AN INDUSTRIAL ASSETS COMPANY

11426 Ventura Boulevard
Studio City, California 91604
Phone: 818.508.7034
Fax: 818.508.3025
info@biditup.com

Steve Mattes, Auctioneer
CA Bond #0491804



SCAN QR CODE
TO SEE ALL INFORMATION
ABOUT THIS AUCTION!

MACHINERY AUCTION, LOOK INSIDE!

**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**



ON-SITE & WEBCAST AUCTION

AUCTION: Thursday, December 7th, Beginning at 10:00am (PST)
LOCATION: 10038 Marathon Parkway, Lakeside, CA 92040
PREVIEW: Wed., Dec. 6th, 9:00am to 4:00pm or By Appointment

EagleBurgmann®

COMPLETE 65,000 SQ.FT. METAL BELLOWS EXPANSION JOINT MFG. FACILITY

Extremely Well Maintained, ISO 9001:2008, All Equipment UL Certified

LODGING

BEST WESTERN – (619) 449-2626
10726 Woodside Ave, Santee, CA 92071

COURTYARD MARRIOTT – (619) 449-2626
10726 Woodside Ave, Santee, CA 92071

DIRECTIONS

SAN DIEGO INTERNATIONAL AIRPORT (SAN): Head northwest on Airport Terminal Rd. Merge onto N Harbor Dr. Turn left onto W Grape St. Take the Interstate 5 S ramp. Merge onto I-5 S. Merge onto CA-94 E. Merge onto CA-125 N. Merge onto I-8 E. Continue on CA-67 N/State 67 N. Exit Riverford Rd. Turn left onto Woodside Ave. Turn left onto Riverford Rd. Turn left onto Mast Blvd. Turn left onto Marathon Pkwy. Watch for Auction Signs.

ONSITE BIDDER INSTRUCTIONS: \$500 cash minimum registration deposit or 25% of approximately bid amount (whichever is greater) via wire transfer ACH, cashier's check or bank letter to -Blank Signed Company Check (To be returned once final payment is received). Please refer to www.biditup.com for complete registration information.

ONLINE BIDDER INSTRUCTIONS: All internet bidders must register for this auction at least 72-hours prior to the sale date, if you do not you will not be approved. All internet bidders must provide a wire transfer deposit of approximately 25% of your planned spending amount or \$2,500 minimum, whichever is greater in order to be approved to bid. Those who do not post the deposit will not be approved. Period. Please refer to www.biditup.com for online bidder terms.

UPCOMING AUCTION CALENDAR



PACIFIC COAST FLANGE – CNC Machining & Fabrication Facility
Wednesday, November 29th at 10:00am PST • 45 Stokes Drive, Mound House, NV 89706

ONSITE & WEBCAST



HURLEY COMPANIES – 54" Rotary Pulp Moulding Line, Corrugated Box & Sheet Equipment
Tuesday, December 5th at 10:00am CST • 2902 E Municipal Drive, Lubbock, TX 79403

GLOBAL WEBCAST



MANUGRAPH AMERICAS, INC. – A High-End Printing Press Manufacturer
Thursday, December 7th at 10:00am EST • 158 Dam Hill Road, Millersburg, PA 17061

ONSITE & WEBCAST

FOR THE COMPLETE TERMS & CONDITIONS OF THE FEATURED AUCTION
Please visit our website www.BIDITUP.com

Thinking of having an auction or need an appraisal?
Call us at 818.508.7034