

# Biditup Auctions Worldwide, Inc./Maynards Industries



Precision Custom Molders Inc, Injection molding machines, CNC machining centers, Granulators, Hoppers, Dryers & More

1802 Holian Drive  
Spring Grove  
Illinois  
60081  
United States

By Order of the US Bankruptcy Court, Case No. 17-82362 - (3) CINCINNATI MILACRON INJECTION MOLDING MACHINES (7) REED INJECTION MOLDING, CNC CENTERS  
Starts Mar 06, 2018 10am CST

Lot	Description
1	Tools (2) Machine Vises (1) 3-1/2" & (1) 4"
2	Tools Assorted C-Clamps to Include: Approx. (3) 8" C- Clamps, (3) 4" C-Clamps, (1) 5" C-Clamp, (12) 4" C-Clamps, (7) 3" C-Clamps, (3) 2-1/2" C-Clamps, & (18) 1" C-Clamps
3	Ridgid (9) Assorted Pipe Wrenches & (1) 12 Lb. Sledge Hammer
4	Craftsman 15-Drawer Portable Tool Box
5	Craftsman 9-Drawer Portable Tool Box
6	Craftsman Assorted Wrenches Various Sizes
7	Craftsman Assorted Gear Wrenches & Sockets Various Sizes
8	Assorted Hand Tools to Include: Pliers, Wire Cutters, Hammers, Screwdrivers, Hand Saws, & Hex Keys
9	Ace Tap & Die Set
10	(6) Metal Working Tools to Include (1) Ridgid Heavy Duty 3-Wheel Pipe Cutter, (1) Kelley Kutter 3-Wheel Pipe Cutter, (2) Desmond Wheel Dressers, (1) Roper Whitney Hand Punch, & (1) Arrow Rivet Hand Tool
11	(4) Pipe & Tube Benders to Include (2) Ridgid 3/4" to 1/2" Pipe Benders, (1) Ridgid 3/8" to 15/16" Tube Bender, & (1) Aluminum Tube Bender
12	Manual Pipe Threader Set Sizes Range From, 3/8" to 2"
13	(5) Pneumatic Tools to Include (1) Dayton Pneumatic Hammer, (1) Black & Decker Engraver, (1) Chicago Pneumatic Socket Wrench, (1) Sander,& (1) Pneumatic Impact Wrench
14	(4) Electric Power Tools to Include (1) Kett Model K-D440 Power Shear, S/N 38364, (1.8mm) C.R Mild Steel, (1.4mm) Stainless Steel, 120 V, 60 Hz, 5.0 A, (1) Chamberlain Model Polishmaster 1900 Buffer, (1) Makita Model 6302H 1/2" Drill, S/N 103822A, 120 V, 60 Hz, 6.5 A, & (1) Wagner Spray Tech Heat gu ...[more]

- 
- 15 (2) Electric Power Tools to Include (1) Milwaukee Sawzall Reciprocating Saw, (1.1/4") Blade Travel, Dual Speed Control, 120 V, 60 Hz, 8.0 A, & (1) Masterforce 4-1/2" Angle Grinder, Arbor Size 5/8", 120 V, 60 Hz, 7.5 A.
- 
- 16 Craftsman 315.108251 7-1/4" Circular Saw 5000 RPM, 2-1/4 HP, 110 /120 V, 12 A.
- 
- 17 Milwaukee Heavy Duty Screw Shooter 0-2500 RPM, 120 V, 60 Hz, 5.0 A
- 
- 18 Lifting Equipment to Include (1) Powerlift 1600 Lb. Capacity Lifting Magnet, (1) Powerlift 800 Lb. Capacity Lifting Magnet, (2) 10' Lifting Chains, Ratchet Straps, (2) Gear Pullers, Swiveling I-Bolts, Hastings Telescoping Heat Rod, & Stud Mount leveling Pads.
- 
- 19 U-Line Banding Cart
- 
- 20 Western Beam Scale 100 Lb. Capacity
- 
- 21 (3) Scales to Include (1) Homs Model 305ADP Beam Scale, 305 Lb. Capacity, (1) Ohaus Model I5S Digital Scale, S/N JA20794, & (1) Rubbermaid Digital Scale, 150 Lb. Capacity
- 
- 22 (3) 2-Wheel Dollies
- 
- 23 Zenith Pallet Jack 5500 Lb. Capacity, with (4) Steel Utility Carts
- 
- 24 Harper Torch Cart With Torch Hose, Regulators, & Torch
- 
- 25 Parker 10MF-405A-10C-1X853006 Hydraulic Oil Filter Cart with 3/4 HP Dayton Pump Motor
- 
- 26 Abell Howe LHH-2B Jib Crane 1440 Lb. Capacity, with (1) Duff Lynx Model LHH-2B 2 Ton Manual Chain Hoist & Scissor Material Clamps, (Dismantled)
- 
- 27 Caldwell FB-80 12' Forklift Boom Attachment with (1) 2 Ton Lifting Beam & (1) 1 Ton Lifting Swivel Hook
- 
- 28 GHI WT Man basket Forklift Attachment 48" x 36" x 36", 100 Lb. Capacity
- 
- 29 Drum Mixer
- 
- 30 Syergy Stretch Wrap Machine w/ Foot Control
- 
- 31 Northern Industrial Cement Mixer 4.1 CU.FT. Capacity, 1/2 HP, 120 Vac, 60 Hz, (Loc. Second Floor)
- 
- 32 SE-CUR-ALL A130 Flammable Liquid Storage Cabinet 30 Gallon Capacity
- 
- 33 Eagle 1947 Flammable Liquid Storage Cabinet 45 Gallon Capacity
- 
- 34 Meco UR6 Stacking U-Rack (6) Pieces, with Contents of Aluminum Piping. (Loc. Second Floor)
- 
- 35 Norton (2) Poly Mixing Bins w/ Cart & AMT Motors 3470 RPM, 115/208/230 V, 60 Hz, 1 Ph.

36	Norton (2) Poly Mixing Bins w/ Cart & AMT Motors 3470 RPM, 115/208/230 V, 60 Hz, 1 Ph.
37	Graymills DM132 Part Washer 4 Gallon Capacity
38	(2) Drum Containment Units
39	Starrett 728191 Granite Surface Plate with (2) Mitutoyo Gauges, & Little Giant Steel Frame
40	Meyer (2) Pin Gauge Sets (1) Model M-1 & (1) M-2
41	Fowler Optical Comparator 10X Screen, T-Slot Stage 6" Horizontal Travel & 2-1/2" Vertical Travel, AGD Group 2,0-1"/25mm Electronic Digital Indicators with .0005"/.01mm Resolution, 110V, 1 Ph.
42	Fowler Inspection Equipment to Include (1) Fowler Electronic Digital Caliper, (1) Durometer Hardness Tester, (2) Vernier Height Gages, (1) Angle Plate, (1) G-5 Radius Dresser, & Mitutoyo Outside Micrometers
43	Kennedy (2) 5-Drawer Wood Top Work Benches with (1) 2-Door Storage Cabinet.
44	Lincoln AC-225 Stick Welder Output: 225 Amp AC, 3/16in. (4.8mm) Diameter General Purpose Mild Steel Welding Capacity, Input: 230V, 60 hz, 1 Ph., with Dayton Heavy Duty Heater
45	Professional 920P 20 Ton Hydraulic H-Frame Press
46	Craft-master (13) Assorted A-Frame Ladders
47	Assorted Drill Tooling to Include Transfer Punch Set, Drill Doctor Drill Bit Sharpener, & (3) Taper Drill Chucks.
48	9" 4-Jaw Chuck
49	10" Rotary Table
50	Lathe Tooling to Include (1) 5C Collet Spin Indexer & (2) Lathe Steady Rest.
51	Dumore 8584210 Tool Post Grinder .75 HP, 16000 RPM, 120 V, 8.2 A, 1 Ph.
52	Chevalier-II FSG-618 7" Surface Grinder 7" x 1/2" Wheel, 1-1/4" Wheel Bore, 18-3/4" Max. Grinding Length, 8-1/8" Max. Grinding Width, with 6"x18"x3" Magnetic Chuck & Vise.
53	ELOX EDM Sinker Ram Travel: X =17.500,Y=11.750,Z=11.400, 32" x 16" T-Slotted Table, 4,000 Lb. Table Capacity, 48" x 27" x 15" (85 Gallon) Tank Size, 200-550 V, with Elox EDM Control Panel, 3 Ph, 60 Cyc, 230 V, 12 KVA
54	Enco Vertical Milling Machine 9"x42" T- Slotted Table, No. 6 Taper, with 6" Machine Vise
55	Kitamura MyCenter-4 CNC Vertical Machining Center 4000 RPM Spindle Speed, X-Axis: 36.2", Y-Axis: 20.1", Z-Axis: 22.5", 20" x 48" Table, 30 Position Automatic Tool Changer S/N 30378

56	South Bend Gear Lathe 14-1/2" Between Centers, 16" Swing, 7.5" 3-Jaw Chuck
57	Enco 105-1117 Milling & Drilling Machine S/N 9120025
58	79312889307 Drill Press 12-Speed, 7' x 4" Table, 5" Taper.
59	Clausing 2217 Drill Press 10" x 8" Table. S/N 1253
60	Enco 126-2240 Drill Press 1 HP, 12-Speed, 7"x 4" Table, (16mm) Taper, 115/280 V, 60 Hz, 1 Ph.
61	Delta Drill Press 20"x 16" Table, 3.3" Taper, 120V AC, 6 A, 1 Ph. S/N 119-2024
62	Black&Decker 9235 8" Double-End Pedestal Grinder 3/4" HP, 3600 RPM, 5/8" Arbor, 120 V, 4.2 A, 1 Ph.
63	Roll-A-Matic Vertical Band Saw 1.5 HP, 115V/230V, 1 Ph. S/N 128374
64	Target Concrete Saw Gas Powered
65	United Silicone US-70 Stamping Machine 12" x 24"Head Size, 280 V, 60 Hz, 30A, 6000 Watts, 1 Ph. S/N 70A310794
66	Plastic Process FIC-18 Incline Belt Conveyor 16"W Belt, 22' x 28", 120 V, 60 Hz, 1Ph.
67	Belt Conveyor 24"W Belt, 117" x 24", with Dart Controls, 13 A, 125 V
68	Plastic Process FIC-18 Incline Belt Conveyor 16"W Belt, 22' x 28", 120 V, 60 Hz, 1Ph.
69	Plastic Process FIC-18 Incline Belt Conveyor 16"W Belt, 22' x 28", 120 V, 60 Hz, 1Ph.
70	Plastic Process FIC-18 Incline Belt Conveyor 16"W Belt, 22' x 28", 120 V, 60 Hz, 1Ph.
71	PC-246 (2) Belt Conveyors 24"W Belt, 120 V, 60 Hz, 1Ph. S/N PC2460VB63790616
72	Direct-Line DKV-18-4-5 (2) Belt Conveyors 17"W Belt, 115V, 1.0 A, with Multi-Drive DC Motor Speed Control. S/N DK-1694
73	(2) Conveyors (1) Model 253G-200E, 17"W Belt, 117" x 24" with Dart Controls, 13 A, 125 V, & (1) Vertical Conveyor, 30"W Belt
74	EMI Plastic Equipment Conveyor (1) 17"W Belt, with KBMD DC Motor Speed Control, 115/230 VAC, 50/60 Hz.
75	Curtis CV89A123S2N 15 HP Air Compressor 120 Gallon Tank
76	A1 Air Compressor 68" x 28" Tank S/N 11L93018AP
77	Heat Buster Industrial Shop Fan (Ceiling Mounted) S/N DCR/0241

78	Lakewood HV-24-P/B (2) Pedestal Shop Fans (1) Lakewood Industrial Commercial Shop Fan, 120 V, 60 Hz, 3.0A, (1) Mach-30 Patton Industrial Air Circulator Shop Fan, 120 V, 60 Hz, 350 Watts, 3.0A.
79	Patton Shop Fans with Steel Fume.
80	TPI Industrial NSC243 (2) Pedestal Shop Fans 1/4 Hp, 60 Hz, 1 Ph, 115 V.
81	TPI Industrial NSC243 (2) Pedestal Shop Fans 1/4 Hp, 60 Hz, 1 Ph, 115 V.
82	Patton P-205 (2) Pedestal Shop Fans 120 V, 60 Hz, 2.7 A.
83	Patton P-205 (2) Pedestal Shop Fans (1) Patton Industrial Heavy Duty Air Circulator Shop Fan, 120 V, 60 Hz, 2.7 A, (1) TPI Industrial Shop Fans, 1/4 Hp, 60 Hz, 1 Ph, 115 V.
84	Z-Breeze 48R 48" Drum Fan 1.5 Hp, 120 V, 1 Ph. S/N 186084
85	Squirrel Cage Fan with Dayton Motor. (Loc. Second Floor)
86	Abell-Howe Column Mounted 1 Ton Jib Crane with 1 Ton Dayton Hoist Trolley, Yale 1/2 Ton Electric Chain Hoist & 2-Button Pendant
87	NEW HOLLAND L-425 Skid Steer 1000 Lb. Capacity, 54" Bucket Attachment, 9.7 Cu.Ft. Bucket Capacity, 30 HP 4-Cylinder Gas Engine
88	HYSTER S30XL LP Forklift 3000 Lb. Capacity, 42" Forks, 3-Stage Mast, Hard Tires S/N 8010B05423J
89	HYSTER LP Forklift 10,000 Lb. Capacity, 67" Forks, 2-Stage Mast, 745 Running Hours, 17200 Lb. Approx. Forklift Weight S/N 0004D01841W
90	UNA-DYN DCR Regenerating Unit 230 V, 1.54 A, 60 Hz, 3 Ph. S/N DCR735A
91	UNA-DYN DCR-90 Desiccant Cart Regenerator 230 V, 14 A, 60 Hz, 3 Ph. With Top Mounted MagicHeat Heat Reclaimer S/N DCR-90608-R95
92	UNA-DYN DCR Regenerating Unit 230 V, 1.54 A, 60 Hz, 3 Ph. S/N DCR-78389
93	Cumberland 2120-SP Granulator Size 12 Gran. 3 Knives, with 20 HP, Pace Motor, 1750 RPM, 230/460 V, 60 Hz, 3 Ph.
94	IMS 2120-SP Granulator 7.5 HP, 11 A, 460 V, 50/60 Hz, 3 Ph. S/N 251200289
95	IMS 2120-SP Granulator 7.5 HP, 11 A, 460 V, 50/60 Hz, 3 Ph. S/N 251200283
96	IMS 2120-SP Granulator 7.5 HP, 11 A, 460 V, 50/60 Hz, 3 Ph. S/N 251200214
97	IMS 2120-SP Granulator 7.5 HP, 11 A, 460 V, 50/60 Hz, 3 Ph. S/N 251200213
98	IMS 2120-SP Granulator 7.5 HP, 11 A, 460 V, 50/60 Hz, 3 Ph. S/N 251200113

99	IMS 2120-SP Granulator 7.5 HP, 11 A, 460 V, 50/60 Hz, 3 Ph.
100	IMS 2120-SP Granulator 7.5 HP, 11 A, 460 V, 50/60 Hz, 3 Ph. S/N 251200297
101	IMS 2120-SP Granulator 7.5 HP, 11 A, 460 V, 50/60 Hz, 3 Ph.
102	Polymer 912 SP CR-Grinder 7.5 HP, 10.5 A, 230/460 V, 60 Cyc, 3 Ph.
103	UNA-DYN ED Dehumidifying Drying Hopper 230 V, 60 Cyc, 3 Ph, 18.0 A, 7.5 Connected Load. S/N ED-831812
104	Cincinnati Milacron 1000 Ton Injection Molding Machine 400 Oz. Shot Size, ACV Controller, 460V, 60 Hz, 3Ph. (No Data Plate)
105	Sterlco-Tronic SX9412-A Temperature Controller 9,000 Watts Per Hour, 230 V, 25 Amp, 60 Hz, 3 Ph.
106	Mould-Tek Vacuum Hopper 120V, (Mounted to Lot 104)
107	HPM Mark-1 700 Ton Injection Molding Machine 460 V, 60 Hz, 3 Ph. (No Data Plate) S/N 76311
108	UNA-DYN CD Dehumidifying Drying Hopper 230 V, 60 Cyc, 18 A, 3 Ph, (Mounted To Lot 107) S/N CD6976
109	Plastic Equipment Vacuum Hopper 120V, 50/60 Hz. (Mounted to Lot 107)
110	Abell-Howe Jib Crane 1,440 Lb. Capacity, with CM 622 Series 2 Ton Manual Chain Hoist, & 1 Ton Trolley (Mounted to Lot 107)
111	Reed 550TG 550 Ton Injection Molding Machine (No Data Plate) S/N G900203
112	Thoreson- McCosh D150T Temperature Control Thoreson- McCosh, Temperature Control, 230 V, 3 Ph, 60 Hz, 15.4 Kw, 41.3 A, 1Hp,
113	UNA-DYN Vacuum Hopper 230 V, 11.52 A ,60 Cyc, 1 Ph.
114	Abell-Howe Hoist 1,440 Lb. Capacity, with 1-1/2 Ton Cyclone Manual Chain Hoist, (Mounted to Lot 111)
115	Cincinnati Milacron Vista 300-34 300 Ton Injection Molding Machine 34 Oz. Shot Size, Toggle Style Clamp, 7.9" Minimum Mold Thickness, 25.2" Maximum Mold Thickness, 25.20" x 24.60" Distance Between Tie Bars, 36.80" x 36.20" Platen Size, 48" Maximum Daylight, 460, 60 Hz, 3 Ph. (No Data Plate) S/N 4033 ...[more]
116	2016 Sterling M2B2012-C Temperature Controller 230 V S/N 46E1008
117	UNA-DYN BD Vacuum Hopper 230 V, 60 Hz, 1 Ph. (Mounted Lot 115) S/N BD-77967
118	Reed 300TE 300 Ton Injection Molding Machine 510 Gram Shot Size, Screw Style Clamp, 60HP,53.3 Cm x 53.3 Cm Distance Between Tie Bars, (No Data Plate) S/N P991090
119	UNA-DYN BD Vacuum Hopper 230 V, 60 Hz, 1 Ph. (Mounted To Machine)

120	Abell-Howe Hoist 1/4 Ton Capacity, with CM 1 Ton Trolley, 1.2 Ton Hitachi Chain Hoist & 2-Button Pendant. (Mounted to Lot 118)
121	Reed 200 TG Injection Molding Machine 10.5 OZ (298 GRAMS) Shot Size, 19.625" x 19.625" (499 MM x 499 MM) TBS, 29.5" x 29.5" (750 MM x 750 MM) Platens (No Data Plate)
122	Sterlco-Tronic S8412-A Temperature Controller 230 V, 60 Hz, 3 Ph. S/N 51348
123	EMI 171-D4C10E "Hot Runner" 4-Module Temperature Controller 208-240 V S/N 15117
124	UNA-DYN BD Vacuum Hopper 230 V, 11.52 A, 60 Cyc, 1 Ph, (Mounted to Lot 121) S/N BD-921853
125	Sailor RSP-1 3-Axis Pick & Place Robot 24 V (Mounted To Machine) S/N 2009
126	Reed 250 TG 250 Ton Injection Molding Machine 35 Oz. Shot Size, 22" x 22" Between Tie Bars, 33" x 33" Platen Size, 5" Ejector Stroke, 42.5" Maximum Daylight, (No Data Plate) S/N G 500177
127	Sterling M2B2012-C Temperature Controller 230 V, 60 Hz S/N 36M0742
128	UNA-DYN BD Vacuum Hopper 230 V, 60 Hz, 12A, 1 Ph. (Mounted to Lot 129) S/N BD-911848
129	Reed 200 TG 200 Ton Injection Molding Machine 10.5 OZ (298 GRAMS) Shot Size, 19.625" x 19.625" (499 MM x 499 MM) TBS, 29.5" x 29.5" (750 MM x 750 MM) Platens (No Data Plate) S/N G 5000413
130	UNA-DYN CD Dehumidifying Drying Hopper 230 V, 60 Hz, 13 A, 3 Ph.
131	UNA-DYN BD Vacuum Hopper 230 V, 60 Hz, 13 A, 3 Ph. (Mounted to Lot 129) S/N BD-911849
132	2002 Sailor RSP-1 3-Axis Pick & Place Robot 24 V. (Mounted to Lot 129) S/N 2008
133	1991 Cincinnati Milacron Injection Molding Machine Camac VEL Controller, S/N 4039A61/91-38
134	Mould-Tek Vacuum Hopper 120 V, 50/60 Hz. (Mounted to Lot 129)
135	Airliner ANII-M-550S 3-Axis Pick & Place Robot (Mounted to Lot 129)
136	Reed 550 TG 550 Ton Injection Molding Machine (No Data Plate) S/N G 900053
137	Novatec MDM-50 Dehumidifying Drying Hopper 200 Gallon Capacity, 460 V, 1 Ph, 60 Hz, 11.2 K.V.A. 14.0 A. w/ Vacuum Loader
138	Conair Franklin Vacuum Hopper 120V, 50/60 Hz. (Mounted to Lot 136)
139	Abell-Howe Jib Crane 1440 Lb. Capacity, with CM 622 Series 2 Ton Manual Chain Hoist & 1 Ton Trolley, CM, (Mounted to Lot 136)
140	Reed 300 TG 300 Ton Injection Molding Machine 30 Oz. Shot Size, 50oz Shot Size, 24" x 24" Distance Between Tie Bars, 36" x 36" Platen, 46.5" Maximum Daylight, 5.5" Ejector Stroke, (No Data Plate) S/N P991091

141	Sterling SX9412-A Temperature Controller 150 Psi, 150 Psig, Motor FLA 2.8., 230 V, 60 Hz, Sec Amp.25 S/N 94E5368
142	Conair Franklin Dehumidifying Drying Hopper Conair Franklin, Dyer, 120V, 50/60 Hz. S/N 501517
143	UNA-DYN BD Vacuum Loader 230 V, 60 Hz, 3 Ph, (Mounted to Lot 140) S/N BD75838
144	Abell-Howe Jib Crane 1440 Lb. Capacity, with CM 2 Ton Manual Chain Hoist & 1 Ton Trolley, (Mounted to Lot 140)
145	Sterling M2B-2012C Temperature Controller 150 Psi, Motor FLA 2.8., Sec Amp .25, 60 Hz, 230 V S/N 47A0017
146	EMI Corp MFP93 "Hot Runner" 7-Module Temperature Controller 208-240 V, 5.9 A, 25.2 K.V.A. S/N 19121
147	Plastic Equipment Vacuum Hopper with (1) Gravity Feed Hopper, (Loc. Second Floor)
148	Conair Franklin CM1-001-SA-00000 Vacuum Loader 115 V. (Loc. Second Floor)
149	Conair Dust Beater Vacuum Loader 115 V, 9.5 F.I.A. Amps, 60 Hz, 1 Ph, With Misc. Parts. (Loc. Second Floor) S/N 170564
150	3-Sections of Pallet Racking to Include (4) 8' Uprights & (12) 8' Cross Beams
151	5-Sections of Adjustable Shelving with Contents of Lights Bulbs, Plastic Piping, & Misc. Parts. (Loc. Second Floor)
152	5-Sections of Pallet Racking to Include (8) 8' Uprights & (28) 8' Cross Beams.
153	Canon D340 Printer
154	Hewlett-Packard 3600n Color Laser Jet Printer
155	Quilc (7) Filing Cabinets (3) 3-Drawer Lateral Filing Cabinets & (4) 4-Drawer Filing Cabinets
156	Hewlett-Packard CP1581NI Color Laser Jet Printer
157	Office Furniture to Include (2) L- Shaped Desks (1) Hewlett-Packard Computer with Monitor, & (2) Height Adjustable Office Rolling Chairs.
158	Office Furniture to Include (1) U-Shaped Desk, (1) Round Office Desk, (7) Office Chairs, & (1) Mini Refrigerator.
159	Office Furniture to Include (1) L-Shaped Desk, (1) HP Computer with Monitor, (1) Rolling Height Adjustable Office Chair, & (1) Love Seat with Pull Out Bed
160	Tenneco (4) 2-Door Cabinets with Contents of Assorted Cleaning Supplies.
161	(3) Steel Tables
162	(3) Steel Tables



---

163 (3) Steel Tables

---

164 (3) Steel Tables

---

165 (3) Steel Tables

---

166 EGA MD0513 5-Step Portable Staircase

---

167 Terex Aerials TB50 Boom Lift 6' Platform, 500 Lb. Capacity, 50' Max Platform Height, 43' Max Reach, S/N 99620009

---