

Number	Quantity	Description
1	1	8" Machine Vise
2	1	(2) 2-1/2" Machine Vises
3	1	Stanley Proto 6020AB Torque Wrench 3/4" Drive, 90-600 Ft-Lb. Capacity
4	1	(2) Bolt Cutters
5	1	(4) Benders (1) Gardener 3/4" Pipe Bender, (1) 3/4" Tube Bender, (1) 5/8" Tube Bender, & (1) 1/2" Tube Bender
6	1	Assorted Wrenches to Include Crescent Wrenches, Spanner Wrenches, Metric & SAE Box End Wrenches, Sizes Ranging From 2-3/4" to 11/16"
7	1	Assorted Sockets 3/4" & 1" Drives, Sizes Ranging from 1-1/4" to 2-3/4"
8	1	Assorted Files
9	1	Proto 6-Ton Puller Set
10	1	(2) Pneumatic Impact Wrenches (1) Chicago Pneumatic Model RP9560, 3/4" Drive, & (1) EX-CELL Model ET501, 1/2" Drive
11	1	(3) Pneumatic 1/4" Die Grinders (2) Chicago Pneumatic, Right Angle, & (1) Air Supreme
12	1	(3) Pneumatic Tools (1) Texas Pneumatic Model TX-1-B Chipper, (1) Pneumatic Chipper w/ Needle Scaling Attachment, & (1) Florida Pneumatic File
13	1	Dremel (2) Electric Engravers (1) Model 290 & (1) Model 290-01
14	1	(2) Electric Saws (1) Bosch Model RS325 Reciprocating Saw, 0-2500 SPM, 120V, & (1) Black & Decker Model 3157 Orbital Action Jig Saw, 0-3100 SPM, 120V
15	1	Bosch 611-255-539 Electric Hammer Drill 120V
16	1	Roto Brute RB32 Mag Drill w/ Hitachi Model D13 13mm Drill Motor & (1) Milwaukee Model 4253-1 Drill Motor
17	1	DeWalt (3) Electric VSR Drills (1) Model DW236, 0-850 RPM, 120V, & (1) Model DWD215G, 0-1200 RPM, 120V
18	1	Makita 7" Electric Angle Grinder 120V
19	1	DeWalt (2) 4-1/2" Electric Angle Grinders 120V
20	1	(2) 4-1/2" Electric Angle Grinders (1) DeWalt Model DWE402, 11,000 RPM, 120V, & (1) Hitachi Model G12SR2, 11,000 RPM, 120V
21	1	Sears Roebuck & Co. 319.21128 8" Double-End Bench Grinder 1 HP, 3450 RPM, 120V
22	1	(2) Pumps (1) Zoeller Model M53-D Submergible Pump, 0.3 HP, 115V, & (1) NOP Model FEL-8T Pump Motor, 1740 RPM, 220V, 3.2A, 3-Ph.
23	1	Little Giant Pump Co. 3E-12N (2) Submergible Pumps 115V
24	1	Ridgid WD06701 Shop Vac 6 Gallon, 120V
25	1	Napa 85-1010 12VDC Battery Charger 120V, 8/13/37A, 1 Ph.

26	1	(2) Torch Carts w/ Torch Hoses & Regulators
27	1	(2) Torch Carts w/ Regulators
28	1	(2) 2-Wheel Dollies
29	1	(2) 2-Wheel Dollies
30	1	(2) 2-Wheel Dollies
31	1	(2) 2-Wheel Dollies
32	1	Bron 200 8" Bench Vise w/ Steel Pedestal
33	1	Wilton 5" Torpedo Bench Vise w/ Steel Pedestal
34	1	4" Torpedo Bench Vise w/ Steel Pedestal
35	1	Stanley 557 Double-End Pedestal Grinder 1/2 HP, 3600 RPM, 110V, 1-Ph.
36	1	Dayton 4Z124B 7" Double-End Pedestal Grinder 1/2 HP, 1725 RPM, 115V, 1-Ph.
37	1	Combination Sander 12" Disc, 6" Belt, 1-Ph.
38	1	(2) Vernier Height Gauges (1) 18" Mitutoyo & (1) 26" CSE
39	1	Etalon 70" Vernier Caliper
40	1	Tumico (2) Vernier Calipers (1) 72" & (1) 60"
41	1	(3) Vernier Calipers (2) 36" Tumico & (1) 35", Shop Made
42	1	(2) Vernier Calipers (1) 40" Mitutoyo & (1) 36" Scherr Tumico
43	1	Mitutoyo (2) Vernier Calipers (1) 40" & (1) 24"
44	1	Mitutoyo (2) Vernier Calipers (1) 24" & (1) 12"
45	1	Mitutoyo (4) Dial Calipers (3) 12" & (1) 8" w/ Unque Cal-X-Tender
46	1	(4) Calipers (1) Mitutoyo 8" Digital Caliper, (1) Fowler 12" Dial Caliper, (1) Starrett 12" Dial Caliper, & (1) 12" Dial Caliper
47	1	(4) Depth Gauges (1) Starrett 6" Depth Micrometer, (1) Accupro 9" Depth Micrometer, (1) Mitutoyo 12" Dial Depth Caliper, & (1) Baker 0-5" Dial Depth Gauge
48	1	Starrett (2) Gear Thickness Micrometers (1) Model 456-A & (1) Model 456-B
49	1	Mitutoyo Tubular Inside Micrometer
50	1	Mitutoyo (2) Tubular Inside Micrometers
51	1	(2) Inside Micrometers (1) Starrett Model 832E, 4"-40" & (1) Mitutoyo, 2"-20"
52	1	Newage Industrial Portable Metal Hardness Tester
53	1	Starrett (2) Straight Edges (1) 72" & (1) 36"
54	1	Starrett (2) Precision Levels (1) 15" & (1) Model 98, 6"
55	1	Starrett (8) End Measuring Rods 13" to 23" Size Ranges
56	1	Mitutoyo (3) Dial Bore Gauges 0.2"-4.0"

57	1	(4) Angle Measuring Instruments (1) Racine "Miracle Point" Magnetic Dial Protractor, Marui Keiki Model SP-401 Precision Protractor, & (2) Combination Squares
58	1	Mitutoyo (2) Gauge Block Sets
59	1	M-4 Minus Pin Block Set .626-.750
60	1	(2) Radius Gauge Sets & (3) Thread Wire Gauge Sets
61	1	(8) Steel Stamp Sets
62	1	(8) Steel Stamp Sets
63	1	Martronics Etch-O-Matic Electric Stencil Etching Machine
64	1	Whiteline WK-1 Portable Magnetic Inspection Kit 105-115V, 5.5 Amp, 60 Hz, 46-12VDC, w/ (1) Spectroline Model B-100X Black Light, 110-120V, 2.2A, 60 Hz
65	1	Scherr Tumico 30" to 36" Outside Micrometer
66	1	Scherr Tumico 24" to 30" Outside Micrometer
67	1	Scherr Tumico 18" to 24" Outside Micrometer
68	1	Scherr Tumico 18" to 23" Outside Micrometer
69	1	Mitutoyo 16" to 20" Outside Micrometer
70	1	Mitutoyo 20" to 24" Outside Micrometer
71	1	Scherr Tumico 12" to 18" Outside Micrometer
72	1	Mitutoyo 12" to 16" Outside Micrometer
73	1	Starrett 9" to 12" Outside Micrometer
74	1	JIR 8-Piece Outside Micrometer Set 0"-12" w/ Standards
75	1	Mitutoyo 12-Piece Outside Micrometer Set 0"-12"
76	1	Mitutoyo 12-Piece Outside Micrometer Set 0"-12"
77	1	Mitutoyo 12-Piece Outside Micrometer Set 0"-12", (Missing 7" to 8" Micrometer)
78	1	Mitutoyo 6-Piece Outside Micrometer Set 6"-12"
79	1	Mitutoyo 6-Piece Outside Micrometer Set 0"-6"
80	1	Mitutoyo Micrometer Standards Set 1" to 12", w/ 36-Drawer Small Parts Bin & Pin Gauges
81	1	Micrometer Standards Set 2" to 35"
82	1	(2) 0-1" Groove Micrometers (1) SPI & (1) Mitutoyo
83	1	Mitutoyo (4) Outside Disc Micrometers (1) 0" to 1", (2) 1" to 2", & (1) 2"-3"
84	1	(6) Outside Micrometers (1) Scherr Tumico 4" to 5", (1) Scherr Tumico 3" to 4", (1) Brown & Sharpe 50mm to 75mm, (1) Brown & Sharpe 38mm to 50 mm, (1) Starrett 2" to 3", & (1) Mitutoyo 0 to 25mm
85	1	(6) Outside Blade Micrometers (2) Mitutoyo 2" to 3", (2) Mitutoyo 1" to 2", (1) Mitutoyo 0" to 1", & (1) Scherr Tumico 0" to 1"
86	1	Assorted Inside Thread & Plug Gauges

87	1	2-Door Cabinet w/ Contents of Outside Thread Gauges & Plug Gauges
88	1	Mitutoyo (2) Dial Bore Gauges (1) 2" to 4" & (1) 6" to 10"
89	1	Boice (2) Dial Bore Gauges
90	1	Linear (2) Dial Caliper Gauges (1) 0.375" to 1.375" & (1) 1.125" to 2.125", w/ (1) Mitutoyo Dial Indicator
91	1	PI Tape (10) Pi Diameter Tapes (2) 12" to 36", (2) 36" to 48", (2) 48" to 60", (2) 60" to 72", (1) 72" to 84", (2) 84" to 96", & (1) 96" to 108"
92	1	Airtronics 183 "Metrosurf" Surface Roughness Tester
93	1	Schmidt Marking Systems Stinger Pin Marking Machine w/ Model MS WIN Styliner Stylus Marker Controller & Toshiba Satellite C655 Laptop Computer S/N 17311
94	1	Brown & Sharpe 7.90003 Micro-Hite Digital Height Gauge w/ Assorted Probe Tips S/N 8P0191004
95	1	(2) V-Blocks & (4) 1-2-3 Blocks V-Blocks: 5" x 3-1/2"
96	1	(2) V-Blocks & (3) Right Angle Blocks V-Blocks: 8" x 4", (1) Right Angle Block: 6" x 12", (1) Right Angle Block: 4-1/2" x 4-1/4", & (1) Right Angle Block: 3" x 4"
97	1	Raytek Raynger ST Noncontact Thermometer
98	1	Mitutoyo SurfTest 212 Digital Surface Roughness Tester w/ (1) Elcometer Model 211 Mechanical Coating Thickness Gauge
99	1	PTC 316 Steel Hardness Tester w/ (1) King Brinell Scope
100	1	Misawa Seiki 4401 Rockwell Hardness Tester w/ Steel Base S/N 681204
101	1	Starrett Grade A Granite Surface Plate 36" x 60" x 10", w/ Rolling Steel Base S/N 102296
102	1	Dillon (2) Dynamometers (1) 15,000 Lb. Capacity & (1) 20,000 Lb. Capacity
103	1	Free Standing Jib Crane 7'-6" Column x 7' Arm, w/ Dayton Model 4Z811 500 Lb. Capacity Electric Chain Hoist
104	1	DoAll GPM-200V Vertical Milling Machine w/ Bausch & Lomb Accurite III Digital Readout, 42" x 9" T-Slotted Table w/ Powerfeed, 24" Table Travel, 24" Saddle Travel, 13" Knee Travel, 5" Spindle Stroke, 2 HP, 1720 RPM, 460V, 3 Ph. S/N 1212491-C
105	1	Wells Index 860 Vertical Milling Machine w/ Anilam Wizard Model 113-2 Digital Readout, 46" x 9" T-Slotted Table w/ Powerfeed, 25" Table Travel, 12-1/2" Saddle Travel w/ Power Feed, 13" Knee Travel, 6" Spindle Stroke, 460V, 3 Ph. S/N 22248
106	1	1981 Kao Fong Vertical Milling Machine 67" x 15" T-Slotted Table, 23" Table Travel, 15" Saddle Travel, 23" Vertical Head Travel w/ Power Feed, 480V, 3 Ph. S/N 1078
107	1	Lagun Vertical Milling Machine w/ Accu-Rite D200 Digital Readout, 58" x 11" T-Slotted Table w/ Servo Type 140 Power Feed, 32" Table Travel, 19" Saddle Travel, 17" Knee Travel, 5" Spindle Stroke, 460V, 3 Ph. S/N 47085
108	1	Yuesa 12" Horizontal/Vertical Rotary Indexing 3-Jaw Chuck
109	1	Yuesa 8" Horizontal/Vertical Rotary Indexing 3-Jaw Chuck

110	1	Yuesa 8" Horizontal/Vertical Rotary Indexing 3-Jaw Chuck
111	1	Troyke Mfg. Co. BH-12 12" Rotary Table
112	1	Troyke Mfg. Co. R-18 18" Rotary Table
113	1	6" Machine Vise
114	1	6" Machine Vise
115	1	(4) Right Angle Blocks (1) 18" x 12-3/4", (1) 12" x 8", (1) 9" x 9", (1) 6" x 6", (1) 9" x 7.5" V-Block, & (2) Vise Rotary Bases
116	1	Set Up & Hold Town Tooling
117	1	(3) Steel Tables (1) 72" x 24", (1) 30" x 18" on Castors, & (1) 37" x 24" w/ Desmond Stephan 5" Bench Vise (No Contents)
118	1	Black & Decker 4300 Drill Bit Sharpener 3600 RPM, 120V S/N 52343
119	1	(2) Steel Parts Cabinets & (1) 18-Drawer Parts Bin (1) 40-1/2" x 20-1/2" x 32" 2-Door, (1) 18" x 21" x 29" Single Door, with Contents of Rights Angle Milling Attachments, 40 NMT8 Quick Change Tool Holders, Jacobs Drill Chucks, STC8 Collets, End Mills, Fasteners, Teco Hold Down & Set Up Tooling, Aluminum Hold Down Tooling, Etc.
120	1	(2) Steel Parts Cabinets (1) 48" x 20" x 36" 2-Door w/ 5-1/2" Bench Vise, (1) 20" x 12" x 34" Single Door, with Contents of 40 NMT8 Quick Change Tool Holders, Shell Mills, End Mills, Taps, Drills, Etc.
121	1	Free Standing Jib Crane 1-Ton Capacity, 15' Column x 21' Arm, w/ P&H 1-Ton Electric Chain Hoist & 2-Button Pendant
122	1	DoAll 12" Disc Sander 120V
123	1	Gleason No. 24 Straight Bevel Coniflex Generator 18" Max Cone Distance, 84 Degree/18" Max Pitch Angle, 5 Degree/42" Minimum Pitch Angle, 10:1 Extreme Ratio, 1.25" Coarsest Diametrical Pitch, 5" Hole Through Spindle, 18-110 SPM, 7.5 HP, 480V, 3- Ph. S/N 29228
124	1	Change Gears for Gleason No. 24 Straight Bevel Coniflex Generator, w/ 25" x 21" x 38" Cabinet
125	1	Gleason Bevel Setting Tools
126	1	Bevel Cutter Tooling to Include Carbide Bevel Cutters, (2) Tool Holders, Gear Down Collars, & Set-Up Arbors, w/ 60" x 15" x 36"
127	1	Lees-Bradner HT12x54 Thread Mill 12" Swing, 54" Distance Between Centers, w/ 8" 3-Jaw Chuck, Cross Slide, & Tail Stock, 5 HP, 480V, 3-Ph. S/N HT-1496
128	1	Change Gears for Lees-Bradner HT12x54 Thread Mill, w/ 24" x 12" x 54" Cabinet & Thread Mill Cutters
129	1	Lot of Disc Shapers Various Makes & Sizes
130	1	Gleason Lot of Disc Shapers Various Sizes, w/ 36" x 12" x 75" Adjustable Shelving Unit

131	1	Clausing Colchester 6535 Lathe 17" Swing, 10" Swing Over Cross Slide, 50" Between Centers, 2" Hole Through Spindle, 30-1200 RPM, 220V, 3-Ph. w/ 12" 4-Jaw Chuck, Cross Slide, 2-Station Tool Post, Steady Rest, & Tail Stock S/N 435676
132	1	1974 Tarnow 7AJ Engine Lathe 22" Swing, 13" Swing Over Cross Slide, 62" Between Centers, 2" Hole Through Spindle, 35.5-1800 RPM, 220V, 3-Ph. w/ 15" 4-Jaw Chuck, Cross Slide, 2-Station Tool Post, Steady Rest, & Tail Stock S/N 1250
133	1	1968 Clausing Colchester 8052 Engine Lathe 21" Swing, 17" Swing Over Cross Slide, 83" Between Centers, 3" Hole Through Spindle, 220V, 3-Ph. w/ 12" 3-Jaw Chuck, Cross Slide, 2-Station Tool Post, Steady Rest, & Tail Stock S/N 7/0017/02927
134	1	1954 Monarch 30x96 Engine Lathe 30" Swing, 20" Swing Over Cross Slide, 96" Between Centers, 2.5" Hole Through Spindle, 8-405 RPM, 480V, 3-Ph. w/ 19.5" 4-Jaw Chuck, Cross Slide, 2-Stations Tool Post, Steady Rest, Tail Stock, & Change Gears S/N 39305
135	1	Summit 21 Engine Lathe 21" Swing, 14" Swing Over Cross Slide, 80" Between Centers, 3" Hole Through Spindle, 240-300 RPM, 220V, 3 Ph. w/ 18" 3-Jaw Chuck, Cross Slide, 2-Station Tool Post, Steady Rest, & Tail Stock S/N R090370
136	1	Lodge & Shipley 14P68 Engine Lathe 24" Swing, 15" Swing Over Cross Slide, 58" Between Centers, 2.5" Hole Through Spindle, 9-500 RPM, 220V, 3-Ph. w/ 18" 4-Jaw Chuck, Cross Slide, 2-Station Tool Post, Steady Rest, & Tail Stock S/N 33964
137	1	Assorted Lathe Tooling to Include Cutting Tools, Chuck Jaws, Centers, Drill Bits, Drill Sleeves, Tool Holders, Etc. (Shelves Not Included)
137A	1	15.5" 3-Jaw Chuck
137B	1	15" 3-Jaw Chuck
137C	1	9" 3-Jaw Chuck
137D	1	(6) Steel Tables (1) 30" x 24" x 35", (1) 36" x 24" x 34", (3) 30" x 24" x 33", & (1) 60" x 15" x 37"
138	1	Queen City Machine Tools 3 10" Double-End Pedestal Grinder 1 HP, 1750 RPM, 220V, 3-Ph. S/N 210204
139	1	12" Double-End Pedestal Grinder 3 HP, 1750 RPM, 220V, 3-Ph.
140	1	Dake No. 1-1/2 Arbor Press
140A	1	(2) Keyway Broach Sets
141	1	(2) Steel Tables (1) 54" x 32" x 32" & (1) 36" x 24" x 32", (No Contents)
142	1	(1) Steel Work Bench 2-Drawer, w/ Shelf, 60" x 28" x 34"
143	1	Kenmore 106.9537612 Refrigerator w/ Black & Decker Toaster Oven & Magic Chef Microwave
144	1	1-Ton Column Mounted Jib Crane Approx. 20', w/ Budget 1-Ton Electric Chain Hoist & 2-Button Pendant
145	1	1-Ton Column Mounted Jib Crane Approx. 20', w/ Budget 1-Ton Electric Chain Hoist & 2-Button Pendant

146	1	Le Blond Engine Lathe 60" Swing, 48" Swing Over Cross Slide, 100" Between Centers, 3" Hole Through Spindle, 2.3-247 RPM, 440V, 3 Ph. w/48" 4-Jaw Chuck, Cross Slide, Steady Rest, Tail Stock, w/ 40" 4-Jaw Chuck
147	1	National LSP Engine Lathe 32" Swing, 22" Swing Over Cross Slide, 120" Between Centers, 6" Hole Through Spindle, 9-600 RPM, 480V, 3 Ph w/ 25" 4-Jaw Chuck, Cross Slide, Steady Rest, & Tail Stock
148	1	24" x 36" x 36" Steel Table with Contents of Lathe Tooling, (1) 4-Piece Jaw Set, Centers, Tool Holders, Cutter Tools, Change Gears, (1) 9" 4-Jaw Chuck
149	1	24" x 60" x 36" Steel Table with Contents of Lathe Tooling, (1) Steady Rest, Tool Holders, Large Cutting Tools & Jaw Screws
150	1	24" x 50" x 36" Steel Work Bench and 18"x36"x85" Adjustable Shelving Unit, with Contents of (1) 25" x 20" x 36" Steel Tool Cabinet, Cutting Tools, Flap Wheels, Set-up and Hold Down Tooling
151	1	Heavy Duty Steel Material Stand 36" x 100" x 11", with Contents of Steel Hobber "Table" Plates, Sizes Up to 84" OD x 3"
152	1	(4) Manual Drum Pumps
152A	1	T-2600 Electrostatic Air Cleaner 11000VDC Ionizer Output, 5500VDC Collector Output, 120V, 11.7A, 60 Hz, 1 Ph. S/N T-2600V-05-00042
152B	1	T-2600 Electrostatic Air Cleaner 11000VDC Ionizer Output, 5500VDC Collector Output, 120V, 11.7A, 60 Hz, 1 Ph. S/N T-2600V-05-00044
153	1	Pump Cart 26" x 24" x 37" Steel Cart w/ Dayton 1/2 HP Pump, 115/230V, 1 Ph.
154	1	(4) Staircases (1) 3-Step Alum, (1) 2-Step Steel, (2) 2-Step Alum
155	1	Bullard Vertical Turret Lathe 50" 4-Jaw Chuck, 5-Station Tool Turret, 37.5" Horizontal Turret Travel, 20" Vertical Turret Travel, 53" Vertical Head Travel, 28" Side Arm Tool Post Horizontal Travel, 30" Side Arm Tool Post Vertical Travel, 20 HP, 480V, 3 Ph S/N 15682
156	1	24"x60"x36" Steel Table w/ contents to include: Wilton 5" Vice, 18"x6.5"x24" Single Door Tool Cabinet & Set-up & Hold Down Tooling, Cutter Tools & Tool Holders
157	1	24"x60"x36" Steel Table w/ contents to include: Set-up & Hold Down Tooling, Cutter Tools
158	1	Mitts&Merrill K3530 Vertical Hydraulic Keyseater 24"x21" Table, 32" Stroke, 3" Max Keyway, 460V, 14.8A,60Hz, 3 Ph S/N K86004
159	1	Mitts&Merrill 3HFRKS Vertical Hydraulic Keyseater 22"x22" Table, 32" Stroke, 2" Max Keyway, 460V, 3 Ph S/N KM-81014
160	1	30"x36"x13" Keyseater Table
161	1	30"x8"x48" 6-Tier Shelving Unit with Contents to Include: Keyseater Cutters, & Guides
162	1	18"x60"x48" Steel 2-Door Cabinet with contents to Include: Keyseater Cutters, & Guides, & Guide Collars
163	1	20"x60"x36" Steel Table with Contents to Include: Guide Collars

164	1	Right Angle Block 44"x44"x50"
165	1	(2) Right Angle Blocks 16"x43.5"
166	1	(2) Right Angle Blocks 10-1/4"x120"
167	1	Bullard 5" Dynamill Horizontal Boring Mill Cat-50 Spindle, 48" Vertical Spindle Travel, 70"x36" Table, 36"x36" T-Slotted Hydraulic Rotary Table, 30"x42" Saddle Travel, 25 HP, 480V, 3 Ph,
168	1	A-Frame Tooling Rack 36" x 11" x 74", with Contents of (25) Cat 50 Tool Holders with Assorted Tooling, 1-2-3 Blocks, Set-Up & Hold Down Tooling, & I-Bolts
169	1	6" Machine Vise
170	1	8" Machine Vise
171	1	(2) Steel Tables (1) 42"x30"x34" & (1) 34.5"x32.5"x37" on Castors, (No Contents)
172	1	Steel Table with Contents 84"x28"x36", to Include 5" Wilton Bench Vise, (14) Cat 50 Tool Holders with Assorted Tapers & Tooling, Tool Holders, Carbide Tipped Cutter Tools, Drill Bits, End Mills, & Set-Up & Hold Down Tooling
173	1	(2) Wood Top Work Benches 60"x28.5"x34"
174	1	Steel Workbench with Contents 60"x24"x36", to Include (2) Tool Setting Stations, Shell Mills, Spade Drills, Milling Heads, Steel Collars, & Drill Bits
175	1	Frigidaire Refrigerator
176	1	1999 Daewoo ACE-B130 CNC Table Type Horizontal Boring Mill 118" X-Axis Travel, 79" Y-Axis Travel, 27.5" Z-Axis Travel, 44" W-Axis Travel, 63" x 71" T-Slotted Rotary Table, 360 Degree Table Index, 22,000 Lb. Table Capacity, Cat 50 Spindle Taper, 5-2000 Spindle RPM, .04-141 IPM Feed Rates, 393.7 IPM Rapid Travel, 60 ATC Automatic Tool Changer, Fanuc 16-M CNC Controller, INP Hydraulic Oil Unit, (2) Kau Kan Oil Coolers, Woo Jin Model AB-13 Chip Conveyor, 480V, 3-Ph. S/N NB190098
176A	1	2-Door Shop Desk 32"x27"x44", with Contents of Carbide Inserts & Assorted Tooling
177	1	1989 Mazak AJV-32/404 CNC Machining Center 39.4" X-Axis Travel, 27.56" Y-Axis Travel, 18" Z-Axis Travel, 31.5" Distance Between Columns, 48.8" x 25.9" T-Slotted Table, 3300 Lb. Table Capacity, Cat 40 Spindle Taper, 4000 Max Spindle RPM, 945 IPM X&Y Axis Rapid Traverse, 708 IPM Z-Axis Rapid Traverse, Mazatrol M-32 CNC Controller, 30 ATC Automatic Tool Changer, Oilcon Model AKS55K-U30 Oil Cooler, 480V, 3-Ph. S/N 73400
178	1	(2) A-Frame Tooling Racks 36" x 11" x 74", with Contents of (41) Cat 40 Tool Holders with Assorted Tapers & Tooling, Drill Bits, Carbide Inserts, Shell Mills, & Collets
179	1	Steel Workbench 60"x24"x36", with Contents of (1) Tool Setting Station, Assorted Collets, Taps, End Mills, Drill Bits, Carbide Inserts, Hold Down & Set Up Tooling
180	1	2010 DeWalt DW758 8" Pedestal Grinder 3600 RPM, 120V S/N 28-YL32993

181	1	Heavy Duty 3-Door Cabinet 51"x24"x67" with Contents of Carbide Cutter Tools, Carbide Inserts, Taps, End Mills, 1-2-3 Blocks, Etc.
182	1	Steel Workbench 60"x24"x36" with Contents of (1) Tool Setting Station, Set Up & Hold Tooling, & Collet Type Quick Change Tool Holders
183	1	Delta DP220 14" Drill Press 3/4" Chuck, 4" Stroke, 10"x10" Table, 120V, 1 Ph. S/N 35-9931
184	1	A-Frame Tooling Rack 36" x 11" x 74"
185	1	Steel Workbench 60"x23"x36" with Contents of Carbide, End Mills, Drill Bits, Set-Up & Hold Down Tooling
185A	1	Steel Table 48"x30"x36" with Contents of Set-Up & Hold Down Tooling
186	1	24" 3-Jaw
187	1	Kurt 8" Machine Vise
188	1	8" Machine Vise
189	1	12" 3-Jaw Chuck
190	1	Dugas 8" Horizontal/Vertical Rotary Indexing 3-Jaw Chuck
191	1	Assorted Set Up Tooling to Include V-Blocks, Right Angle Blocks, Set-Up Blocks, & Hold Down Bars
192	1	Steel 6-Tier Rack 120"x33"x60", (No Contents)
193	1	(2) Material Support Stands
194	1	Custom 2-Sided Tombstone 1-Side 38"x53.5", 1-Side 34"x54", 39" OD Base
195	1	2014 Haas EC1600 Horizontal CNC Machining Center 64" X-Axis Travel, 50" Y-Axis Travel, 32" Z-Axis Travel, 64" x 36" T-Slotted Table w/ Integrated 30" OD Rotary Table, 10,000 Lb. Table Capacity, Cat 50 Spindle Taper, 7500 Max Spindle RPM, 600 IPM Rapid Traverse, Haas 15" LCD CNC Controller, 30 ATC Automatic Tool Changer, HPC 1000 Oil Cooler, Dual Chip Conveyors, 354/488V, 70A, 3 Ph. S/N 2054452
196	1	(20) Cat 50 Tool Holders Assorted Tapers & Tooling
197	1	(20) Cat 50 Tool Holders Assorted Tapers & Tooling
198	1	(20) Cat 50 Tool Holders Assorted Tapers & Tooling
199	1	(20) Cat 50 Tool Holders Assorted Tapers & Tooling
200	1	(20) Cat 50 Tool Holders Assorted Tapers & Tooling
201	1	Gould & Eberhardt 24H Gear Hobbing Machine 24" Max Gear Diameter, 15" Max Face, 3 Max Diametrical Pitch, Tail Stock, 32" Distance Between Centers, 18" T-Slotted Table, 17" Horizontal Travel, 17" Vertical Travel, 40-235 Spindle RPM, 7.5 HP, 480V, 3-Ph. S/N 5375A7
202	1	Change Gears for Gould & Eberhardt Model 24H Gear Hobber, with 37"x12"x26" Steel Shelf
203	1	(3) Steel Tables (1) 30"x30"x38" on Castors, (1) 27"x18"x36", & (1) 24"x12"x43", & (1) 30"x16"x32" 2-Tier Steel Utility Cart, with Contents of Arbors, Wrenches, Set Up & Hold Down Tooling, Etc.

204	1	Gould & Eberhardt 72H Gear Hobbing Machine 90" Max Gear Diameter, 36" Max Face, 1.5 Max Diametrical Pitch, 8" Max Hob Diameter, 40" T-Slotted Table, 45" Horizontal Travel, 23" Vertical Travel, 6-100 Spindle RPM, 15 HP, 480V, 3 Ph. S/N 2880A2
205	1	Change Gears for Gould & Eberhardt Model 72H Gear Hobber, with 36"x24"x59" Steel Shelf
206	1	Gould & Eberhardt 84H Gear Hobbing Machine 84" Max Gear Diameter, 44" T-Slotted Table, 56" Horizontal Travel, 35" Vertical Travel, 15 HP, 480V, 3 Ph. S/N 8
207	1	Steel Shelving Unit 96"x24"x65", with Contents of Change Gears for Gould & Eberhardt Model 84H Gear Hobber, Hob Cutters, & Spline Reference Gages
208	1	(2) Pallets of Hobber Set Up Tooling to Include Hold Down Tooling, Risers, & Table Plates
209	1	Barber-Coleman 16-16 Gear Hobbing Machine 16" Max Gear Diameter, 16" Hob Slide Travel, 5" Max Hob Diameter, 6/10 Max Diametrical Pitch, 8" 3-Jaw Chuck, Tail Stock, 24" Distance Between Centers, 16" Horizontal Travel, 59-246 Spindle RPM, 2 HP, 480V, 3 Ph. S/N 3784
209A	1	Change Gears For Barber-Coleman 16-16 Gear Hobber
210	1	Roura 1T-135 Self-Dumping Hopper 1/2 Yard Capacity, on Castors
211	1	Roura Self-Dumping Hopper 1 Yard Capacity
212	1	Gould & Eberhardt 72H Gear Hobbing Machine 90" Max Gear Diameter, 36" Max Face, 1.5 Max Diametrical Pitch, 8" Max Hob Diameter, 40" T-Slotted Table, 45" Horizontal Travel, 23" Vertical Travel, 6-100 Spindle RPM, 15 HP, 480V, 3 Ph. S/N 7230A3
213	1	Change Gears For Gould & Eberhardt 72H Gear Hobber, with 42"x20"x46" Steel Shelving Unit
214	1	Gould & Eberhardt 48H Gear Hobbing Machine 48" Max Gear Diameter, 18" Max Face, 8" Max Hob Diameter, 2.5" Max Diametrical Pitch, 30" T-Slotted Table, Tailstock, 35" Distance Between Centers, 30" Horizontal Travel, 16" Vertical Travel, 22-115 Spindle RPM, 480V, 3 Ph. S/N 3024A1
215	1	Change Gears For Gould & Eberhardt 48H Gear Hobber, with 48"x25"x50" 3-Tier Steel Shelving Unit
216	1	(2) Steel Tables 24"x60"x36", with Contents of Gear Hobbing Table Plates, Collars, Arbors, Collets, Spline Reference Gauges, Equipto 18-Drawer Parts Bin, Shank Hob Cutters, Set-Up & Hold Down Tooling, Etc.
217	1	(2) Steel Tables (1) 72"x32"x32", & (1) 30"x18"x33", with Contents of Reed 4.5" Bench Vise, Collets, Collars, & Hold Down Tooling
218	1	Steel Table 90"x30"x36", with Contents of Collars, Spline Reference Gauges, & Hob Cutters
219	1	(10) Assorted Gear Hold Down Arbors
220	1	1-Ton Column Mounted Jib Crane Approx. 20', w/ Yale 1-Ton Electric Chain Hoist & 2-Button Pendant
221	1	Nihonkikai ND-1 Gear Hobbing Machine 460mm Max Gear Diameter, 15" T-Slotted Table, Tailstock, 25" Between Centers, 6" Horizontal Travel, 18" Vertical Travel, 62-250 Spindle RPM, 480V, 3 Ph. S/N 1869447
222	1	Change Gears For Nihonkikai ND-1 Gear Hobber

223	1	Gould & Eberhardt 36H Gear Hobbing Machine 36" Max Gear Diameter, 18" Face, 8" Max Hob Diameter, 2.5" Max Diametrical Pitch, 24" T-Slotted Table, 22" Horizontal Travel, 9" Vertical Travel, 7.5 HP, 480V, 3 Ph. S/N 1
224	1	Change Gears For Gould & Eberhardt 36H Gear Hobber
225	1	Gould & Eberhardt 16HS Gear Hobbing Machine 16" Max Gear Diameter, 9" T-Slotted Table, 13" Vertical Travel, 50-225 Spindle RPM, 5 HP, 480V, 3 Ph.
226	1	Barber-Coleman No.12 Gear Hobbing Machine 12" Max Gear Diameter, 10" Max Face, 5/6 Max Diametrical Pitch, 15-5/8" Max Hob Slide Travel, 4" Max Hob Diameter, 25.5" Between Centers, 22" Horizontal Travel, 5.25" Vertical Travel, 45-180 Spindle RPM, 5 HP, 220V, 3 Ph. S/N 2899
226A	1	Barber Colman 16-16 Universal Gear Hobber, 16" x 26.5", S/N 4480 (Located In Huntington Park, CA – Call 323-587-1887 For More Info)
226B	1	1996 Pfauter PE 200 5-Axis CNC Vertical Gear Hobber, 5.1" x 8.7", S/N 28221 (Located In Huntington Park, CA – Call 323-587-1887 For More Info)
227	1	Change Gears For Gould & Eberhardt 16HS Gear Hobber
228	1	Steel Table 60"x22"x36", with Contents of Gear Hobber Set Up Tooling, (Excludes Separately Lotted Items)
229	1	Steel Table 60"x22"x36", with Contents of Gear Hobber Set Up Tooling, (Excludes Separately Lotted Items)
230	1	Steel Table 60"x22"x36", with Contents of Gear Hobber Set Up Tooling, (Excludes Separately Lotted Items)
231	1	2-Tier Shelving Unit 60"x24"x45"
232	1	2-Tier Wood Top Table 72"x23"x36" on Castors, with Contents of Assorted Arbors & Gear Hobber Set Up Tooling
233	1	Assorted Gear Hob Cutters w/ 36"x18"x72" 6-Tier Adjustable Shelving Unit
234	1	Solvent Parts Washer 30"x20"x7.5" Basin, Drum Base, 120V, 1 Ph.
235	1	DeWalt DW758 8" Double-End Pedestal Grinder 3600 RPM, 120V S/N 20011-YL0887
236	1	Gleason 12 Straight Bevel Generator 12" Longest Cone Distance on 3-1/2" Face, 10-1/2" Longest Cone Distance on 1" Face, 1/2" Minimum Face, 90 Degree Max Pitch, 81 Degree/18" Max Pitch Angle, 5 Degree/12" Minimum Pitch Angle, 3 DP Max Diametrical Pitch, 10:1 Extreme Ratio, 3-1/2" Max Face, 1.2"-4" Stroke, 2-1/2" Hole Through Spindle, 85-112 SPM, 1/2 HP, 480V, 3 Ph. (Used for Finishing) S/N 16237
237	1	Gleason 12 Straight Bevel Generator 12" Longest Cone Distance on 3-1/2" Face, 10-1/2" Longest Cone Distance on 1" Face, 1/2" Minimum Face, 90 Degree Max Pitch, 81 Degree/18" Max Pitch Angle, 5 Degree/12" Minimum Pitch Angle, 3 DP Max Diametrical Pitch, 10:1 Extreme Ratio, 3-1/2" Max Face, 1.2"-4" Stroke, 2-1/2" Hole Through Spindle, 85-112 SPM, 1/2 HP, 480V, 3 Ph. (Used for Roughing) S/N 16621
238	1	Gleason Bevel Setting Tools
239	1	Change Gears For Gleason No. 12 Straight Bevel Generator, with 21"x18"x38" Cabinet
239A	1	Oerlikon K4A 63" Straight Bevel Gear Generator (Located In Painesville, OH – Call 323-587-1887 For More Info)

240	1	(5) Small Parts Bins (2) 54-Drawer, (3) 50-Drawer, with Contents Bevel Cutter Tooling, Fasteners, Split Rings, Etc.
241	1	Steel Table 60"x22"x36", with Contents of Gear Hobber Set Up Tooling, (Excludes Separately Lotted Items)
242	1	Steel Table 60"x22"x36", with Contents of Gear Hobber Set Up Tooling, (Excludes Separately Lotted Items)
243	1	Steel Table 60"x22"x36", (No Contents)
244	1	Fellows 6A Gear Shaping Machine 600mm Max Internal/External Pitch Diameter, 8" Max Face, 24" Table, 6" Riser, 8" 6-Jaw Chuck, 22" Horizontal Spindle Travel, 150mm Stroke, 50-300 SPM, 480V, 3 Ph. S/N 615A
245	1	Change Gears For Fellows 6A Gear Shaper
246	1	Fellows 13302 Gear Shaping Machine 36" Max Internal/External Pitch Diameter, 6" Max Face, 3 DP Max Diametrical Pitch Spur Gear, 4/5 DP Max Diametrical Pitch Helical Gear, 45 Degree Max Helical Angle, 18.5" Max Part Height, 31" T-Slotted Table, (1) 5" Riser, (1) 3" Riser, 40" Max Work Piece Diameter, 31" Horizontal Travel, 18-300 SPM, 7.5 HP, 440V, 3 Ph., with Misc. Change Gears S/N 27335
247	1	Steel Table 30"x24"x34" w/ Top Mounted 6-Drawer Tool Box & Contents, to Include Disc Type Gear Shaper Tooling, Arbors, Set Up Tooling, Spindle Tapers, Etc.
248	1	Fellows 13302 Gear Shaping Machine 36" Max Internal/External Pitch Diameter, 6" Max Face, 3 DP Max Diametrical Pitch Spur Gear, 4/5 DP Max Diametrical Pitch Helical Gear, 45 Degree Max Helical Angle, 18.5" Max Part Height, 33" Table, 16.5" Riser, 40" Max Work Piece Diameter, 31" Horizontal Travel, 18-300 SPM, 7.5 HP, 440V, 3 Ph., with Misc. Change Gears S/N 30208
249	1	Fellows 13363 Gear Shaping Machine 40" Max External Pitch Diameter, 36" Max Internal Pitch Diameter, 8" Max Face, 3 DP Max Diametrical Pitch Spur Gears, 4/5 Max Diametrical Pitch Helical Gears, 45 Degree Max Helical Angle, 38" T-Slotted Table, 17.5" Riser, 40" Max Workpiece Diameter, 12" 6-Jaw Chuck, 5.875" Spindle Bore Diameter, 31" Horizontal Spindle Travel, 8" Max Spindle Stroke, 12-190 SPM, 7.5 HP, 480V, 3 Ph., S/N 34312
250	1	Gaffey 1-Ton Floor Mounted Jib Crane 12' Column, 14'-6" Arm, w/ Hitachi 1-Ton Electric Chain Hoist & 2-Button Pendant
251	1	(2) Steel Tables 48"x36"x37", with Contents of Set up & Hold Town Tooling
252	1	Fellows 645A #6 Gear Shaping Machine 18" Max Pitch Diameter, 5" Face, 4 DP Max Diametrical Pitch Spur Gear, 6 DP Max Diametrical Pitch Helical Gear, 30 Degree Max Helical Angle, 16" Table, 10" Riser, 22" Horizontal Spindle Travel, 10" 3-Jaw Chuck 2.875" Spindle Bore, 5" Max Stroke, 50-300 SPM, 3 HP, 440V, 3 Ph. S/N 33833

253	1	Fellows 13363 Gear Shaping Machine 40" Max External Pitch Diameter, 36" Max Internal Pitch Diameter, 8" Max Face, 3 DP Max Diametrical Pitch Spur Gears, 4/5 Max Diametrical Pitch Helical Gears, 45 Degree Max Helical Angle, 38" T-Slotted Table, 18" Riser, 40" Max Workpiece Diameter, 5.875" Spindle Bore Diameter, 32" Horizontal Spindle Travel, 8" Max Spindle Stroke, 9-300 SPM 2.5 HP, 460V, 3 Ph. w/ Assorted Change Gears S/N 34235
254	1	Fellows 645A #6 Gear Shaping Machine 18" Max Internal/External Pitch Diameter, 5" Face, 4 DP Max Diametrical Pitch Spur Gear, 6 DP Max Diametrical Pitch Helical Gear, 30 Degree Max Helical Angle, 16" Table, 1" Riser, 22" Horizontal Spindle Travel, 2.875" Spindle Bore, 5" Max Stroke, 50-300 SPM, 3 HP, 440V, 3 Ph. w/ Assorted Change Gears S/N 33832
255	1	Fellows 13302 Gear Shaping Machine 36" Max Internal/External Pitch Diameter, 6" Max Face, 3 DP Max Diametrical Pitch Spur Gear, 4/5 DP Max Diametrical Pitch Helical Gear, 45 Degree Max Helical Angle, 18.5" Max Part Height, 33" Table, 40" Max Work Piece Diameter, 12.5" Riser, 31" Horizontal Spindle Travel, 18-300 SPM, 7.5 HP, 440V, 3 Ph., with Misc. Change Gears S/N 33760
255A	1	Gorbel 1/2- Ton Floor Mounted Jib Crane 12' Column, 15' Arm, w/ Coffing 1/2-Ton Electric Chain Hoist & 2-Button Pendant
256	1	(2) Adjustable Shelving Units (1) 18"x36"x81", (1) 24"x42"x72", with Contents of Disc Type Gear Shapers, Spline Type Gear Shapers, I-Bolts, Table Plates, & Collars
257	1	(3) Steel Shelving Units (2) 16"x48"x72" 6-Tier, (1) 18"x36"x75" 6-Tier Adjustable, with Contents of Spline Type Gear Shapers, Arbors, Collets, Collars, Spline Check Gages, Etc.
258	1	Carlton Radial Arm Drill 5' Arm, 13' Column, 15-1500 RPM, 17" Stroke, 24" x 30" T-Slotted Right Angle Table, 440V, 3 Ph, S/N 3A-5830
259	1	Steel Table 60"x24"x36" with Contents of Set-Up & Hold Down Tooling, Gear Shaper Spindle Attachments, Fasteners, Etc.
260	1	Banding Cart w/ Tensioner & Crimper Tools
261	1	1-Section of Pallet Racking to Include (2) 60"x36" Uprights, (4) 8' Crossbeams, & Plywood Decking, (No Contents)
262	1	Remaining Contents of Inspection Office to Include (2) Adjustable Shelving Units, (1) Fold--Up Table, (1) 4-Tier Shelving Unit, 90"x29"x61", (4) Desks, (3) Office Chairs, (1) 4-Drawer Filing Cabinet, (1) 2-Drawer Filing Cabinet, (1) Dell Computer Monitor, (1) Hannspree 22" Computer Monitor, (1) Dell Inspiron Tower, (1) Dell OptiPlex 780 Tower, (1) HP Officejet Pro 8610 Printer, HP LaserJet M1212nf MFP Printer, (1) Magic Chef Mini Fridge, (1) GE Microwave, & (1) Bunn VPR Series Coffee Maker
263	1	Steel Table 84"x28"x36" (No Contents)
264	1	Nu-Era 8-Drawer Heavy Duty Parts Cabinet with Contents of Carbide Inserts, Drill Bits, Taps, Thread Repair Kits, Keyseat Cutters, Endmills, & Reamers,

265	1	(2) 2-Door Cabinets
266	1	Miller 3A/DDR-224HPA/B-D 300 Amp AC/DC Heliwelder Output: 300 Amp, 40VAC/30VDC, 60% Duty Cycle, 80 Max OCV, Input: 208-230/460V, 115/104/52A, 21.8Kw, 23.9KVA, 60Hz, 1 Ph. w/ Miller Model Radiator-1 Cooling System, 8000 BTU/HR at 1qt/Min Max Cooling Rate, 115V, 5.5A, 1 Ph. S/N HJ162993
267	1	2000 Cosen C-7652-NC Horizontal Bandsaw 21"x30" Max Cutting Capacity, Hydraulic Actuated Vise & Shuttle Feed, Coolant System, Chip Conveyor, 2.0"x0.05"x229" Blade Size, 49-246 FPM, 7.5 HP, 230V, 3 Ph. w/ 30"x84" Outfeed Roller Conveyor S/N 891067
268	1	Change Gears For Fellows 36-8 Gear Shaping Machine, w/ 62.5"x19"x64" 2-Tier Shelving Unit
269	1	Lyon 7-Tier Carousel Parts Bin 36"x66" w/ Contents of Assorted Fasteners
270	1	Ingersoll (34) Large Horizontal Mill Cutters 4" Bore Size, Side Driven Keyway Type
271	1	1974 Fellows 88-16 Gear Shaping Machine 10"-100" Work Piece Diameter Capacity, 19" Max Face, 1DP/25 Max Pitch, 84" T-Slotted Table, 70" Overlay Table, 23" Table Bore, 18 Ton Table Capacity, 6" Riser, 122" Max Swing, 32" Max Part Height, 19" Max Stroke, 50" Horizontal Travel, 6" Spindle, Roughing & Finishing Feeds, 2 Range Variable Stroking Feeds, 7-23/23-75 SPM, 20 HP, 460V, 3 Ph. S/N 34766
272	1	Change Gears For Fellows 88-16 Gear Shaping Machine, with (1) 37"x23"x63" Wooden Shelving Unit & (1) 49"x24"x40" Cabinet
273	1	Gear Shaping Set Up Tooling to Include Collars, Set Up Blocks, Spline Check Gauges, & (1) 15" 3-Jaw Chuck
274	1	(2) 30 Degree Helical Guides Right Hand & Left Hand, For Fellows 88-16 Gear Shaping Machine
274A	1	(2) 15 Degree Helical Guides 20 Degree Pressure Angle, Right Hand & Left Hand, For Fellows 36-6 Gear Shaping Machine
275	1	Assorted Gear Shaper Cutters For Fellows 88-16 Gear Shaper w/ 48"x96"x70" Steel A-Frame Rack
276	1	Assorted Gear Shaper Cutters For Fellows 88-16 Gear Shaper w/ 48"x96"x70" Steel A-Frame Rack
277	1	Assorted Gear Shaper Cutters w/ 84"x36"x59" Steel A-Frame Rack
278	1	Gould & Eberhardt 60-S Single Pass Gear Cutting Machine 26" T-Slotted Table, Tail Stock, 36" Between Centers, 20.5" Horizontal Travel, 19" Vertical Travel, 480V, 3 Ph. S/N 1367
279	1	Change Gears For Gould & Eberhardt GC-4411, w/ 16"x26"x42" 2-Door Cabinet & (1) 20"x25"x56" Shelving Unit
280	1	Steel Shop Cart 33"x17"x36"
281	1	Mac-Blast Shot Blasting Cabinet 23.5"x36"x22" Inside Chamber, w/ Media Reclaim Hopper
282	1	Lown G500 Power Bending Roll 60"x5" Rolls, 10 Gauge Mild Steel Capacity, 230V, 3 Ph.
283	1	Welding Positioner 24"x24" Face, 33" OD Base, w/ Dayton DC Speed Controller, 120V, 1 Ph.
284	1	Assorted Welding Wire & Electrodes
285	1	Aluminum Top Table 48"x85"x36", (No Contents)
286	1	(2) Adjustable Shelving Units 18"x36"x75", w/ 5-Drawer Filing Cabinet

287	1	(3) Rolling Tool Carts (1) 24"x18"x34", Single Drawer, 2-Shelves, (1) 24"16"x40", Single Door, & (1) 29"x20"x41" Single Door
288	1	(3) Steel Shop Carts
289	1	Gould & Eberhardt 96HWD Gear Hobbing Machine 96" Max Cutting Diameter, 125" Max Workpiece Diameter, 42"/36" Max Spur Gear Face, 1 Max Diametrical Pitch, 15-3/4" Max Hob Diameter, 80" T-Slotted Table, 42" Horizontal Travel, 50" Vertical Travel, 47-100 Spindle RPM, 25 HP, 480V, 3 Ph. S/N 2659A2
290	1	Change Gears for G&E 96 HWD Gear Hobbing Machine, with 61"x20"x48" Steel 4-Tier Shelving Unit,
291	1	Set Up Table 70" OD x 2.75" Thick w/ 24" Bore OD & (17) Set Up Blocks
292	1	Assorted Gear Hob Cutters w/ 96"x42"x63" Steel A-Frame Rack
293	1	Cincinnati Hypro 120 VTL Vertical Turret Lathe 120" 4-Jaw Chuck, 150" Swing, 80" Max Workpiece Height, (3) Heads, 143" Horizontal Turret Travel on Bridge, 80" Vertical Bridge Travel, 50" Vertical Turret Travel, 20" Horizontal Head Travel, 100 HP, 480V, 3 Ph. S/N 2-C42-CX
294	1	(4) Work Benches (1) 73" x 24" x 48", Wood Top, 4-Door, (1) 60"x28"x46" Wood Top, (1) 28"x72"x33" Steel, (1) 35"x24"x33" Steel, w/ Contents of Lathe Tooling, Tool Holders, Set-Up & Hold Down Tooling, 10" 4-Jaw Chuck, & Chuck Jaws
295	1	LeBlonde 31X243 Engine Lathe 31" Swing, 243" Between Centers, 2.25" Hole Through Spindle, 21" 4-Jaw Chuck, Cross Slide, Dorian 2-Station Tool Post, (4) Steady Rests, & Tail Stock, 20 HP, 480V, 3 Ph. S/N NI-814
296	1	Bradley Z358.1-2004 Wall Mounted Eye Wash Station
297	1	Hutson 2035 Vibrator-Deburr Machine 154"x18.5"x20" Inside Chamber, 480V, 3 Ph. w/ Cat walk S/N 754
298	1	Sureweld Gama 33 A/BP AC-DC Inert Arc & Metal Arc Welder Output: 300 Amp, 40VAC, 30VDC, 60% Duty Cycle, 80 Max OCV, 5 to 460 Inert Gas Welding Range, Input: 208/230/460V, 115/104/52A, 21.8Kw, 23.9 KVA, 50/60 Hz, 3 Ph. S/N L231373
299	1	Miller Dimension 652 CC/CV-DC Welding Power Source Output: 650 Amp, 44V, 100% Duty Cycle, 72 Max OCV, Input: 230/460/575V, 126/63/50.4A, 34.8Kw, 60 Hz, 3 Ph. With Miller XR A Extended Reach Wire Feeder S/N KH348227
300	1	Miller Syncrowave 350 LX Tig Welder Output: 3-400 Amp, 13-36V, 100% Duty Cycle, Input: 115V, 5.9A, 50/60 Hz, 1 Ph. S/N LH300061L
301	1	Miller Deltaweld 452 CV-DC Welding Power Source Output: 450 Amp, 38V, 100% Duty Cycle, 44 Max OCV, Input: 200/230/460V, 72/63/32A, 21.1Kw, 60 Hz, 3 Ph. w/ Miller R-115 115V Wire Feeder S/N LJ011668C
302	1	DoAll 41306 Vertical Bandsaw 20" Throat, 26"x26" Table, 154" Blade Length, 5-5200 FPM, 230V, 1 Ph. S/N 396-81204
303	1	Break Area Furniture to Include (11) Chairs, (1) 38.5x48"x29 Table, (1) 60"x35"x36" Steel Table, (1) 2-Drawer Filing Cabinet, & (1) GE Refrigerator

304	1	Hill Acme 5 Metalworker Punching Capacity: 1-1/4" Through 11/16" Max Diameter Through Thickness, 1" Through 7/8" Diameter Through Max Thickness, Shearing Capacity: 1"x4", 3/4"x6", 5/8"x10" Flats, 1-7/8" Rounds, 1-3/4" Squares, 5"x5"x1/2" 90 Degree Angles, 4"x4"x3/8" 45 Degree Mitre Angles, 4"x4"x3/8" Tees, Coping Capacity: 3"x3"x1/2" Sq. Notch, 3"x4-1/4"x1/2" 90 Degree "V" Cope, 4" to 7" Beam & Channel Flanges, 480V, 3 Ph. w/ Assorted Dies S/N 544155S
305	1	Miller SRH-333 DC Arc Welder Output: 300 Amp, 32V, 60% Duty Cycle, 75 Max OCV, Input: 230/460V, 58/29A, 15 Kw, 23.1 Kva, 60 hz, 3 Ph. w/ Miller R-115 115V Wire Feeder S/N U509209
306	1	Miller Deltaweld 450 DC Arc Welder Output: 450 Amp, 38V, 100% Duty Cycle, 48 Max OCV, Input: 230/460V, 3 Ph. S/N JB511341
307	1	Hobart RC-250 Mig Welding Power Source Output: 250 Amp, 35V, 100% Duty Cycle, 48 Max OCV, Input: 230/460V, 33/16.5A, 60 Hz, 3 Ph. w/ Miller R-115 115V Wire Feeder S/N 12RT-37483
308	1	Miller CP-250TS Constant Potential DC Welder Output: 250 Amp, 35V, 100% Duty Cycle, 44 Max OCV, Input: 208/230/460V, 33/30/15A, 11.4 Kw, 11.9 Kva, 60 Hz, 3 Ph. w/ Miller R-115 115V Wire Feeder S/N R389211
309	1	Hobart RC-250 Mig Welding Power Source Output: 250 Amp, 30V, 100% Duty Cycle, 54 Max OCV, Input: 230/460V, 36/168A, 60 Hz, 3 Ph. S/N 12RT-42726
310	1	Assorted C-Clamps 5" to 13" Size Range
311	1	Steel Table 42"x48"x32" on Casters, (No Contents)
311A	1	Boring Attachment 30.5" Stroke, 1/2 HP
312	1	Schumberger Double-End Belt Sander 4"W Belts, 1750 RPM, 220/440V, 3 Ph. S/N 3030
313	1	Greenard No.5 Arbor Press
314	1	Clark C500-S100 LP Fork Lift 10,000 Lb. Capacity, 138" Max Lift Height, 2-Stage Mast, 48" Forks, Solid Tires, 1452 Running Hours S/N 685-430-4241
315	1	Clark CGC20 LP Fork Lift 4,000 Lb. Capacity, 130" Max Lift Height, 2-Stage Mast, 40" Forks, Solid Tires, 7498 Running Hours S/N C365L-0552-9475FB
316	1	Clark C25CL LP Fork Lift 4,500 Lb. Capacity, 189" Max Lift Height, 3-Stage Mast, 47" Forks, Side Shift Attachment, Solid Tires, 3515 Running Hours S/N C232L-0503-9575KF
317	1	Clark C25CL LP Fork Lift 4,500 Lb. Capacity, 189" Max Lift Height, 3-Stage Mast, 40" Forks, Side Shift Attachment, Solid Tires, (Doesn't Start, Needs Battery) S/N C232L-0051-9582KF
318	1	Clark CMC 20SL LP Fork Lift 4,500 Lb. Capacity, 189" Max Lift Height, 3-Stage Mast, 41" Forks, Solid Tires, 5154 Running Hours S/N CMC158L-1333-6853KF
319	1	Clark CMC 20SL LP Fork Lift 4,500 Lb. Capacity, 189" Max Lift Height, 3-Stage Mast, 41" Forks, Side Shift Attachment, Solid Tires, 7571 Running Hours S/N CMC158L-0894-6853KF
320	1	Steel Table 36"x36"x36" On Casters, (No Contents)
321	1	Aluminum Top Table 45"x65"x 35", (No Contents)

322	1	Aluminum Top Table 49"x78"x35", (No Contents)
323	1	Die Cart 24"x33" x34" w/ 4-Tier Steel Shelving Unit, 36"x24"x48", (No Contents)
324	1	Hose Crimping Station Hydraulic Crimper w/ Foot Pedal Control, Assorted Dies & Fittings, Manual Hose Cutter, & 48"x24"x51" Steel Table
325	1	(4) Steel Cabinets (1) 37"x24"x48" 2-Door, (1) 24"x12"x68" w/ Contents of Fuses, (1) 36"x19"x84" 2-Door, & (1) 36"x18"x78" 2-Door
326	1	Kenmore Refrigerator w/ (2) Microwaves & (1) Family Chef Toaster Oven
327	1	(2) Pallets of Assorted Bearings, Oil Seals & Gears
328	1	(2) Motors (1) 75 HP Toshiba, Model B0754FLF3U3, 365T Frame, 1760 RPM, 460V, 89.5A, 60 Hz, 3-Phase, S/N 00294353 & (1) 25 HP Baldor, Model EM25311, 284T Frame, 1770 RPM, 230/460V, 60/30A, 60 Hz, 3 Ph. S/N Z0603220395
329	1	Enerpac Manual Hydraulic Pump w/ Enerpac Model RCH202 20-Ton Hydraulic Jack, & (2) Bottle Jacks
330	1	Budget Electric Chain Hoists (1) 1-Ton & (1) 1/2-Ton
331	1	Klingelberg GW30 Hob Sharpening Machine 22" Between Centers, 10" Tail Stock Travel, 10" Max Grinding Wheel Diameter, 220V, 14.9A, 3 Ph. S/N 17751
332	1	Change Gears For Klingelberg GW30 Hob Sharpening Machine
333	1	17" 2-Piece Riser Pattern For Fellows 36 Gear Shaping Machine
334	1	Barber-Coleman 43385 Hob Sharpening Machine 34" Between Centers, 12" Tail Stock Travel, 2200 Spindle RPM, 10" Max Grinding Wheel Diameter, 2 HP, 415V, 3 Ph. S/N 417
335	1	Change Gears For Barber-Coleman 10-12 Hob Sharpening Machine
336	1	Tool Cabinet 21"x15"x30", w/ Contents of Barber-Coleman 10-12 Gear Sharpener Arbors, Tail Stocks, 10"x5" Mag Chuck, Indexer, Etc.
337	1	Cincinnati No. 2 Tool Post Cutter/Grinder 36" Tool Post Table, 12" Horizontal Tool Post Table Travel, 8"x12" Table Travel, Right Angle Indexing Cross Slide Vise Attachment, 6" Vertical Grinding Head Travel, Double End Grinding Head, 1-1/4" Arbor, 480V, 3 Ph. S/N 1D2T1S322
338	1	Sunstrand Horizontal Surface Grinder 17" Max Wheel Diameter, 17" Magnetic Chuck, 4.5" Knee Travel, 13.75 HP, 440V, 3 Ph. S/N 8230
339	1	Grinding Wheels Various Diameters & Arbors
340	1	Hob Cutters Various Faces, Helical, & Arbors
341	1	Hob Cutters Various Faces, Helical, & Arbors
342	1	Remaining Contents of Upstairs Inspection Office to Include (2) Desks, (3) Office Chairs, (2) Book Shelves, (1) 2-Drawer Filing Cabinet, (2) Dell Computer Monitors, & (2) Dell Computer Towers, (Excludes Separately Lotted Items)
343	1	Xerox WorkCentre M123 Copier/Printer (Loc. Upstairs Inspection Office)

344	1	5-Tier Plastic Shelving Unit 36"x18"x71", w/ Contents of Reamers, Combined Drill & Counter Sinks, Drill Bits, Allen Wrenches, Chuck Keys, Etc., (Loc. Upstairs Storage Room)
345	1	5-Tier Plastic Shelving Unit 36"x18"x71", w/ Contents of Drill Bits, End Mills, Taps, & Poly Shields w/ Magnetic Bases, (Loc. Upstairs Storage Room)
346	1	5-Tier Plastic Shelving Unit 36"x18"x71", w/ Contents of Lathe Cutting Tools, Drill Bits, Counter Sinks, Drill Sleeves, Collets, Milling Machine Arbors, Reamers, Etc. (Loc. Upstairs Storage Room)
347	1	5-Tier Plastic Shelving Unit 36"x18"x71", w/ Contents of Carbide Inserts, Thread Repair Kits, Lock-Line Nozzle Components, & Electrical Supplies
348	1	5-Tier Plastic Shelving Unit 36"x18"x71", w/ Contents of Sandvik Lathe Cutting Tools, Centers, Cat 30 Tool Holders, Norton Abrasive Belts, Discs Flap Wheels, 3M Dust Masks, Pyramex HGB Ratcheting Head Gear, Etc. (Loc. Upstairs Storage Room)
349	1	72-Compartment Bolt Bin to Include (2) 3-Drawer Small Parts Bins, & (1) 64-Drawer Small Parts Bins w/ Contents of Drill Bits, End-Mills, & Cobalt Boring Inserts, (Loc. Upstairs Storage Room)
350	1	PPE Gear to Include (1) Box of Gloves & (1) Box of SPT Face Shields, (Loc. Upstairs Storage Room)
351	1	Box of Plastic Totes, (Loc. Upstairs Storage Room)
352	1	(2) Plastic Shelving Units (1) 4-Tier, 36"x18"x54" & (1) 36"x18"x37", w/ Contents of PVC Pipe Fittings, Brass Ball Valves, Steel Pipe Fittings, Etc. (Loc. Upstairs Storage Room)
353	1	Justrite 9500 (3) Oily Waste Cans 14 Gallon Capacity
353A	1	(3) Steel Rolling Tables (1) (2) 36"x36"x33" & (1) 42"x48"x29.5"
354	1	2-Door Cabinet w/ Contents of Poly Bags, Bubble Mailers, & Wire Tags
354A	1	Mitutoyo Graplate Granite Surface Plate 24"x48"x6", 0.0003 Accuracy, Grade A w/ 48"x24"x28" Steel Cart S/N 122723
355	1	Granite Surface Plate 18"x24"x3"
356	1	Wesco Fork Mounted Drum Grabber 1000 Lb. Capacity
357	1	Intertek FE-120D5FOL 48" Drum Fan 120V S/N 98
358	1	(2) Squirrel Cage Fans 44"x44"x24", 1/2 HP, 120V
359	1	(2) Squirrel Cage Fans (1) 44"x44"x24", (1)42"x46"x18", 1/2 HP, 120V
360	1	(6) Pedestal Shop Fans
361	1	(7) Pedestal Shop Fans
362	1	1-Section of Pallet Racking to Include (2) 96"x42" Uprights, (4) 102" Crossbeams, & Plywood Decking w/ Contents of Microwaves, & Fork Lift Seats
363	1	(3) Adjustable Shelving Units 36"x18"x74" w/ Contents of (2) Weed Eaters, Weed Eater Parts, Gas Cans, Hedge Trimmers, Solo 4302G Sprayer, Pet Kennels, Etc.

364	1	10-Sections Of Adjustable Shelving w/ Contents of Assorted Fasteners, Dip Seal Plastics Pot, 20"x30"x1 Filters, Gears, Hose Clamps, Gears, Arbors, Spare Parts, Etc.
365	1	Cleaning Supplies to Include (1) 2-Door Cabinet & (1) Adjustable Shelving Unit w/ Contents of Hand Soap, Green Works All Purpose Cleaner, Rubber Gloves, Brooms, Mop Heads, & (1) Mop Bucket
366	1	1-Section of Pallet Racking to Include (2) 72"x36" Uprights, (4) 102" Crossbeams, & Plywood Decking
367	1	1-Section of Pallet Racking to Include (2) 72"x36" Uprights, (6) 102" Crossbeams, & Plywood Decking w/ Contents of Cardboard Boxes, (1) 36"x57"x30" A-Frame Paper Roll Stand, & (1) 36"x24"x36" A-Frame Bubble Wrap Cart
368	1	Avery Weigh-Tronix DSL4848-05 Floor Scale 48"x48", 5,000 Lb. Scale Capacity, w/ Model WI-125 DRO, 1-5,000Lb./5-2268kg Capacity, S/N 073758 S/N 55218
369	1	Whirlpool Refrigerator w/ Microwave
370	1	1-Section of Pallet Racking to Include (2) 120"x36" Uprights, (6) 112" Crossbeams, & Plywood Decking, w/ Contents of Wooden Gear Patterns & Corrugated Cardboard Rolls
371	1	Shipping Area Furniture to Include (2) 36"x26.5"x39" Steel Tables, (1) 36"x72"x33" Steel Table, (1) 84"x36"x28" Steel Table, (1) 30"x35"x45" Shop Desk, (1) 4-Drawer Filing Cabinet, & (3) Chairs
372	1	2001 Haas SL20T CNC Lathe 9.3" X-Axis Travel, 21" Z-Axis Travel, 945 in/min Z-Axis Rapid Travel, 31.75" Max Swing, 20.75" Swing Over Cross Slide, 23" Swing Over Tailstock, 2" Hole Through Spindle, 4,000 Max Spindle RPM, 15"x21" Max Capacity, 8" 3-Jaw Chuck, 10-Station Tool Turret, Tail Stock, 26.5" Distance Between Centers, 20 HP Vector Drive, Haas 12" LCD Haas CNC Controller, 480V, 3 Ph. S/N 63819
373	1	Lathe Tooling to Include Hard & Soft Jaws, Cutting Tools, Collets, Drill Bits, Taps, (1) 33"x24"x39" Tool Cart & (1) 32"x27"x36" Steel Table
374	1	Frigidaire Refrigerator w/ Mini Fridge & Microwave
375	1	2012 Haas ST40 CNC Lathe 17" X-Axis Travel, 44" Z-Axis Travel, 710 in/min X & Z-Axis Rapid Travel, 34.5" Max Swing, 25.5" Swing Over Cross Slide, 25.5" Swing Over Tailstock, 6.5" Hole Through Spindle, 2400 Max Spindle RPM, 25.5"x44" Max Capacity, 18" 3-Jaw Chuck, 12-Station Tool Turret, Steady Rest, Tailstock, 51" Distance Between Centers, Jorgensen Chip Conveyor, 55 HP, Haas 15" LCD CNC Controller, 260V, 3 Ph. S/N 3092718
376	1	Gorbel 5-Ton Free Standing Jib Crane 15H Column, 9'L Arm, w/ Harrington 5-Ton Electric Chain Hoist & 6-Button Pendant
377	1	Lifting Accessories to Include Shackles, Plate Grabbers, Lifting Chains, 24"x36"x32" Steel Utility Cart, & (1) 30"x36"x31" Steel Table
378	1	Synthetic Lifting Straps Assorted Lengths & Capacities, New & Used

379	1	HNK Machine Tool VTC 16/20 3-Axis CNC Vertical Turning Center 200-1900mm X-Axis Travel, 900mm Z-Axis Travel, 1,600mm 2,000mm Max Swing, 1,000mm Max Turning Height, 12,000 mm/min X-Axis Rapid Travel, 10,000 mm/min Z-Axis Rapid Travel, 15-1500 Spindle RPM, Cat 50 Taper, 1,600mm Table, 0-250 RPM Table Speed, 10,000kg Table Capacity, 12 ATC Automatic Tool Changer, Fanuc Series 18i-TB CNC Controller, Chip Conveyor, Mastertech Model MSCU-1000FNP Chiller, Cooljet Coolant System, (2) Hydraulic Power Units, 230V, 3 Ph. S/N 9141
380	1	(12) Cat 50 Holders to Include (1) Right Angle Milling Attachment, For HNK VTC 16/20 Turning Center
381	1	(2) A-Frame Tooling Racks 36" x 11" x 74", with Contents of (19) Cat 50 Tool Holders with Assorted Tapers & Tooling
382	1	5-Tier Adjustable Shelving Unit 36"x18"x68" w/ Contents of Hold Down & Set Tooling
383	1	2007 Maxtec/Sun Firm CST-42120-12A CNC Lathe 42" Swing, 120" Between Centers, 12" Hole Through Spindle, 26" 3-Jaw Front Chuck, 26" 4-Jaw Rear Chuck, (2) Steady Rests, 8-Station Tool Turret, Boring Attachment, Tail Stock, Fanuc Series Oi-TC CNC Controller, Chip Conveyor, Kaukan KO-18PS Oil Cooler, 220V, 3 Ph. S/N 26048
384	1	1995 Daewoo PUMA12L-C CNC Lathe 24.4" Max Swing, 14.6" Max Swing Over Carriage, 19" Max Turning Diameter, 10.2" X-Axis Travel, 41.3" Z-Axis Travel, 48" Distance Between Centers, 4.5" Hole Through Spindle 20-2000 Spindle RPM, 15" 3-Jaw Chuck, 12-Station Tool Turret, Tail Stock, Mitsubishi CNC Controller, Turbo Conveyor Model 6287-8080 Chip Conveyor, 220V, 3 Ph. S/N PL120769
385	1	Cobalt/Tin Spade Inserts w/ Shelving Unit
386	1	Steel Workbench 60"x24"x63" w/ Contents of Custom Soft Jaw Sets & Turret Tool Holders
387	1	Steel Workbench 72"x24"x67", 4-Door Overhead Shelf, w/ Contents of Collets, Drill Bits, Countersinks, Lathe Cutting tools, Tool Sleeves, Centers, & Custom Soft Jaw Sets
388	1	Assorted Lathe Cutting Tools
389	1	Assorted Tooling to Include End Mills, Reamers, Countersinks, & Drill Bit Sleeves
390	1	Carbide Inserts
391	1	Assorted Turret Tool Holders & Tool Sleeves
392	1	Steel Table 72"x28"x31", (No Contents)
393	1	Steel Table 36"x36"x30" on Casters, (No Contents)
394	1	Steel Table 48"x28"x38", 2-Shelves, (No Contents)
395	1	Steel Tool Cabinet 36"x40"x64" w/ Contents of Assorted Hard & Soft Jaw Chuck Sets
396	1	Steel Workbench 110"x37"x73" w/ Contents of Boring Tools, Tool Holders, Steadyrest Rollers, Set Up & Hold Tooling
397	1	Jesco 211331 Self-Dumping Hopper 1 cu/yd Capacity, 6000 Lb. Capacity
398	1	Continental DPF24-1000 24" Drill Press 9-Speed, 5/8" Chuck, 16"x15" Table, 1 HP, 110/220V, 1 Ph. S/N C1328

399	1	Reed 205R 5" Bench Vise on Steed Pedestal
400	1	Contrx 1-Ton Free Standing Jib Crane 135"H Column, 13'L Arm, w/ Yale 1-Ton Electric Chain Hoist & 2-Button Pendant
401	1	Wood Top Work Bench 60"x28"x32"
401A	1	Steel Table 72.5"x33"x34" on Castors
402	1	Stanley Vidmar 11-Drawer Heavy Duty Parts Cabinet w/ Contents of Assorted Press Punch Tooling
403	1	W.A. Whitney 652-50 50-Ton Manual Duplicator Punch Press Capacities Through A1S1-1018 Steel: 1.25" Dia-1/2", 1.75" Dia-3/8", 3.375" Dia-1/4", 5" Dia-3.16", 1/4" Stroke Adjustment ,36" Throat, 96"x54" Table, 20 HP, 230/460V, 3 Ph. S/N 652-185-32078
404	1	3-Tier Press Brake Tooling Rack 60"x36"x41" w/ Contents of Assorted Press Brake Dies
405	1	3-Tier Press Brake Tooling Rack 61"x36"x49" w/ Contents of Assorted Press Brake Dies
406	1	6-Tier Press Brake Tooling Rack 58"x36"x82" w/ Contents of Assorted Press Brake Dies
407	1	Stand Up A-Frame Brake Press Tooling Rack 51"x8"x61" w/ Contents of Assorted Press Brake Dies
408	1	1990 Guifil PE 20-60 66-Ton Hydraulic Press Brake 4" Stroke, 12" Open Height, 16" Throat, 79" Bed Length, 60" Distance Between Housing, MiniWizard DRO, 480V, 3 Ph.
409	1	12-Tier A-Frame Cantilever Rack 96"x98"x68" w/ Contents of Assorted Press Brake Dies
410	1	(3) Stand Up A-Frame Brake Press Tooling Racks (1) 48"x16"x75", (1) 38"x12"x70", (1) 50"x15"x70", w/ Contents of Assorted Press Brake Dies
411	1	HTC 252G 250-Ton Hydraulic Press Brake 7" Stroke, 12.5" Open Height, 7" Throat, 168" Bed Length, 159" Distance Between Housings, Foot Pedal Control, 230/460V, 3 Ph. S/N 976956
412	1	3-Tier Press Brake Tooling Rack 48"x28"x36" w/ Contents of Assorted Press Brake Dies
413	1	Whitney No.100 6" Manual Notcher
414	1	Steel Table 108"x36"x33 w/ Beverly Shear B2 Throatless Shear
415	1	HTC 500-12A Hydraulic Power Squaring Shear 1/2" Nominal Cutting Thickness, 5/8" Max Cutting Thickness, 148" Max Cutting Length 1"x1/4" Blade Size,120" Squaring Guide, Foot Pedal Control, 40 HP, 230/460V, 3 Ph. S/N A9761014
416	1	12" Disc Sander 1 HP, 1725 RPM, 208/230V, 1 Ph.
417	1	Steel Sheet Metal Material Rack 120"x48"x42" w/ Contents of Steel & Aluminum Sheet Metal
418	1	3-Tier Steel Rack 124"x54"x75" w/ Contents of Steel Round Stock & Bar Stock, Up to 2.5"x16'
419	1	Steel Cantilever Rack 91"x63"114" w/ Contents of Steel & Aluminum Sheet Metal & Aluminum Plate Stock
420	1	Schumberger C06 Double-End Belt Sander 4"W Belts, 1750 RPM, 220/440V, 3 Ph. S/N 3038
421	1	Kysor Johnson H-450H Horizontal Bandsaw 18"x16" Max Cutting Capacity, 400 Max FPM, 1.5" Blade, 480V, 3 Ph. w/ 16"x187" Roller Outfeed Conveyor S/N 421086

422	1	Onan 6.0 DJB-1E/7198S Electric Plant Diesel Powered, 12V,1800 RPM, 6 KVA, 120VAC, 50A, 1 Ph. S/N 573642378
423	1	Hydraulic Power Unit Diesel Powered, 24" x 6' Skid
424	1	Ridgid 535 Pipe Threading Machine
425	1	Roura 1T-270 Rolling Self-Dumping Hopper 1 cu.yd Capacity, 2000 Lb. Capacity
426	1	Roura 1T-270 Rolling Self-Dumping Hopper 2 cu.yd Capacity, 2000 Lb. Capacity
427	1	Rolling Self-Dumping Hopper 1/4 cu.yd Capacity
428	1	1/2-Ton Column Mounted Jib Crane Approx. 17'L w/ Coffing 1/2-Ton Electric Chain Hoist & 2-Button Pendant
429	1	Paint Booth 84"x120"x120" Inside Dimensions, 128"x192"x126" Overall Dimensions, w/ (1) Amerex IS35ABC Fire Suppression System, (2) Amerex IS18ABC Fire Suppression Systems, (1) Amerex Fire Suppression Mechanical Release Module, & Ducting
430	1	Dyna-Glo RMC-KFA170TDGP Portable Kerosene Heater 170,000 BTU/Hr, 12 Gallon Fuel Tank, 1.3 Gal/Hr Fuel Consumption Rate, 120V, 1 Ph.
431	1	Alkota Systems 213AX4 Pressure Washer 2 GPM, 1600 PSI, 2.3 HP, Diesel Powered S/N 245364
432	1	Remaining Contents of Paint Shop to Include (1) Steel 8-Door Cabinet, 21"x91"x66", (1) Steel Table, (1) Adjustable Shelving Unit, (2) 1-Door Tool Cabinets, (1) Tool Chest, (1) 4-Drawer Filing Cabinet, & (2) Chairs, (Excludes Separately Lotted Items)
433	1	Quincy Compressor QSB25ANA32P 25 HP Rotary Screw Air Compressor 24041 Running Hours, 230/460V, 3 Ph. S/N 91468H
434	1	Quincy Compressor QSB25ANA32P 26 HP Rotary Screw Air Compressor 3741 Running Hours, 230/460V, 3 Ph. S/N 91467H
435	1	Air Receiving Tank 70" Seam to Seam x 22"OD
436	1	Portable Steel Shed 120"x97"x114", (No Contents)
437	1	(12) Steel Pipe Stands
438	1	Paint Storage Shed 98"x204"
439	1	(2) Winches Gas Powered, (No Data Plates)
440	1	Lot of Assorted Adjustable Racks, Material Stands, & Steel Fixtures
441	1	Aluminum Square Tube Stock 23'Lx1/25"ID
442	1	Assorted Steel & Aluminum Wolk Horses
443	1	4-Sections of Pallet Racking to Include Dismantled Pallet Racking
444	1	Column Mounting Jib Crane 130"Lx58"H
445	1	1985 Schmidt 43256 Pressure Pot 125 MAWP @ 250 Degrees F, 48"x24"OD S/N K-1605
446	1	(4) Steel Drum Enclosures 4-Drum Capacity, 49"x49"x38"
447	1	Steel Rack 40"x264"x36" w/ 4-Sections of Pallet Racking

448	1	Self-Dumping Hopper 1 cu.yd Capacity
449	1	Misc. Castings w/ (3) 10.25"x11"x30' I-Beams
450	1	Portable Drilling Rig (No Data Plate)
451	1	(2) Pallets of Assorted Sheet Metal
452	1	Man Basket Forklift Attachment 50.5"x60"x44"
453	1	Shop Made Forklift Boom Attachment 42"x93"
454	1	Aluminum Top Table 48.75"x72.75"x33"
455	1	(5) Ladders (1) 10-Step Portable Staircase, (1) 7-Step Portable Staircade, (1) 5-Step Portable Staircase, (1) 7-Step Aluminum A-Frame Ladder, & (1) 5-Step Aluminum Ladder
456	1	(6) Pallets of Misc. Steel Castings, Steel Rings, & Steel Plates
457	1	Double Sided Cantilever Rack w/ Contents of Aluminum Pipe, Angle Stock, Tube Stock, Round Stock, & I-Beams,
458	1	Adjustable Double Sided Cantilever Rack w/ Contents of Carbon Steel Square Stock, Round Stock, Pipe, & I-Beams
459	1	(11) Pallets of Steel Round Stock, Angle Iron, & I-Beams Sizes Up to 12" OD & 43"L
460	1	(2) Racks with Contents of Steel Round Stock & Fittings Sizes Up to 12" OD & 43"L
461	1	(1) Rack & (4) Pallets of Stainless Steel Round Stock & Pipe Sizes Range From 1-3/4"-11-1/2" OD up to 92"L
462	1	(8) Pallets of Assrted Steel Round Stock Sizes Range from 1-1/2"-8-5/8" OD up to 21'L
463	1	(7) Pallets of Assorted Steel Round Stock Sizes Up to 9-7/8"x22-5/8"OD
464	1	(8) Pallets of Misc. Sheaves, Castings, Cat Head Drums, & Bevel Gear Blanks
465	1	(2) 4-Wheel Dollies 46"x33-5/8"x18-1/2"
466	1	(2) Acetylene Storage Storage Racks (1) 48.75"x58"x54" & (1) 44"x55.75"x36", (Acetylene Tanks Not Include)
467	1	Red Ball Oxygen Propane Cage 32"x58"x54", (Propane Tanks Not Included)