

REAL ESTATE • FINANCE • MACHINERY • AUCTIONS industrialassets.com

(2) GLOBAL
ONLINE ONLY
LIVE WEBCAST
(NO ONSITE BIDDING)

AUCTIONS

AUCTION #1 - Carson City, NV

Assets Formerly of: American Buildings Co. (a Nucor Co.)



A NUCOR COMPANY

Complete Cee & Zee Purlin Line,
Double High Metal Siding Panel Rollformer,
Line for Bending Eave Struts,
Shears, Uncoilers & More!

AUCTION: Thurs., November 29th at 11:00am PST **LOCATION:** 2401 Conestoga Dr., Carson City, NV 89706 **PREVIEW:** Nov. 26th thru 28th, 9:00am to 4:00pm or By Appointment. Please call 818.508.7034



AUCTION #2 - Sparks, NV

Assets Formerly of: High Quality S/S Commercial Kitchen Equipment Manufacturer

S/S Commercial Kitchen Equipment Manufacturer

Metal Fabrication Equip. (All Under Power)
Press Brakes, Shears, CNC Plasma Table,
Notchers, Punches, Presses, Boring Mills,
Grinders, Welders, Rolling Stock & More!

AUCTION: Thurs., November 29th at 11:00am PST **LOCATION:** 1335 Alexandria Ct., Sparks, NV 89434 **PREVIEW:** Nov. 26th thru 28th, 9:00am to 4:00pm or By Appointment. Please call 818.508.7034



240 TON X 18' LVD STRIPPIT 6-AXIS CNC PRESS BRAKE

Complete Photos & Lot Listings at www.biditup.com





Maynards 248.569.9781 www.maynards.com

COMPLETE CEE & ZEE PURLIN LINE (Please Call Nyk Westbrook for More Details 818.738.0800)


- ASC 24" PINCH ROLLTOWER, Mdl. 24-PRT-H
- ASC STRAIGHTENER/FEEDER, Mdl. 24P/5AC
- ROUSSELLE 150-TON SS PRESS, Mdl. S2-150
- ASC FEED ROLL ASSEMBLY
- BRADBURY 100-TON PRESS, (New 2009)
- ASC 20,000 LB. x 4' UNCOILER, w/36" Coil Car, Mdl. 20S48D20/3H200 BRADBURY SIDE BY SIDE PURLIN ROLLFORMER, 12 Stands on "CEE" Channel Side and 12 Stands on "ZEE" Channel Side, 24" Roll Space Width, 3-1/2" Shafts, 10-16 GA. Material, 100-200 FPM, Mdl. 425 D/W, (New 1997)
 - STACKER
 - AMS XL200 SERIES CONTROLLER, (Installed About 3 Years Ago)
 - RAFTED STAND, w/Purlin Tooling
 - SPARE PURLIN PARTS























LINE FOR BENDING EAVE STRUTS

- AMERICAN STEEL LINE 10,000 LB. x 4' UNCOILER, Mdl. 60
- REGAL 30" STRAIGHTENER, Mdl. 350-CSF-30-HD, Capacity: .200 M.S
- 3/16" x 52" WYSONG POWER SHEAR, Mdl. 752-F, w/ Roller/Feeder Attachment
- 400-TON x 30' PACIFIC CNC HYD. PRESS BRAKE, Mdl. K400-20, 5' Wings Added Later, PC Controls PC800L CNC Control Retrofit (Installed About 3 Years Ago), Hurco Autobend Back Gauge, Scientific Technologies Light Curtains

PANEL ROLLFORMING LINE


- BRADBURY 4' BOSS SHEAR, (New 1998)
- BRANDBURY 36" DOUBLE HIGH PANEL ROLLFORMER, 14 Upper Stands, 14 Lower Stands, 44" Wide, 1-3/4" Shafts, 4-8" Vertical Adj., 18" Spacing, 22-29 GA. Material, 200 FPM, Mdl. 420 (New 1998)
- STACKER
- AMS XL200 SERIES CONTROLLER, (Installed About 3 Years Ago)
- 52" WIDE RIDGE CAP BENDER
- 42" WIDE RIDGE CAP BENDER



















ROLLFORMERS

- 30-STANDS x 30"- 40" RS x 3" SHAFT TISHKEN 32-HW-AS-3 GEARED ROLLFORMER, 30 Pair of Spindles Mounted on a 32 Spindle Base, Power Adjusted Spindle Support Stands (Stepping Motor & Ball Screw), Powered Lateral Traverse, w/LED Position Readout, Air Clutch, 75 HP, Note: Machine was rebuilt in (2003), (Located In: Huntington Park, CA)
- 28-STANDS x 40" RS x 3" SPINDLE TISHKEN 28-HW-3S GEARED ROLLFORMER, 6-1/2"- 8-3/8" Vert. Adj., 14" & 18" Horiz., unequaled gearing, Outboard Supports, Air Clutch, 50 HP, (Located In: Huntington Park, CA)
- 28-STANDS x 40" RS x 3" SHAFTTISHKEN 28-HW-3S GEARED ROLLFORMER, 6-1/2"- 8-3/8" Vert. Adj., 14" & 18" Horiz., Powered Feed Roll, Straightener Unit, Induction Heater Unit, Unequaled Gearing, Air Clutch, 50 HP, (Located In: Huntington Park, CA)
- 18-STANDS x 36" RS x 2-3/4" SHAFT ASC A.S FORMER GEARED ROLLFORMER, 4-3/4" 6" Vert. Adj., 10 1/2" Horiz., Variable Speed, 20 HP, (Located In: Huntington Park, CA)
- 12-STANDS x 48" RS x 3-1/2" SHAFT BRADBURY 225 3-1/2 ROLLFORMER, 3"-5-1/2" Vert. Adj., 17" Horiz. Distance, Variable Speed, 30 HP, (Located In: Huntington Park, CA)
- 12-STANDS x 10" RS x 1-1/2" SHAFT TISHKEN 12-HMW-11/2 GEARED ROLLFORMER, 4"-6 1/2" Vert. Adj., 9" Horiz., Variable Speed, Tishken CO-6-2 Cut-Off 18-Ton 2" Stroke, Geared Head Stands, Air Clutch, 15 HP, (Located In: Huntington Park, CA)













SLITTING LINE

 60" x 40,000 LB. DAHLSTROM DUAL HEAD LOOP SLITTING LINE, 2 Slitting Heads 7" Arbor, Telescoping Threading Table, Hyd. Snubber, 2 Arm Turnstile, Coil Car, Scrap Chopper, Recoiler, (Located In: Holland, OH)



CUT-TO-LENGTH LINE

• 16,000 LB. x 40" x 0.050" ROWE LITTELL 16040-DSL/438-HVS-7PPL CUT-TO-LENGTH-LINE, Power Expansion, Pneumatic Hold Down Arm, 32" Pneumatic Shear, Loop Control Arm, (Located In: Huntington Park, CA)



16,000 Lb. x 40" x 0.050" Rowe Littell Cut-to-Length-Line

UNCOILER

• AMERICAN STEEL LINE 10,000 LB. x 4' UNCOILER, Mdl. 60

COIL REEL EQUIPMENT

- 20,000 LBS. x 36" x 0.080" EGAN COIL REEL & STRAIGHTENER, Hyd. Expansion, Pneumatic Hold Down Bar, (Located In: Huntington Park, CA)
- 16,000 LBS. x 40" ROWE 16040-DSL COIL REEL & TRAVELING COIL CAR, Power Expansion, Pneumatic Coil Hold Down Arm, Var. Clutch & Brake Control, (Located In: Huntington Park, CA)
- 10,000 LBS. x 48" ASC 1000048 HYD. COIL REEL & CAR, Hydraulic Expansion, Pneumatic Hold Down Bar, (Located In: Huntington Park, CA)
- 10,000 LB. x 48" ASC M-0640-14 THREE ARM TURNSTILE, (Located In: Huntington Park, CA)

(Located In: Huntington Park, POWER ROLLS

- 10 GA. x 5' HENLEY WHITMORE 510 INITIAL PINCH POWER ROLL, 5" Roll Diameter, Manual Drop End, 5 HP, (Located In: Huntington Park, CA)
- 12 GA. x 10' LOWN B600 INITIAL PINCH POWER ROLL, 6" Roll Dia., Air Drop End, Manual Rear Roll Adjustment, 5 HP, (Located In: Huntington Park, CA)
- 14 GA. x 6' WYSONG 472- PR INITIAL PINCH POWER ROLL,
 4" Roll Dia., Manual Drop End, Power Rear Roll Adjustment, 2 HP,
 (Located In: Huntington Park, CA)
- 16 GA. x 6' MILTON M400 II INITIAL PINCH POWER ROLL,
 4" Roll Dia., Man. Drop End, Man. Rear Roll Adjustment, 1-1/2 HP,
 (Located In: Huntington Park, CA)
- 1-1/4" x 5', 12" ROLL DIA. HERKULES UB12 INITIAL PINCH POWER ROLL, Cone Rolling Capability, Power Drop End, Power Roll Adjustment, Roll Position Indicators, 30 HP, (Located In: Huntington Park, CA)
- 1/4" x 12', 10-1/2" ROLL DIA. BERTSCH INITIAL PINCH POWER ROLL, Manual Drop End, Powered Rear Roll Adjustment, Variable Speed, 10 HP, (Located In: Huntington Park, CA)

ANGLE ROLLS

- 5"x 5"x 1/2" WALDEMAR AR- 50 HYD. ANGLE ROLL, Digital Readouts, Three Roll Drive, Horizontal/Vertical Operation, 6 Way Powered Guide Rolls, Extra Dies, 20 HP (2000), (Located In: Huntington Park, CA)
- 2"x 2"x 1/4" BUFFALO #1/2 ANGLE ROLL, Man. Lateral Supports, 1"Tube Dies on Machine, 3 HP. (Located In: Huntington Park, CA)



Egan Coil Reel & Straightener



Rowe Coll Reel & Traveling Coll Car



ASC Hydraulic Coil Reel & Car



2"x 2"x 1/4" Buffalo #1/2 Angle Roll



14 Ga. x 6' Wysong Initial Pinch Power Roll

SHEARS

- 5/8" x 20' CINCINNATI HYD. SHEAR, Mdl. 5FL20 (Was Used for Shearing Webs)
- Spanco 3-Ton A-Frame Gantry Crane on Roller Track, P&H RediLift Hoist
- CM Cady Lifters 10,000 Lb. Cap. Sheet Lifter
- 3/8" x 16' PACIFIC HYD. SHEAR, Mdl. 375R16, Back Gauge
- 3/16" x 12' CINCINNATI POWER SHEAR, Mdl. 1412, Front Operated Power Back Gauge, Squaring Arm
- 1/2" x 10' PACIFIC HYD. SHEAR, Mdl. FS 400-10 II, Front Operated Power Back Gauge, Squaring Arm

STRAIGHTENER

 48" x 0.035" LITTELL 452D-16 PDS LEVELER/STRAIGHTENER, Back Up Rolls, Pneumatic Threader Arm/Peeler Blade/Peeler Table/Pinch Rolls/Coil Hold Down Arm, (Located In: Huntington Park, CA)

BENDERS

- 100-TON BULL HYDRAULIC CAMBER BENDER, (Located In: Huntington Park, CA)
- 10 GA. x 24" NEB DUAL STATION HYD. PANEL BENDER, 50 HP, (Located In: Holland, OH)
- 10 GA. x 24" FELDMAN MDL. DH-24M-37, S/N 1509, Metal Panel Bender, (Located In: Huntington Park, CA)
- 1-1/2" x 0.188" PINES #1 HYD. TUBE BENDER, Digital Dial-A-Bend, Hyd.
 Mandrell Extractor, 60" Syncro Degree of Bend Attachment, Pressure Die Assist, (Located In: Huntington Park, CA)
- 1-1/4" x 0.083" WT PINES 3T VERT. HYD. TUBE BENDER, Digital Dial- A Bend Control, Work Support Bars, 20 HP, (Located In: Huntington Park, CA)

C-FRAME PRESS (WEB PUNCH)

 PACIFIC 200-TON "PRESS FORMER" HYD. C-FRAME PRESS, Mdl. 200 PF, Bed: 4' L to R, 2' F to B, Top: 15"x 15"

C-PUNCHES

- C-PUNCH, w/Stand
- HEAVY-DUTY C-PUNCH

SPREADER BARS

- 30' SPREADER BAR, 8,650 Lb. Max Cap.
- CALDWELL 6' SPREADER BAR, 10,000 Lb. Max Cap.
- 6' SPREADER BAR, 9,740 Lb. Max Cap.

FEEDS

- 40" x 0.080" ROWE FDC-053-440SS SERVO FEEDER, Rexroth Indramat System 200, 5 HP, (Located In: Huntington Park, CA)
- 12" x 0.134 RBI/RED BUD FSC6HS12-36 AIR FEEDER & STRAIGHTENER, Single Grip, Pull Through Straightener, Adjustable Cabinet Base, (Located In: Huntington Park, CA)

FLANGING MACHINES


- 3/8" x 12' BLUE VALLEY #4 HEAD FLANGING MACHINE, Hyd. Adjustment of Flanging Roll, Pneumatic Center Material Hold Down, 7-1/2 HP, (Located In: Huntington Park, CA)
- 10 GA. x 72" BLUE VALLEY #1 HEAD FLANGING MACHINE, Pneumatic Center Material Hold Down, 1-1/2 HP, (Located In: Huntington Park, CA)













10 Ga. x 24" Neb Dual Station Hyd. Panel Bender







BEVELERS

- 2-1/2" x 25- 55 DEGREES PULLMAX BEVELING MACHINE, (Located In: Huntington Park, CA)
- 2-1/2" x 25- 55 DEGREES PULLMAX BEVELING MACHINE, (Located In: Huntington Park, CA)

EMBOSSING MACHINE

 30" WIDE MEMCO EMBOSSING MACHINE (TWO ROLL). 17" Roll Dia., Blocks & Gears, (Located In: Holland, OH)

SUPPORT EQUIPMENT

- COIL RACKS, WORK HORSES & AUTO WELDER
 HYSTER 24,600 LB. CAP. DIESEL FORKLIFT,
- TACK UP STATION, 8' RAM, 7.5 HP PUMP
- WILLIS "BIG BEAR" RD-1100 4' x 11" RADIAL ARM DRILL, 25-1/2" x 19-1/2" x 16" H Box Table, 44 to 1500 RPM (New 1999)
- PEDDINGHAUS SINGLE END PUNCH, w/Dies
- PAINT LINE
- ROD CLIP LINE, w/DipTanks

- Side Shift, Mdl. H250H
- INGERSOLL RAND 75 HP AIR COMPRESSOR. Mdl. SSR-EP75
- FRANKLIN MANUFACTURING, Mdl. F4280
- GENERAL HYDRAULICS VERT. CARDBOARD BALER, Mdl. 315-60L-17
- RACKING







Peddinghaus Single End Punch

CRANES & HOISTS

- Height, Variable Speed, End Truck Drive, Pendant Control, Crane Professionally Pulled Down and Ready to Ship, No Charge to Load onto Flatbed Truck, (Located In: Montclair, CA)
- 20-TON x 42 FRONTIER DOUBLE GIRDERTOP RIDING OVERHEAD BRIDGE CRANE, 20' 1" Lift Height, Variable Speed, End Truck Drive, Pendant Control, Crane Professionally Pulled Down and Ready to Ship, No Charge to Load onto Flatbed Truck, (Located In: Montclair, CA)
- 10-TON x 40' FRONTIER DOUBLE GIRDERTOP RUNNING BRIDGE CRANE, 20' 1" Lift Height, Variable Speed, End Truck Drive, Pendant Control, Crane Professionally Pulled Down and Ready to Ship, No Charge to Load onto Flatbed Truck, (Located In: Montclair, CA)
- 10-TON DETROIT D30T23-15M80 HOIST &TROLLEY, 17' 2" Lift Height, Under Hung, Pendant Control, Professionally Pulled Down and Ready to Ship, No Charge to Load onto Flatbed Truck, (Located In: Montclair, CA)
- 10-TON DETROIT HOIST & TROLLEY, 17' 2" Lift Height, Under Hung, Pendant Control, Professionally Pulled Down and Ready to Ship, No Charge to Load onto Flatbed Truck, (Located In: Montclair, CA)

- 20-TON x 42' MMH DOUBLE GIRDERTOP RUNNING BRIDGE CRANE, 20' 1" Lift 5-TON PHOENIX SHAW BOX WBM05S20 JIB CRANE & HOIST, 206" Lift Height, 180" Hor. Trolley Travel, Pendant Control, (Located In: Huntington Park, CA)
 - 3-TON X 60' NORTH AMERICAN SINGLE GIRDER UNDER HUNG BRIDGE CRANE, 20' 1" Lift Height, Variable Speed, End Truck Drive, Pendant Control, Crane Professionally Pulled Down and Ready to Ship, No Charge to Load onto Flatbed Truck, (Located In: Huntington Park, CA)
 - 1-TONYALE 1E20L12MPW2 ELECTRIC CRANE HOIST, Pendant Control, Wire Rope, 2 HP, (Located In: Huntington Park, CA)
 - 1-TONYALE 1E20L16RPE1 ELECTRIC CRANE HOIST, Pendant Control, Wire Rope, 2 HP, (Located In: Huntington Park, CA)
 - 2.500 LBS, ACCO WRIGHT X1WO2 ELECTRIC CRANE HOIST & TROLLEY. 25' Lift Height, Wire Rope, 2 HP (2003), (Located In: Huntington Park, CA)
 - 1,500 LBS. ACCO WRIGHT X1W02 ELECTRIC CRANE HOIST & TROLLEY, 25' Lift Height, Wire Rope, 1-1/2 HP, (Located In: Huntington Park, CA)
 - FRONTIER RUNWAY BEAM-CHANNEL-RAIL-BUS BAR-J HOOKS, (Located In: Pomona, CA)



20-Ton x 42' MMH Double Girder Top Running Bridge Crane



10-Ton Detroit Hoist & Trolley



Detroit Hoist & Trolley



Phoenix Shaw Box Jib Crane & Hoist









PRESS BRAKES

- 600-TON x 30' CINCINNATI 600H X 26 CNC HYD. PRESS BRAKE, Hurco Autobend 7 B/G Control, This Machine has been Professionally Dismantled and Ready to Load Out, (Located in: Painesville, OH)
- 500-TON x 168" (14') PACIFIC 500-14 HYD. PRESS BRAKE, 36" x 144" Flanged Bed & Ram, Bed Die Rail, (Located in: Painesville, OH)
- 300-TON x 20' CINCINNATI 300H-16 CNC 3-AXIS HYD. PRESS BRAKE, Automec 3-Axis B/G Control (Installed in 2016), ISB Light Curtains, (Located in: Painesville, OH)
- 240-TON x 18' LVD STRIPPIT PPEB 240 CNC PRESS BRAKE, (New 2001), 6-Axis Back Gauge (X1, X2, R1, R2, Z1, Z2), LVD Cadman CNC Control, 159-1/2" Between Housings, 7.9" Stroke, 15.7" Throat Depth, 15.7" Open Height, Working Speeds: Approach/Forming/Return (283/50/472 IPM), 50 HP Motor, Type: 240BH16, S/N 27466
- 230-TON x 14' CINCINNATI CNC 2-AXIS HYD. PRESS BRAKE, Hurco Autobend 5C, 150" Between Housings, 10" Stroke, 6" Throat, 230 CB x 12 FT, S/N 41595
- 175-TON x 18' PACIFIC K175-18 HYD. PRESS BRAKE, Tonnage Control Valve, (Located In: Huntington Park, CA)
- 175-TON x 12' CINCINNATI 175AF X 10 CNC HYD. PRESS BRAKE, 6-Axis, Bed Crowning, Hyd. Ram Clamp, (Located In: Huntington Park, CA)
- 140-TON x 16' WYSONG HYD. PRESS BRAKE, 150" Between Housings, 8" Stroke, 12-3/4" Throat, Mdl. MTH140-168, S/N MT21-101X



240-Ton x 18' LVD Strippit PPEB 240 CNC Press Brake







230-Ton x 14' Cincinnati CNC 2-Axis Hyd. Press

SHEARS

- 24" HILL ACME #22 A ALLIGATOR SHEAR, Air Clutch & Brake, Air Vertical Material Clamp, Electric Foot Pedal, 10 HP, (Located In: Huntington Park, CA)
- 1" x 12' ACCURSHEAR 8100012 HYD. POWER SHEAR, Accurshear SC2 Programmable Front Operated Power Back Gauge, Power Blade Clearance Adjustment, Power Stroke Length Control, Square Arm, Oil Cooler, 75 Hp, All Above Ground (1999), (Located In: Fort Worth, TX)
- 3/4" x 10' BETENBENDER 10-750 HYD. POWER SHEAR, Power Back Gauge with Digital Indicator, Square Arm On Both Sides Left & Right, Quick Acting Blade Gap Adjustment, Length of Stroke Control, Hyd. Swing Up Back Gauge, 40 HP, (Located In: Huntington Park, CA)
- 3/4" x 12' CINCINNATI 750 X 12 HYD. POWER SHEAR, Programmable Digital Microprocessor Front Operated Power Back Gauge, Square Arm, Power Blade Gap Adjustment, Power Length of Stroke Control, Hyd. Swing Up Back Gauge, 40 HP, (Located In: Huntington Park, CA)
- 3/4" x 12' ACCURSHEAR 875012 HYD. POWER SHEAR. Accurshear SC2 Programmable Front Operated Power Back Gauge, Power Blade Clearance Adjustment, Power Stroke Length Control, Square Arm, Front Material Support, Oil Cooler, (2003), (Located in: Painesville, OH)
- 3/8" x 10' CINCINNATI 3750 X 10 HYD. CNC POWER SHEAR. Cincinnati CNC Control Front & Rear Gauging, Swing Up Back Gauge (Hyd.), Front Material Supports, 25 HP, (Located In: Huntington Park, CA)
- 3/16" x 12' CINCINNATI POWER SHEAR, Mdl. 1412, Front Operated Power Backgauge, Square Arm (129-1/2" Long), 40 HP Motor, Newer Blades Only Flipped Once, S/N 36074



3/16" x 12' Cincinnati Power Shear







CNC PLASMATABLE

• TORCHMATE 5' x 20' CNC WATERTABLE PLASMA CUTTER, (New 2012), Overall Table Dimensions: 6' x 24', (2) Hypertherm Powermax 65 Plasma Cutters, Torchmate Control, Comes, w/Torchmate Dongle

NOTCHERS

- HELLER HYD. CORNER NOTCHER, 12" Max Cutting Length, S/N V304028
- 1/4" x 8 5/8" AMADA CSH-220 HYD. POWER NOTCHER, Twin Work Guides, Timer, (Located In: Huntington Park, CA)

PUNCHES

- 40-TON STRIPPIT SUPER 30/40 HD SINGLE END FABRICATOR PUNCH DEEP THROAT, 30" x 30" Sheet, 30"Throat, 48" x 72" Table, Back Gauge w/Fingers, Cabinet Of Punches & Die, (Located In: Huntington Park, CA)
- 30-TON STRIPPIT SUPER 30/30 SINGLE END FABRICATOR METAL PUNCH PRESS DEEPTHROAT, 48" x 72" Table, 30" x 30" Sheet, 30" Throat, Back Gauging, Duplicator Attach., Cabinet w/Punches & Die, (Located In: Huntington Park, CA)
- WHITNEY 30-TON HYD. SINGLE STATION PUNCH, Mdl. 635-A, Table Size: 8' L to R, 4'-9" F to B, 10 HP Motor, S/N 635-085-31485
- 20-TON W.A. WHITNEY 700548 PORTABLE HYD. PUNCH, Dual Electric Foot Pedal, (Located In: Huntington Park, CA)

BORING MILLS

- 5" WOTAN B130LTABLETYPE HORIZ. BORING MILL, #50 Taper Spindle, 50" x 79" Rotary Table, DRC Digital Readout, 84" x 72" x 60" Travels, Power Draw Bar, (Located In: Huntington Park, CA)
- 3.5" SHIBUARA BFT-9 TABLE TYPE HORIZ. BORING MILL, 35" x 59" Table,
 47" x 43" x 37" Travels, Acu-Rite DRO, Tailstock, (Located In: Huntington Park, CA)

GRINDERS

- 36"x 75" BELT GRINDINGMASTER MSB-900 BELT GRINDER, 36" Conveyor, Variable Speed, Electric Eye Tracking, Power Bed Height Adjustment, 20 HP, (Located In: Huntington Park, CA)
- 37"x 60" BELT AEM 402-37 HDCMH 2 HEAD BELT & BRUSH GRINDER, 36"
 Conveyor, Variable Speed, Two Head- Belt & Brush, Pneumatic Automatic
 Conveyor Tracking, Powered Work Height Adjustment, Coolant System With Paper Filter, Blower Dryer, 20 HP, Wet Type, 37" x 60", (Located In: Huntington Park, CA)
- 36"x 60" BELT STRIPPIT 370 NB BELT GRINDER, 36" Conveyor, Variable Speed, Pneumatic Belt Tracking, Dust Collector Hood, 15 HP, (Located In: Huntington Park, CA)



























PRESSES


- 200-TON STANDARD DC-200 HYD. C FRAME PRESS, 48"x 24" Bed, 12" Stroke, 24" Open Height, 30" x 20" Ram,-Tonnage Control Valve, T-Slotted Bolster & Ram, (Located In: Huntington Park, CA)
- 200-TON FEDERAL S2-200F SSDC PRESS, 60"x 42" Bed, 2" Stroke, 22" SH, 8" Ram Adj., 100 SPM, Air Clutch & Brake, Littell 29" Mechanical Feed, (Located In: Huntington Park, CA)
- 150-TON VERSON 150 OBI PUNCH PRESS, 50"x 30" Bed, 8" Stroke, 22" SH, 6" Ram Adj., 34"x 24" Ram, Air Clutch & Brake, T- Slotted Ram & Bolster, (Located In: Huntington Park, CA)
- 150-TON VERSON 150-B2-96 SSDC PRESS, 96"x 42" Bed & Ram, 8" Stroke, 30" SH, 5" Ram Adj., Air Clutch & Brake, STI Light Curtains, (Located In: Huntington Park, CA)
- 125-TON VERSON 566 SSDC PRESS, 65"x 34-1/2" Bed, 6" Stroke, 10.5" SH, 3" Ram Adj., 60"x 30" Ram, Protech Light Curtain, (Located In: Huntington Park, CA)
- 120-TON HEIM 12 GTX GAP FRAME PUNCH PRESS, 40"x 30" Bed, 6" Stroke, 16" SH, 4" Ram Adj., 19"x 13" Ram, Air Clutch & Brake, (Located In: Huntington Park, CA)



- 100-TON FEDERAL S2- 100-60-36 HIGH-SPEED SS PRESS, 60"x 36" Bed Ram, 3" Stroke, 14" SH, 4" Ram Adj., 200 SPM, Air Clutch & Brake, Note: Machine Rebuilt in 2005, (Located In: Huntington Park, CA)
- 95-TON ROUSSELLE G1-95 OBI PUNCH PRESS, 36"x 26" Bed, 4" Stroke, 17.5" SH, 4" Ram Adj., 18-1/2"x 12" Ram, Air Clutch & Brake, (1998), (Located In: Huntington Park, CA)
- 95-TON ROUSSELLE G1-95-14 OBI PUNCH PRESS, 36" x 26" Bed, 4" Stroke, 17.5" SH, 4" Ram Adj., 18-1/2"x 12" Ram, Air Clutch & Brake, (1998), (Located In: Huntington Park, CA)
- 85-TON ROUSSELLE #8 OBI PUNCH PRESS, 4" Stroke, 18" SH, 4" Ram Adj., 16"x 12" Ram, Air Clutch & Brake, (Located In: Huntington Park, CA)
- DAKE 75-TON HYD. H-FRAME PRESS, Md. 8-075, 44" Between Housings, Enerpac 1-1/2 HP Hyd. Pump, 36" From Blade to Base, S/N 172348
- 60-TON ROUSSELLE 6B-76 GAP FRAME SSDC PRESS, 76"x 18" Bed,
 2" Stroke, 12-1/2" SH, 3" Ram Adj., 64"x 16" Ram, Air Clutch & Brake,
 (Located In: Huntington Park, CA)


























- 10 -

WELDERS

- 84" WELDLINE SMR-84 LONGITUDINAL EXTERNAL SEAM WELDER, 4 1/2"- 30" Dia. Range, Weldline Programmable Digital Automation Carriage Control, Lincoln Square Wave Tig-355 Welder, 3" Wide Individual Aluminum Hold Down Fingers (Pneumatically Actuated), Esab WC-9 Water Cooler, Water Cooled Mandrel, Pneumatic Clamping, (Located In: Huntington Park, CA)
- 85 KVA x 10 HEADS TAYLOR WINFIELD 8510 MULTI HEAD SPOT WELDER, 98" Bottom Platen, 120" Between Frame, Entron EN1000 -1200 (4) HS/202 Programmable Solid-State Control (Installed New in 2013)- 1,200 Amp Rated, Water Cooled Welding Tips, 3 Hold Downs, Remote Dual Palm Control Stand, Material Supports, Adjustable Welding Heads, (Located In: Huntington Park, CA)
- (3) MILLER MAXSTAR 200 WELDERS, w/Miller Coolmate 3 Water Coolant Systems
- (2) MILLER MAXSTAR 210 WELDERS, w/Miller Coolmate 3 Water Coolant Systems
- MILLER SYNCROWAVE 250 AC/DC WELDING POWER SOURCE, w/Miller Coolmate 3 Water Coolant System
- MILLER SPECTRUM 375 DC PLASMA CUTTER
- 500 AMPTHERMAL ARC WC-100B PLASMA ARC MODULAR WELDING CONSOLE & WATER COOLER, 150 Amps, LED Amperage/Voltage Display, Plasma & Shield Gas Flowmeters, HE-100A Coolant Circulator, (Located In: Huntington Park, CA)
- KSM No-Mark Stud Welder
- 0.075" x 7" LEE SHAFFER C-20 SHEAR END WELDER, Econo Twin HF 150 Amp Welder, 12" Hand Shear, (Located In: Huntington Park, CA)
- 2,500 LB. RANSOME 25-P WELDING POSITIONER, 30" Table, Power Rotation, Manual Height Adjustment, Remote Hand Push Button Control, (Located In: Huntington Park, CA)
- 132 LB x 13" TABLE KOIKE ARONSON LD60N-TIG-13 WELDING POSITIONER, Turntable Flat Table Rotator, 132 LB x 13", Forward/Reversing Switch, (Located In: Huntington Park, CA)
- MILLER COOLMATE 3 WATER COOLANT SYSTEM
- LARGE QUANTITY OF WELDING CURTAINS

RADIAL ARM DRILLS

- 8' x 26" CARLTON 5A RADIAL ARM DRILL, Power Elevation, Power Head Traverse, Power Clamping Head & Arm, Power Traverse Head, Tapping, (Located In: Huntington Park, CA)
- 6' x 19" CINCINNATI BICKFORD 6E RADIAL ARM DRILL, Power Elevation, Power Head & Arm Clamping, Power Head Traverse, (Located In: Huntington Park, CA)
- 4' x 13" CINCINNATI BICKFORD 953 RADIAL ARM DRILL, Power Elevation, Power Clamping Head & Arm, Power Traverse Head, (Located In: Huntington Park, CA)

AIR COMPRESSORS

- INGERSOLL RAND CENTAC-II/ 26 M2 CENTRIFUGAL AIR COMPRESSOR, 2,500 CFM, 700 HP, Digital Readout Controls, (Located In: Huntington Park, CA)
- SPEEDAIRE 15 HP AIR COMPRESSOR, 120 Gallon Horiz, Tank, Mdl. 1WD76, S/N R0015900
- QUINCY 10 HP AIR COMPRESSOR, Horiz. Tank, Mdl. QC10024D00008, S/N 5111603
- 5 HP ENERGAIR 2 AIR COMPRESSOR, Horiz, Tank

PLANT SUPPORT EQUIPMENT

- 7"x 12" DAKE JOHNSON SE712 HORIZ. BAND SAW, S/N 17I1042
- 18"x 20" HEM H130 HM- DC SEMI-AUTO, HORIZ, BANDSAW, Variable Speed, Hyd. Vise, Powered Guide Arm, Powered Blade Tension, Chip Auger, Coolant System, 10 HP, (Located In: Huntington Park, CA)
- 18"x 20" HEM F130HA-DC CCT HORIZ. BANDSAW, Variable Speed, PLC Control, Canted Head Design, Powered Guide Arms/Blade Tension, Coolant System, 10 HP, (Located In: Huntington Park, CA)
- 16"x 27.5" BEHRINGER HPB-420 AUTOMATIC HORIZ. METAL **CUTTING BANDSAW**, 90 Degrees/45 Degrees Mitering Head, Variable Speed, Hyd. Vise/Blade Tension, Bundling Attachment, Chip Conveyor, 7-1/2 HP, (Located In: Huntington Park, CA)
- DORINGER D300 12" COLD SAW, w/5' x 10" & 10' x 10" Roller Conveyors
- 14" TENNJAEGER PROMECUT LPC110/400 COLD SAW, Hyd. Vise & Material Hold Down, Mitering Head, 3 HP, (Located In: Huntington Park, CA)
- DEWALT 12" MITER SAW PETERSON 10" PANEL SAW
- (4) SUHNER ROTOFERA POLISHING UNITS
- CENTRAL PNEUMATIC 90 LB. CAP. PRESSURE BLASTING SYSTEM
- CENTRAL HYDRAULICS 12-TON PIPE BENDER, Mdl. 32888
- (2) ARC-FIT MANUAL TUBE SHEARS, Welded to Steel Cart on Casters
- (3) 4' x 10' & (3) 4' x 8' STEEL TABLES
- ADJUSTABLE CANTILEVER RACK, 12' High, 4' Arms, Base is 6'-8" Wide
- ADJUSTABLE CANTILEVER RACK, 10' High, 3' Arms, Base is 6'-9" Wide
- (4) PORT-A-COOL 3-SPEED PORT. EVAPOR. AIR COOLERS, Mdl. PAC2K363S
- WERNER 8' & 10' LADDER SHELVING, w/Misc. Parts PALLET JACK

ROLLING STOCK

- CLARK C500-100 FORKLIFT, 10,000 Lb. Cap., 223" Lift Height, Side Shift Attachment, Propane Driven, Auto Trans., 3 Stage Mast, (Located In: Huntington Park, CA)
- HYSTER \$50XM FORKLIFT, 4,800 Lb. Cap., LP, 3-Stage Mast, Run Hours as of 10/26/2018: 2,937.3
- 20' SKYJACK SJIII3219 HYD. SCISSOR MANLIFT, 550 Lb. Load Capacity, 69" x 29" Platform, 36" Extension Deck, Built-In Battery Charger, (Located In: Huntington Park, CA)
- 19' GENIE GS1930 HYD. SCISSOR MANLIFT, Platform Height 19', 500 Lb. Load Cap., 64" x 29" Platform, 36" Extension Deck, Built-In Battery Charger, (Located In: Huntington Park, CA)

DUST COLLECTORS

- 8,500 CFM FLOWTRON FILTER 1 AC-6-85-7.5 DUST COLLECTOR, Air Pulse Cartridge Cleaning, 7-1/2 HP (2013), (Located In: Huntington Park, CA)
- 2,000 CFM TORIT 2DF4 DUST COLLECTOR SYSTEM, Reverse Pulse Filter Cleaning System, 5 HP, (Located In: Huntington Park, CA)




84" Weldline External Seam Welder























(2) Global Online Only Live Webcast Auctions

AUCTION #1 - Carson City, NV

AUCTION: Thurs., November 29th at 11:00am PST LOCATION: 2401 Conestoga Dr., Carson City, NV PREVIEW: Nov. 26th - 28th, 9 to 4 or by Appt.





Complete Cee & Zee Purlin Line, **Double High Metal Siding Panel Rollformer,** Line for Bending Eave Struts, Shears, Uncoilers & More!

AUCTION #2 - Sparks, NV

AUCTION: Thurs., November 29th at 11:00am PST LOCATION: 1335 Alexandria Ct., Sparks, NV PREVIEW: Nov. 26th - 28th, 9 to 4 or by Appt.





Metal Fabrication Equip. (All Under Power) Press Brakes, Shears, CNC Plasma Table, Notchers, Punches, Presses, Boring Mills, **Grinders, Welders, Rolling Stock & More!**

BIDITUP AUCTIONS WORLDWIDE AN INDUSTRIAL ASSETS COMPANY

2301 Belgrave Avenue Huntington Park, CA 90255 Phone: 818.508.7034 Fax: 818.508.3025 info@biditup.com

MACHINERY AUCTION, LOOK INSIDE!

ATTENTION: PLANT MANAGER **OR EQUIPMENT BUYER**















SCAN QR CODE TO SEE ALL INFORMATION ABOUT THIS AUCTION!

(2) Global Online Only Live Webcast Auctions

AUCTION #1: November 29 at 11am PST - Carson City, NV

DIRECTIONS

FROM: RENO-TAHOE INTERNATIONAL AIRPORT (RNO) TO: 2401 CONESTOGA DRIVE, CARSON CITY, NV 89706

Head east. Use the middle 3 lanes to turn slightly right toward E Plumb Ln. Continue onto E Plumb Ln. Use the left 2 lanes to turn left onto the U.S. 395 S/Interstate 580 S ramp to Carson City. Take exit 41 for College Pkwy E. Merge onto E College Pkwy. Turn left onto Goni Rd. Turn right onto Conestoga Dr. Destination will be on the right.

LODGING

HOLIDAY INN EXPRESS & SUITES CARSON CITY - (775) 283-4055 4055 N Carson St, Carson City, NV 89706

HAMPTON INN & SUITES CARSON CITY - (775) 885-8800 10 Hospitality Way, Carson City, NV 89706

AUCTION #2: November 29 at 11am PST – Sparks, NV

DIRECTIONS

FROM: RENO-TAHOE INTERNATIONAL AIRPORT (RNO) TO: 1335 ALEXANDRIA COURT, CARSON CITY, NV 89434

Head east. Use the 2nd from the left lane to take the ramp to I-580 N. Keep right and merge onto I-580 N. Merge onto I-580 N. Use the right 2 lanes to take exit 68A to merge onto I-80 E toward Sparks/Elko. Take exit 28 toward Patrick. Continue onto Waltham Way. Turn right to stay on Waltham Way. Turn right onto Alexandria Ct. Destination will be on the left.

LODGING

HOLIDAY INN RENO/SPARKS – (775) 358-6900

55 Nugget Ave, Sparks, NV 89431

HAMPTON INN & SUITES RENO/SPARKS - (775) 351-2220

200 Legends Bay Drive, Sparks, NV 89434

ONLINE BIDDER INSTRUCTIONS: All internet bidders must register for this auction at least 72-hours prior to the sale date, if you do not you will not be approved. All internet bidders must provide a wire transfer deposit of approximately 25% of your planned spending amount or \$2,500 minimum, whichever is greater in order to be approved to bid. Those who do not post the deposit will not be approved. Period. Please refer to www.biditup.com for online bidder terms.

UPCOMING AUCTION CALENDAR



TRIDIEN MEDICAL – Pressure Relief Inflatable Mattress Manufacturer

Tuesday, December 4th at 11:00am EST • 4200 NW 120th Ave., Coral Springs, FL 33065

GLOBAL WEBCAST

HOMER DONALDSON COMPANY – A Complete Wire & Metal Forming Facility

Thursday, December 6th at 11:00am EST • 15800 Steger Industrial Dr., Hudson, MI 49247

GLOBAL WEBCAST



IICC - An Exceptionally Maintained Fleet of Rigging Equipment

Thursday, December 13th at 11:00am EST • 35900 Mound Rd., Sterling Heights, MI 48310

GLOBAL WEBCAST