

Lot	Qty	Description
1	1	Nitto Kohki Portable Double Action Hydraulic C-Punch, Mdl: Selfer Ace HS11-1624, 110mm Throat, 16mm Mild Steel Cap, 6mm Stainless Steel Cap, 24mm Max Punch Dia., Nitto Kohki HPD-05 Hydraulic Power Source, Mounted to Cart and Tool Balancer, Located at 2401 Conestoga Drive, Carson City, NV 89706
2	1	W.A. Whitney Portable Hydraulic C-Punch, Mdl: 150-014, 4-1/2" Throat, 10 HP Hydraulic Power Unit, 44" x 25" x 22" Hydraulic Reservoir Tank, 440V 50/60Hz 3PH, Located at 2401 Conestoga Drive, Carson City, NV 89706
3	1	Peddinghaus 110 Ton Single End Punch, Model Hydraulic 1001, 20" Throat, 90" x 24" Table, 440V 3PH, S/N 42230836797001 (COMES w/ ASSORTED PUNCHES & DIES), Located at 2401 Conestoga Drive, Carson City, NV 89706
4	1	W.A. Whitney Hydraulic C-Punch, Model 751-007, 6-1/4" Throat, w/ 30" x 36" Table, Located at 2401 Conestoga Drive, Carson City, NV 89706
5	1	280 Ton Franklin MFG Hydraulic Shear, Model F4280, 20" Between Posts, S/N 502, Located at 2401 Conestoga Drive, Carson City, NV 89706
6	1	Pacific 200 Ton "Press Former" Hydraulic C-Frame Press, Model 200 PF, 15" Stroke, 24" x 48" Platen, 15" x 15" Ram, 460 V 60 Hz 3 PH, S/N 6973 (Web Punch), Located at 2401 Conestoga Drive, Carson City, NV 89706
7	1	Willis "Big Bear" 4' x 11" Radial Arm Drill (New 1999), Model RD-1100, 44 to 1500 RPM, 32" x 48" T-Slotted Base, 19-1/2" x 25-1/2" x 16" T-Slotted Riser Table, 440V 3PH, S/N TY9902028, Located at 2401 Conestoga Drive, Carson City, NV 89706
8	1	5/8" x 20' Cincinnati Hydraulic Shear, Model 5FL20, Squaring Arm, Front Material Supports, Electric Foot Pedal, 20' x 17' Feed Roller Table, S/N 34907 (Was Used for Shearing Webs), Located at 2401 Conestoga Drive, Carson City, NV 89706
9	1	3/8" x 16' Pacific Hydraulic Shear, Model 375R16, Back Gauge, Front Material Supports, Electrical Foot Pedal, S/N S10925, Located at 2401 Conestoga Drive, Carson City, NV 89706
10	1	1/2" x 10' Pacific Hydraulic Shear, Model FS 400-10 II, Back Gauge, Squaring Arm, S/N S11126/E, Located at 2401 Conestoga Drive, Carson City, NV 89706
11	1	3/16" x 12' Cincinnati Power Shear, Model 1412, Front Operated Power Back Gauge, Squaring Arm, S/N 29120, Located at 2401 Conestoga Drive, Carson City, NV 89706
11A	16	Assorted Shear Knives (Various Sizes), Located at 2401 Conestoga Drive, Carson City, NV 89706

11B	1	BULK OFFERING OF LOTS 12-15 (Eave Strut Bending Line), After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706 -400 Ton x 30' Pacific CNC Hydraulic Press Brake, Model K400-20, (2) 5' Bed Extensstions, PC Controls PC800L CNC Control Retrofit (Installed About 3 Years Ago), Hurco Autobend Back Gauge, Scientific Technologies Light Curtains, 10" Throat, 18'-6" Between Housings, Electric Foot Pedal, Front Support Arms, 44' x 29" Transfer Conveyor, S/N 8154 -3/16" x 52" Wysong Power Shear, Model 752-F, w/ Feeder, S/N P100-108-F -Regal 30" x 0.200" Mild Steel Capacity Coil Straightener, Mdl: 350-CSF-30-HD, 440V, S/N 6772129 -10,000 Lb. x 4' American Steel Line Uncoiler, Mdl: 60, Allen Bradley Adjustable Frequency AC Drive, Pneumatic Coil Tensioner, 440V, S/N 4164
12	1	10,000 Lb. x 4' American Steel Line Uncoiler, Mdl: 60, Allen Bradley Adjustable Frequency AC Drive, Pneumatic Coil Tensioner, 440V, S/N 4164, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706
13	1	Regal 30" x 0.200" Mild Steel Capacity Coil Straightener, Mdl: 350-CSF-30-HD, 440V, S/N 6772129, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706
14	1	3/16" x 52" Wysong Power Shear, Model 752-F, w/ Feeder , S/N P100-108-F, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706
15	1	400 Ton x 30' Pacific CNC Hydraulic Press Brake, Model K400-20, (2) 5' Bed Extensstions, PC Controls PC800L CNC Control Retrofit (Installed About 3 Years Ago), Hurco Autobend Back Gauge, Scientific Technologies Light Curtains, 10" Throat, 18'-6" Between Housings, Electric Foot Pedal, Front Support Arms, 44' x 29" Transfer Conveyor, S/N 8154, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706

16	1	<p>BULK OFFERING OF LOTS 17-27 (Complete Purlin Line), Purlin Line Uses AMS XL200 Series Closed Loop Line Controller,After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid,Located at 2401 Conestoga Drive, Carson City, NV 89706 -20,000 Lb. x 4' ASC Uncoiler, Mdl: 20S48D20/3H200, Variable Speed, Hydraulic Expansion, 36" x 30,000 Lb. Coil Car, 20 HP Hydraulic Power Unit, 460V, S/N 6662.000 -ASC 24" Pinch Roll Tower, Mdl: 24-PRT-H, Pinch Roll Drive, Auto Guide Nip Roll Tower Attachment, Peeler Table, 460V, S/N 6664.000 -ASC Straightener/Feeder, Mdl: 24P/5AC, 24" Width Cap, 5 Flatteners Rolls and 1 Pair of Pinch Rolls, (1) Press Feed Roller w/ Sheet Guide Unit and (1) Press Roller Outfeed Unit, 20 HP Drive Motor, 460 V, S/N 6665.000 -Rousselle 150 Ton Straight Side Press, Mdl: S2-150-144-36, Bed: 12' L to R, 3' F to B, 4" Stroke, 18" Shut Height, 4" Adjustment, 40 SPM, w/ (9) Press Punch Dies, S/N 22337 -ASC Feed Roll Assembly - Bradbury 100 Ton Press (New 2009), 25" x 66" Die Space, 1" Stroke, 5" Adjustment, 22-1/2" Shut Height, 24" Max Width, 0.135"-0.060" Thickness Cap, 50" Passline Height, 125 FPM Effective Line Speed, 20 HP Drive, 460 V, w/ (6) Press Punch Dies, S/N B004202 -Hytrol Live Roller Powered Transfer Conveyor 25" x 57" -Bradbury Side by Side Purlin Rollformer (New 1997), Mdl: 425, 12 Stands on "CEE" Channel Side, 12 Stands on "ZEE" Channel Side, 24" Roll Space Width, Purlins: 4", 6", 9-1/2", 12", 3-1/2" Dia. Spindles, 10-16 GA Material, 100-200 FPM, 100 HP Drive, 460 V, S/N 31186 -Stacker Conveyor Unit 25" x 38' Live Roller Powered Conveyor w/ 36' Pneumatic Actuated Transfer Unit, 38' x 9' Link Chain Transfer Conveyor and (4) 7" x 9' Roller Conveyor Sections - Spare Dies and Forming Posts for Bradbury Side by Side (Model 425 D/W) Rollformer to Include: (2) Plates w/ (3) Sets of Forming Posts and (1) Cart w/ Assorted Dies -Spare Parts for Purlin Line to Include: Desch Brake and Cutch Kit, Banner Sensors, Computer Boards, Hydraulic Parts, Etc.</p>
17	1	<p>20,000 Lb. x 4' ASC Uncoiler, Mdl: 20S48D20/3H200, Variable Speed, Hydraulic Expansion, 36" x 30,000 Lb. Coil Car, 20 HP Hydraulic Power Unit, 460V, S/N 6662.000, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706</p>
18	1	<p>ASC 24" Pinch Roll Tower, Mdl: 24-PRT-H, Pinch Roll Drive, Auto Guide Nip Roll Tower Attachment, Peeler Table, 460V, S/N 6664.000, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid,Located at 2401 Conestoga Drive, Carson City, NV 89706</p>
19	1	<p>ASC Straightener/Feeder, Mdl: 24P/5AC, 24" Width Cap, 5 Flatteners Rolls and 1 Pair of Pinch Rolls, (1) Press Feed Roller w/ Sheet Guide Unit and (1) Press Roller Outfeed Unit, 20 HP Drive Motor, 460 V, S/N 6665.000, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid,Located at 2401 Conestoga Drive, Carson City, NV 89706</p>
20	1	<p>Rousselle 150 Ton Straight Side Press, Mdl: S2-150-144-36, Bed: 12' L to R, 3' F to B, 4" Stroke, 18" Shut Height, 4" Adjustment, 40 SPM, w/ (9) Press Punch Dies, S/N 22337, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid,Located at 2401 Conestoga Drive, Carson City, NV 89706</p>

21	1	Bradbury 100 Ton Press (New 2009), 25" x 66" Die Space, 1" Stroke, 5" Adjustment, 22-1/2" Shut Height, 24" Max Width, 0.135"-0.060" Thickness Cap, 50" Passline Height, 125 FPM Effective Line Speed, 20 HP Drive, 460 V, w/ (6) Press Punch Dies, S/N B004202, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706
22	1	Hytrol Live Roller Powered Transfer Conveyor 25" x 57", After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706
23	1	Bradbury Side by Side Purlin Rollformer (New 1997), Mdl: 425, 12 Stands on "CEE" Channel Side, 12 Stands on "ZEE" Channel Side, 24" Roll Space Width, Purlins: 4", 6", 9-1/2", 12", 3-1/2" Dia. Spindles, 10-16 GA Material, 100-200 FPM, 100 HP Drive, 460 V, S/N 31186, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706
24	1	Stacker Conveyor Unit 25" x 38' Live Roller Powered Conveyor w/ 36' Pneumatic Actuated Transfer Unit, 38' x 9' Link Chain Transfer Conveyor and (4) 7" x 9' Roller Conveyor Sections, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706
25	1	Open
26	1	Spare Dies and Forming Posts for Bradbury Side by Side (Model 425 D/W) Rollformer to Include: (2) Plates w/ (3) Sets of Forming Posts and (1) Cart w/ Assorted Dies, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706
27	1	Spare Parts for Purlin Line to Include: Desch Brake and Cutch Kit, Banner Sensors, Computer Boards, Hydraulic Parts, Etc., After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706
27A	1	BULK OFFERING OF LOTS 28-32 (Complete Siding Panel Line), Panel Line Uses AMS XL200 Series Closed Loop Line Controller, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706 -Bradbury 4' BOSS Shear (New 1998), Coil Straightener, 4' Wide Belt Transfer Conveyor, 460 V, S/N 33242 -Bradbury Double High Metal Siding Panel Rollformer (New 1998), Mdl: 420, 14 Upper Stands, 14 Lower Stands, 44" Wide, 1-3/4" Dia. Spindles, 4-8" Vertical Adjustment, 18" Spacing, 22-29 GA Material, 200 FPM, 50 HP Drive, 460 V, S/N 33244 -47' x 40" Stacker System w/ (8) 15' x 4" Roller Conveyor Stands -42" Ridge Cap Brake -52" Ridge Cap Shear
28	1	Bradbury 4' BOSS Shear (New 1998), Coil Straightener, 4' Wide Belt Transfer Conveyor, 460 V, S/N 33242, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706

29	1	Bradbury Double High Metal Siding Panel Rollformer (New 1998), Mdl: 420, 14 Upper Stands, 14 Lower Stands, 44" Wide, 1-3/4" Dia. Spindles, 4-8" Vertical Adjustment, 18" Spacing, 22-29 GA Material, 200 FPM, 50 HP Drive, 460 V, S/N 33244, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706
30	1	47' x 40" Stacker System w/ (8) 15' x 4" Roller Conveyor Stands, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706
31	1	42" Ridge Cap Brake, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706
32	1	52" Ridge Cap Shear, After the Line is Offered in Bulk the Line will be Offered by Individual Lots, it will be Sold by way of Best Overall Bid, Located at 2401 Conestoga Drive, Carson City, NV 89706
33	1	Open
34	1	30 Stands x 30"- 40" RS x 3" Shaft Tishken 32-HW-AS-3 Geared Rollformer, 30 Pair Of Spindles Mounted On A 32 Spindle Base, Power Adjusted Spindle Support Stands (Stepping Motor & Ball Screw), Powered Lateral Traverse With LED Position Readout, Air Clutch, 75 HP, Note: Machine was rebuilt in (2003) - Located In: Huntington Park, CA (7474)
35	1	28 Stands x 40" RS x 3" Shaft Tishken 28-HW-3S Geared Rollformer, 6 1/2"- 8 3/8" Vert. Adj., 14" & 18" Hor., Powered Feed Roll, Straightener Unit, Induction Heater Unit, Unequaled Gearing, Air Clutch, 50 HP - Located In: Huntington Park, CA (7475)
35A	1	28 Stands x 40" RS x 3" Spindle Tishken 28-HW-3S Geared Rollformer, 6 1/2"- 8 3/8" Vert. Adj., 14" & 18" Hor., unequaled gearing, Outboard Supports, Air Clutch, 50 HP - Located In: Huntington Park, CA (7476)
36	1	18 Stands x 36" RS x 2 3/4" Shaft ASC A.S Former Geared Rollformer, 4 3/4"- 6" Vert. Adj., 10 1/2" Hor., Variable Speed, 20 HP - Located In: Huntington Park, CA (4696)
37	1	12 Stands x 48" RS x 3 1/2" Shaft Bradbury 225- 3 1/2 Rollformer, 3"- 5 1/2" Vert. Adj., 17" Hor. Distance, Variable Speed, 30 HP - Located In: Huntington Park, CA (5213)
38	1	12 Stands x 10" RS x 1 1/2" Shaft Tishken 12-HMW-11/2 Geared Rollformer, 4"-6 1/2" Vert. Adj., 9" Hor., Variable Speed, Tishken CO-6-2 Cut Off 18 Ton 2" Stroke, Geared Head Stands, Air Clutch, 15 HP - Located In: Huntington Park, CA (4727)
39	1	10,000 Lb. x 4' ASC Uncoiler, Mdl: 10S48H22/5H140, 36" Coil Car, 5 HP Hydraulic Power Unit, 440V, S/N 6661.000, Located at 2401 Conestoga Drive, Carson City, NV 89706
40	1	10,000 Lb. x 4' American Steel Line Uncoiler, Mdl: 1000, 440V, S/N 2700, Located at 2401 Conestoga Drive, Carson City, NV 89706
41	1	20,000 Lbs. x 36" x 0.080" Egan Coil Reel & Straightener, Hydraulic Expansion, Pneumatic Hold Down Bar - Located In: Huntington Park, CA (6731)

42	1	16,000 Lbs. x 40" Rowe 16040-DSL Coil Reel & Traveling Coil Car, Power Expansion, Pneumatic Coil Hold Down Arm, Variable Clutch & Brake Control - Located In: Huntington Park, CA (7682)
43	1	10,000 Lbs. x 48" ASC 1000048 Hydraulic Coil Reel & Car, Hydraulic Expansion, Pneumatic Hold Down Bar - Located In: Huntington Park, CA (4696A)
44	1	10,000 Lb. x 48" ASC M-0640- 14 Three Arm Turnstile - Located In: Huntington Park, CA (4696B)
45	1	10 Ga. x 5' Henley Whitmore 510 Initial Pinch Power Roll, 5" Roll Diameter, Manual Drop End, 5 HP - Located In: Huntington Park, CA (4757)
46	1	12 Ga. x 10' Lown B600 Initial Pinch Power Roll, 6" Roll Diameter, Air Drop End, Manual Rear Roll Adjustment, 5 HP - Located In: Huntington Park, CA (6117)
47	1	14 Ga. x 6' Wysong 472- PR Initial Pinch Power Roll, 4" Roll Diameter, Manual Drop End, Power Rear Roll Adjustment, 2 HP - Located In: Huntington Park, CA (4564)
48	1	16 Ga. x 6' Milton M400 II Initial Pinch Power Roll, 4" Roll Diameter, Manual Drop End, Manual Rear Roll Adjustment, 1 1/2 HP - Located In: Huntington Park, CA (6201)
49	1	1 1/4" x 5', 12" Roll Diameter Herkules UB12 Initial Pinch Power Roll, Cone Rolling Capability, Power Drop End, Power Roll Adjustment, Roll Position Indicators, 30 HP - Located In: Huntington Park, CA (5139)
50	1	1/4" x 12', 10 1/2" Roll Diameter Bertsch Initial Pinch Power Roll, Manual Drop End, Powered Rear Roll Adjustment, Variable Speed, 10 HP - Located In: Huntington Park, CA (5723)
51	1	5" x 5" x 1/2" Waldemar AR- 50 Hydraulic Angle Roll, Digital Readouts, Three Roll Drive, Horizontal/Vertical Operation, 6 Way Powered Guide Rolls, Extra Dies, 20 HP (2000) - Located In: Huntington Park, CA (5090)
52	1	2" x 2" x 1/4" Buffalo #1/2 Angle Roll, Manual Lateral Supports, 1" Tube Dies On Machine, 3 HP - Located In: Huntington Park, CA (5778)
53	1	16,000 Lb. x 40" x 0.050" Rowe Littell 16040-DSL/438-HVS-7PPL Cut To Length Line, Power Expansion, Pneumatic Hold Down Arm, 32" Pneumatic Shear, Loop Control Arm - Located In: Huntington Park, CA (7682A)
54	1	60" x 40,000 Lb. Dahlstrom Dual Head Loop Slitting Line, 2 Slitting Heads 7" Arbor, Telescoping Threading Table, Hydraulic Snubber, 2 Arm Turnstile, Coil Car, Scrap Chopper, Recoiler - Located In: Holland, OH (6893)
55	1	48" x 0.035" Littell 452D-16 PDS Leveler/Straightener, Back Up Rolls, Pneumatic Threader Arm/Peeler Blade/Peeler Table/Pinch Rolls/Coil Hold Down Arm - Located In: Huntington Park, CA (7721)
56	1	100 Ton x 56" x 61" Bed Bull Hydraulic Camber Machine,, 10" Stroke - Located In: Huntington Park, CA (5024)
57	1	10 Ga. x 24" Neb Dual Station Hydraulic Panel Bender, 50 HP. – Located In: Holland, OH (5476)
58	1	10 Ga. x 24" Feldman Model DH-24M-37, S/N 1509, Metal Panel Bender - Located In: Huntington Park, CA (4442)
59	1	1 1/2" x 0.188" Pines #1 Hydraulic Tube Bender, Digital Dial-A-Bend, Hydraulic Mandrell Extractor, 60" Syncro Degree Of Bend Attachment, Pressure Die Assist - Located In: Huntington Park, CA (7036)
60	1	1 1/4" x 0.083" WT Pines 3T Vertical Hydraulic Tube Bender, Digital Dial- A Bend Control, Work Support Bars, 20 HP - Located In: Huntington Park, CA (4913)

61	1	40" x 0.080" Rowe FDC-053-440SS Servo Feeder, Rexroth Indramat System 200, 5 HP - Located In: Huntington Park, CA (4217)
62	1	12" x 0.134 RBI/Red Bud FSC6HS12-36 Air Feeder & Straightener, Single Grip, Pull Through Straightener, Adjustable Cabinet Base - Located In: Huntington Park, CA (7732 HP)
63	1	3/8" x 12' Blue Valley #4 Head Flanging Machine, Hydraulic Adjustment Of Flanging Roll, Pneumatic Center Material Hold Down, 7 1/2 HP - Located In: Huntington Park, CA (7900)
64	1	10 Ga. x 72" Blue Valley #1 Head Flanging Machine, Pneumatic Center Material Hold Down, 1 1/2 HP - Located In: Huntington Park, CA (7901)
65	1	2 1/2" x 25- 55 Degrees Pullmax Beveling Machines - Located In: Huntington Park, CA (4993)
66	1	2 1/2" x 25- 55 Degrees Pullmax Beveling Machine - Located In: Huntington Park, CA (4994)
67	1	30" Wide Memco Embossing Machine (Two Roll), 17" Roll Diameter, Blocks & Gears - Located In: Holland, OH (5198)
68	1	20 Ton x 42' MMH Double Girder Top Running Bridge Crane, 20' 1" Lift Height, Variable Speed, End Truck Drive, Pendant Control, Crane Professionally pulled down and ready to ship, no charge to load onto flatbed truck - Located In: Montclair, CA (8003)
69	1	20 Ton x 42' Frontier Double Girder Top Riding Overhead Bridge Crane, 20' 1" Lift Height, Variable Speed, End Truck Drive, Pendant Control, Crane Professionally pulled down and ready to ship, no charge to load onto flatbed truck - Located In: Montclair, CA (8002)
70	1	10 Ton x 40' Frontier Double Girder Top Running Bridge Crane, 20' 1" Lift Height, Variable Speed, End Truck Drive, Pendant Control, Crane Professionally pulled down and ready to ship, no charge to load onto flatbed truck - Located In: Montclair, CA (8006)
71	1	10 Ton Detroit D30T23-15M80 Hoist & Trolley, 17' 2" Lift Height, Under Hung, Pendant Control, professionally pulled down and ready to ship, no charge to load onto flatbed truck - Located In: Montclair, CA (8004)
72	1	10 Ton Detroit Hoist & Trolley, 17' 2" Lift Height, Under Hung, Pendant Control, professionally pulled down and ready to ship, no charge to load onto flatbed truck - Located In: Montclair, CA (8005)
73	1	5 Ton Phoenix Shaw Box WBM05S20 Jib Crane & Hoist, 206" Lift Height, 180" Hor. Trolley Travel, Pendant Control - Located In: Huntington Park, CA (8178HP)
74	1	3 Ton x 60' North American Single Girder Under Hung Bridge Crane, 20' 1" Lift Height, Variable Speed, End Truck Drive, Pendant Control, Crane Professionally pulled down and ready to ship, no charge to load onto flatbed truck - Located In: Huntington Park, CA (8008)
75	1	1 Ton Yale 1E20L16RPE1 Electric Crane Hoist, Pendant Control, Wire Rope, 2 HP - Located In: Huntington Park, CA (6743HP)
75A	1	1 Ton Yale 1E20L12MPW2 Electric Crane Hoist, Pendant Control, Wire Rope, 2 HP - Located In: Huntington Park, CA (6744)

76	1	2,500 Lbs. Acco Wright X1W02 Electric Crane Hoist & Trolley, 25' Lift Height, Wire Rope, 2 HP (2003) - Located In: Huntington Park, CA (6739)
77	1	1,500 Lbs. Acco Wright X1W02 Electric Crane Hoist & Trolley, 25' Lift Height, Wire Rope, 1 1/2 HP - Located In: Huntington Park, CA (6740)
78	1	Frontier Runway Beam-Channel-Rail-Bus Bar-J Hooks - Located In: Pomona, CA (8024)
79	1	Spanco 3-Ton A-Frame Gantry Crane on Roller Track, 30' Span, 20' Height, 3-Ton P&H RediLift Hoist, Located at 2401 Conestoga Drive, Carson City, NV 89706
80	1	CM Cady Lifters 10,000 Lb. Cap. Sheet Lifter (New 1997), Mdl: 32-40, S/N 11301-E, Located at 2401 Conestoga Drive, Carson City, NV 89706
81	1	30' Spreader Bar, 8,650 Lb. Max Cap., Located at 2401 Conestoga Drive, Carson City, NV 89706
82	1	Caldwell 6' Spreader Bar, 10,000 Lb. Max Cap., Mdl: 22S-5-6, S/N 10-26259-1, Located at 2401 Conestoga Drive, Carson City, NV 89706
83	1	6' Spreader Bar, 9,740 Lb. Max Cap., Located at 2401 Conestoga Drive, Carson City, NV 89706
84	1	Hyster 24,600 Lb. Cap. Diesel Forklift, Mdl: H250H, 242" 2-Stage Mast, 15° Back Tilt, 90" Carriage, 96" Forks, Pneumatic Tires, 33250 Lb. Truck Weight, 3292 Hours (Not Verified), S/N C007D02518G, Located at 2401 Conestoga Drive, Carson City, NV 89706
85	1	Ingersoll Rand 75 HP Rotary Screw Air Compressor, Mdl: SSR-EP75, 320 CFM, 125 PSIG Operating Pressure, 230/460V 212/106A 60 Hz 3 PH, S/N F14994U95229, Located at 2401 Conestoga Drive, Carson City, NV 89706
86	1	General Hydraulics Vertical Baler, Mdl: 315-60L-17, 200 V 22.4 A 60 Hz 3 PH, S/N 7870, Located at 2401 Conestoga Drive, Carson City, NV 89706
87	1	Conrac Horizontal Continuous Beam Welder, Mdl: AWM-102, 5-1/2" to 60" Web Width Cap, 1/8" to 3/8" Web Thickness Cap, 4" to 15" Flange Width Cap, 3/16" to 1" Flange Thickness Cap, 20 to 120 In/Min Welding Speed, Twin Arc Welding Heads, In-Feed Magnetic Flange Guide Roller, 3234 Hrs w/ (2) 10 HP Hydraulic Power Units, (1) 75 Gal Hydraulic Reservoir Tank, 5' x 16' Mezzanine, Comes w/ Crate of Assorted Spare Parts (No Welding Power Source), Located at 2401 Conestoga Drive, Carson City, NV 89706
88	1	6' Hydraulic Tack Up Station, 8' Hydraulic Cylinder, Hydraulic Stop Gate, 7.5 HP Hydraulic Power Unit (No Welding Unit), Located at 2401 Conestoga Drive, Carson City, NV 89706
89	1	Overhead Paint Line 150' x 12' Overhead Chain Driven Conveyor, (2) Devilbiss 10' x 12' x 10' Paint Arrestor Type Paint Booth w/ 35" x 8'-6" Conveyor Opening, Spray Platforms, Lights, 42" Exhaust Units, (2) Graco Paint Pumps, (2) Loading/Unloading Work Platforms, (12) 16' Link Chain Load/Unload Transfer Conveyers, Located at 2401 Conestoga Drive, Carson City, NV 89706
90	1	Overhead Dip Lin 80' x 50" Overhead Conveyor, 20 Lb. Part Max Cap, Variable Speed Drive, (2) 12" x 72" x 48" 175 Gallon Dip Tanks w/ Agitators, Located at 2401 Conestoga Drive, Carson City, NV 89706
91	16	Heavy Duty Work Horses, 7' to 10' In Length, Located at 2401 Conestoga Drive, Carson City, NV 89706



92	1	Large Assortment of Mansaver Storage Racks, 10' to 24' Bases w/ Post Pockets, 2' to 4' Removable Posts, Located at 2401 Conestoga Drive, Carson City, NV 89706
93	16	Heavy Duty Plate Storage Racks, 10' to 28' In Length, Located at 2401 Conestoga Drive, Carson City, NV 89706
94	20	Heavy Duty Coil Storage Racks, 7' x 32" to 21' x 32" Sizes, Located at 2401 Conestoga Drive, Carson City, NV 89706
95	32	Cantilever Rack Uprights 150" w/ (3) 40" Arms per Upright, Located at 2401 Conestoga Drive, Carson City, NV 89706
96	12	Sections of Storage Racking, 6' x 5' x 8', Located at 2401 Conestoga Drive, Carson City, NV 89706
150	1	Suhner ROTOfera Grinding/Polishing Unit, S/N 3705034002, Located at 1335 Alexandria Court, Sparks, NV 89434
151	1	Suhner ROTOfera Grinding/Polishing Unit, S/N 01132060, Located at 1335 Alexandria Court, Sparks, NV 89434
152	1	Suhner ROTOfera Grinding/Polishing Unit, S/N 99126773, Located at 1335 Alexandria Court, Sparks, NV 89434
153	1	Suhner ROTOfera Grinding/Polishing Unit, Located at 1335 Alexandria Court, Sparks, NV 89434
154	3	Suhner 7' Flex Shafts, Rubber Casing Assemblies w/ (1) Flex Shaft, Located at 1335 Alexandria Court, Sparks, NV 89434
155	1	Central Pneumatics 90 Lb. Cap. Pressure Blast System, Mdl: 93889, Located at 1335 Alexandria Court, Sparks, NV 89434
156	1	Central Hydraulics 12 Ton Hydraulic Pipe Bender, 1/2" to 2" Cap., Mdl: 32888, S/N 1412-35235-0470, Located at 1335 Alexandria Court, Sparks, NV 89434
157	1	(2) Vogel Tool & Die Manual Tube Shears, Mdl: ARC-FIT (Welded to 30" x 40" Steel Cart on Casters), Located at 1335 Alexandria Court, Sparks, NV 89434
158	1	Dake Johnson 7" x 12' Horizontal Band Saw, Mdl: SE712, 3/4 HP, S/N 1711042, Located at 1335 Alexandria Court, Sparks, NV 89434
159	1	18" x 20" HEM H130 HM- DC Semi-Automatic Horizontal Bandsaw, Variable Speed, Hydraulic Vise, Powered Guide Arm, Powered Blade Tension, Chip Auger, Coolant System, 10 HP - Located In: Huntington Park, CA (4973)
160	1	18" x 20" HEM F130HA-DC CCT Horizontal Bandsaw, Variable Speed, PLC Control, Canted Head Design, Powered Guide Arms/ Blade Tension, Coolant System, 10 HP - Located In: Huntington Park, CA (6374)
161	1	16" x 27.5" Behringer HPB-420 Automatic Horizontal Metal Cutting Bandsaw, 90 Degrees / 45 Degrees Mitering Head, Variable Speed, Hydraulic Vise/Blade Tension, Bundling Attachment, Chip Conveyor, 7 1/2 HP - Located In: Huntington Park, CA (4764)
162	1	Doringer D300 12" Cold Saw, Manual Material Vise, (1) 5' x 10" Roller Conveyor, (1) 10' x 10" Roller Conveyor, (10) Sharpened High Speed Steel Cold Saw Blades, S/N 18547, Located at 1335 Alexandria Court, Sparks, NV 89434
163	1	14" Tennjaeger Promecut LPC110/400 Cold Saw, Hydraulic Vise, Hydraulic Vertical Material Hold Down, Mitering Head, 3 HP - Located In: Huntington Park, CA (8238HP)
164	1	DeWalt 12" Compound Miter Saw, Mdl: DW715, (1) 12' x 21" S/S Table, (1) 10' x 25" Roller Conveyor, S/N 170744, Located at 1335 Alexandria Court, Sparks, NV 89434

165	1	Peterson 12' Panel Saw, 12" Saw Blade, 10' x 8' Table, Tol-O-Matic Power Feed, 3 HP, Located at 1335 Alexandria Court, Sparks, NV 89434
166	1	36" x 75" Belt Grindingmaster MSB-900 Belt Grinder, 36" Conveyor, Variable Speed, Electric Eye Tracking, Power Bed Height Adjustment, 20 HP - Located In: Huntington Park, CA (5981)
167	1	37" x 60" Belt AEM 402-37 HDCMH 2 Head Belt & Brush Grinder, 36" Conveyor, Variable Speed, Two Head- Belt & Brush, Pneumatic Automatic Conveyor Tracking, Powered Work Height Adjustment, Coolant System With Paper Filter, Blower Dryer, 20 HP - Located In: Huntington Park, CA (Wet Type), 37" x 60" - Located In: Huntington Park, CA (8039)
168	1	36" x 60" Belt Strippit 370 NB Belt Grinder, 36" Conveyor, Variable Speed, Pneumatic Belt Tracking, Dust Collector Hood, 15 HP - Located In: Huntington Park, CA (5771)
169	1	8' x 26" Carlton 5A Radial Arm Drill, Power Elevation, Power Head Traverse, Power Clamping Head & Arm, Power Traverse Head, Tapping - Located In: Huntington Park, CA (4747)
170	1	6' x 19" Cincinnati Bickford 6E Radial Arm Drill, Power Elevation, Power Head & Arm Clamping, Power Head Traverse- Located In: Huntington Park, CA (5104)
171	1	4' x 13" Cincinnati Bickford 953 Radial Arm Drill, Power Elevation, Power Clamping Head & Arm, Power Traverse Head - Located In: Huntington Park, CA (8095)
172	1	5" Wotan B130L Table Type Horizontal Boring Mill, #50 Taper Spindle, 50" x 79" Rotary Table, DRC Digital Readout, 84" x 72" x 60" Travels, Power Draw Bar- Located In: Huntington Park, CA (4880)
173	1	3.5", Shibuara BFT-9 Table Type Horizontal Boring Mill, 35" x 59" Table, 47" x 43" x 37" travels, Acu-Rite DRO, Tailstock - Located In: Huntington Park, CA (4849)
174	1	Heller Hydraulic Corner Notcher, 12" x 12" Max Cutting Length, S/N: V 304028, Located at 1335 Alexandria Court, Sparks, NV 89434
175	1	1/4" x 8 5/8" Amada CSH-220 Hydraulic Power Notcher, Twin Work Guides, Timer - Located In: Huntington Park, CA (7102)
176	1	40 Ton Strippit Super 30/40 HD Single End Fabricator Punch Deep Throat, 30" x 30" Sheet, 30" Throat, 48" x 72" Table, Back Gauge With Fingers, Cabinet Of Punches & Die - Located In: Huntington Park, CA (4867)
177	1	30 Ton Strippit Super 30/30 Single End Fabricator Metal Punch Press Deep Throat, 48" x 72" Table, 30" x 30" Sheet, 30" Throat, Back Gauging, Duplicator Attachment, Cabinet With Punches & Die - Located In: Huntington Park, CA (7501)
178	1	Whitney 30 Ton Hydraulic Single Station Punch, Mdl: 635-A, 30" Throat, Table Size: 8' L to R, 4'-9" F to B, 10 HP, S/N 635-085-31485 (Comes w/ Assorted Punches & Dies), Located at 1335 Alexandria Court, Sparks, NV 89434
179	1	20 Ton W.A. Whitney 700548 Portable Hydraulic Punch, Dual Electric Foot Pedal - Located In: Huntington Park, CA (5546)

180	1	24" Hill Acme #22 A Alligator Shear, Air Clutch & Brake, Air Vertical Material Clamp, Electric Foot Pedal, 10 HP - Located In: Huntington Park, CA (4763)
181	1	1" x 12' Accurshear 8100012 Hydraulic Power Shear, Accurshear SC2 Programmable Front Operated Power Back Gauge, Power Blade Clearance Adjustment, Power Stroke Length Control, Square Arm, Oil Cooler, 75 Hp, All Above Ground (1999) - Located In: Fort Worth, TX (7227)
182	1	3/4" x 10' Betenbender 10-750 Hydraulic Power Shear, Power Back Gauge With Digital Indicator, Square Arm On Both Sides Left & Right, Quick Acting Blade Gap Adjustment, Length Of Stroke Control, Hydraulic Swing Up Back Gauge, 40 HP - Located In: Huntington Park, CA (7807)
183	1	3/4" x 12' Cincinnati 750x12 Hydraulic Power Shear, Programmable Digital Microprocessor Front Operated Power Back Gauge, Square Arm, Power Blade Gap Adjustment, Power Length Of Stroke Control, Hydraulic Swing Up Back Gauge, 40 HP - Located In: Huntington Park, CA (7990)
185	1	3/8" x 10' Cincinnati 3750 x 10 Hydraulic CNC Power Shear, Cincinnati CNC Control Front & Rear Gauging, Swing Up Back Gauge (Hydraulic), Front Material Supports, 25 HP - Located In: Huntington Park, CA (4446)
186	1	3/16" x 12' Cincinnati Power Shear, Model 1412, Front Operated Power Backgauge, Square Arm (129-1/2" Long), 40 HP Motor, Newer Blades Only Flipped Once, S/N 36074, Located at 1335 Alexandria Court, Sparks, NV 89434
187	1	600 Ton x 30' Cincinnati 600H x 26 CNC Hydraulic Press Brake, Hurco Autobend 7 B/G Control, This Machine Has Been Professionally Dismantled and Ready To Load Out - Located In: Painesville, OH (8047P)
188	1	500 Ton x 168" (14') Pacific 500-14 Hydraulic Press Brake, 36" x 144" Flanged Bed & Ram, Bed Die Rail- Located In: Painesville, OH (6940P)
189	1	300 Ton x 20' Cincinnati 300H-16 CNC 3 Axis Hydraulic Press Brake, Automec 3 Axis B/G Control (Installed In 2016), ISB Light Curtains- Located In: Painesville, OH (8099)
190	1	240 Ton x 18' LVD Strippit PPEB 240 CNC Press Brake (New 2001), 6-Axis Back Gauge (X1, X2, R1, R2, Z1, Z2), LVD Cadman CNC Control, 159-1/2" Between Housings, 7.9" Stroke, 15.7" Throat Depth, 15.7" Open Height, Working Speeds: Approach/Forming/Return (283/50/472 IPM), 50 HP Motor, Type: 240BH16, S/N 27466, Located at 1335 Alexandria Court, Sparks, NV 89434
190A	1	Wilson Press Brake Die Tooling (Purchased Within a Year Ago - See Quote Pics for Descriptions), Tooling Was Purchased for the 240 Ton x 18' LVD Strippit PPEB 240 CNC Press Brake, Located at 1335 Alexandria Court, Sparks, NV 89434
191	1	230 Ton x 14' Cincinnati CNC 2-Axis Hydraulic Press Brake, Hurco Autobend 5C, 150" Between Housings, 10" Stroke, 6" Throat, Model 230 CB x 12 FT, S/N 41595, Located at 1335 Alexandria Court, Sparks, NV 89434
192	1	175 Ton x 18' Pacific K175-18 Hydraulic Press Brake, Tonnage Control Valve - Located In: Huntington Park, CA (4758)
193	1	175 Ton x 12' Cincinnati 175AF x 10 CNC Hydraulic Press Brake, 6 Axis, Bed Crowning, Hyd. Ram Clamp - Located In: Huntington Park, CA (4364)

194	1	140 Ton x 16' Wysong Hydraulic Press Brake, 150" Between Housings, 8" Stroke, 12-3/4" Throat, Model MTH140-168, S/N MT21-101X, Located at 1335 Alexandria Court, Sparks, NV 89434
195	1	Open
196	1	Assorted Press Brake Tooling, Located at 1335 Alexandria Court, Sparks, NV 89434
197	1	200 Ton Standard DC-200 Hydraulic C Frame Press, 48" x 24" Bed, 12" Stroke, 24" Open Height, 30" x 20" Ram, Tonnage Control Valve, T Slotted Bolster & Ram - Located In: Huntington Park, CA (7903)
198	1	200 Ton Federal S2-200F Straight Side Double Crank Press, 60" x 42" Bed, 2" Stroke, 22" SH, 8" Ram Adj., 100 SPM, Air Clutch & Brake, Littell 29" Mechanical Feed - Located In: Huntington Park, CA (6927)
199	1	150 Ton Verson 150 OBI Punch Press, 50" x 30" Bed, 8" Stroke, 22" SH, 6" Ram Adj., 34" x 24" Ram, Air Clutch & Brake, T- Slotted Ram & Bolster - Located In: Huntington Park, CA (5684)
200	1	150 Ton Verson 150-B2-96 Straight Side Double Crank Press, 96" x 42" Bed & Ram, 8" Stroke, 30" SH, 5" Ram Adj., Air Clutch & Brake, STI Light Curtains - Located In: Huntington Park, CA (6399)
201	1	125 Ton Verson 566 Straight Side Double Crank Press, 65" x 34 1/2" Bed, 6" Stroke, 10.5" SH, 3" Ram Adj., 60" x 30" Ram, Protech Light Curtain - Located In: Huntington Park, CA (4628)
202	1	120 Ton Heim 12 GTX Gap Frame Punch Press, 40" x 30" Bed, 6" Stroke, 16" SH, 4" Ram Adj., 19" x 13" Ram, Air Clutch & Brake - Located In: Huntington Park, CA (4832)
203	1	110 Ton Federal 110 OBI Punch Press, 42" x 27" Bed, 5" Stroke, 18" SH, 6" Ram Adj., 28" x 18" Ram, Air Clutch & Brake - Located In: Huntington Park, CA (6050)
204	1	100 Ton Federal S2- 100- 60- 36 High-Speed Straight Side Press, 60" x 36" Bed & Ram, 3" Stroke, 14" SH, 4" Ram Adj., 200 SPM, Air Clutch & Brake, Note: Machine Rebuilt In 2005 - Located In: Huntington Park, CA (5257)
205	1	95 Ton Rousselle G1-95 OBI Punch Press, 36" x 26" Bed, 4" Stroke, 17.5" SH, 4" Ram Adj., 18 1/2" x 12" Ram, Air Clutch & Brake, (1998) - Located In: Huntington Park, CA (7174)
206	1	95 Ton Rousselle G1-95-14 OBI Punch Press, 36" x 26" Bed, 4" Stroke, 17.5" SH, 4" Ram Adj., 18 1/2" x 12" Ram, Air Clutch & Brake, (1998) - Located In: Huntington Park, CA (7193)
207	1	85 Ton Rousselle #8 OBI Punch Press, 4" Stroke, 18" SH, 4" Ram Adj., 16" x 12" Ram, Air Clutch & Brake - Located In: Huntington Park, CA (7196)
208	1	60 Ton Rousselle 6B-76 Gap Frame Straight Side Double Crank Press, 76" x 18" Bed, 2" Stroke, 12 1/2" SH, 3" Ram Adj., 64" x 16" Ram, Air Clutch & Brake - Located In: Huntington Park, CA (5670)
209	1	Dake 75 Ton Hydraulic H-Frame Press, Model 8-075, 44" Between Housings, Enerpac 1-1/2 HP Hydraulic Pump, 36" From Blade to Base, S/N 172348, Located at 1335 Alexandria Court, Sparks, NV 89434
210	1	Torchmate 5' x 20' CNC Water Table Plasma Cutter (New 2012), Overall Table Dimensions: 6' x 24', (2) Hypertherm Powermax 65 Plasma Cutters, Torchmate Control, Comes w/ Torchmate Dongle, Located at 1335 Alexandria Court, Sparks, NV 89434

211	1	84" Weldline SMR-84 Longitudinal External Seam Welder, 4 1/2"- 30" Diameter Range, Weldline Programmable Digital Automation Carriage Control, Lincoln Square Wave Tig-355 Welder, 3" Wide Individual Aluminum Hold Down Fingers (Pneumatically Actuated), Esab WC-9 Water Cooler, Water Cooled Mandrel, Pneumatic Clamping - Located In: Huntington Park, CA (7925)
212	1	85 KVA x 10 Heads Taylor Winfield 8510 Multi Head Spot Welder, 98" Bottom Platen, 120" Between Frame, Entron EN1000 -1200 (4) HS/202 Programmable Solid-State Control (Installed New In 2013)- 1,200 Amp Rated, Water Cooled Welding Tips, 3 Hold Downs, Remote Dual Palm Control Stand, Material Supports, Adjustable Welding Heads - Located In: Huntington Park, CA (8037)
214	1	0.075" x 7" Lee Shaffer C-20 Shear End Welder, Econo Twin HF 150 Amp Welder, 12" Hand Shear - Located In: Huntington Park, CA (4859)
215	1	2,500 Lb. Ransome 25-P Welding Positioner, 30" Table, Power Rotation, Manual Height Adjustment, Remote Hand Push Button Control - Located In: Huntington Park, CA (8126)
217	1	Miller Syncrowave 250 CC AC/DC Welding Power Source (Comes w/ Miller Coolmate 3 Water Coolant System), Located at 1335 Alexandria Court, Sparks, NV 89434
218	1	Miller Maxstar 210 TIG Welder (Comes w/ Miller Coolmate 3 Water Coolant System), Located at 1335 Alexandria Court, Sparks, NV 89434
219	1	Miller Maxstar 210 TIG Welder (Comes w/ Miller Coolmate 3 Water Coolant System), Located at 1335 Alexandria Court, Sparks, NV 89434
220	1	Miller Maxstar 200 TIG Welder (Comes w/ Miller Coolmate 3 Water Coolant System), Located At: 1335 Alexandria Court, Sparks, NV 89434
221	1	Miller Maxstar 200 TIG Welder (Comes w/ Miller Coolmate 3 Water Coolant System), Located At: 1335 Alexandria Court, Sparks, NV 89434
222	1	Miller Maxstar 200 TIG Welder (Comes w/ Miller Coolmate 3 Water Coolant System), Located At: 1335 Alexandria Court, Sparks, NV 89434
223	1	Miller Coolmate 3 Water Coolant System, S/N LB169453, Located at 1335 Alexandria Court, Sparks, NV 89434
224	1	KSM Stud Welder, Mdl: 025321, 5/16" Stud Cap., Located at 1335 Alexandria Court, Sparks, NV 89434
225	1	Stud Welding StudPro 2500 Stud Welder, 1/2" Stud Cap., S/N: 2500-0612-499, Located at 1335 Alexandria Court, Sparks, NV 89434
226	1	Miller Spectrum 375 DC Plasma Cutting Unit, S/N: LG200230P, Located at 1335 Alexandria Court, Sparks, NV 89434
227	20	Tillman Welding Curtains, (5) 6' x 6', (15) 6' x 8', Located at 1335 Alexandria Court, Sparks, NV 89434
228	1	Ingersoll Rand Centac- II/ 26 M2 Centrifugal Air Compressor, 2,500 CFM, 700 HP, Digital Readout Controls - Located In: Huntington Park, CA (4976)
229	1	Speedaire 15 HP Air Compressor Mounted to 120 Gallon Horizontal Tank, Model 1WD76, S/N R0015900, Located at 1335 Alexandria Court, Sparks, NV 89434

230	1	Quincy 10 HP Air Compressor Mounted to 240 Gallon Horizontal Tank, Mdl: Q15QCB, S/N: 5111603 (Comes w/ Speedaire Air Dryer), Located At: 1335 Alexandria Court, Sparks, NV 89434
231	1	Energair 5HP Air Compressor Mounted to Horizontal Tank, Mdl: 5B50E60 D/E, S/N: CV-A 5 006 079, Located at 1335 Alexandria Court, Sparks, NV 89434
232	1	8,500 CFM Flowtron Filter 1 AC-6-85-7.5 Dust Collector, Air Pulse Cartridge Cleaning, 7 1/2 HP (2013) - Located In: Huntington Park, CA (7913)
233	1	2,000 CFM Torit 2DF4 Dust Collector System, Reverse Pulse Filter Cleaning System, 5 HP - Located In: Huntington Park, CA (3119A)
234	1	10,000 Lbs. Clark C500-100 Forklift, 223" Lift Height, Side Shift Attachment, Propane Driven, Auto Trans., 3 Stage Mast - Located In: Huntington Park, CA (7977)
235	1	Hyster 4,800 Lb. Cap. LP Forklift, Mdl: S50XM, 189" 3-Stage Mast, 48" Forks, Side Shift, Solid Rubber Tires, 8860 Lb. Truck Weight, LESS THAN 3,000 RUN HOURS, S/N D187V27178Z, Located at 1335 Alexandria Court, Sparks, NV 89434
236	1	20' Skyjack SJIII3219 Hydraulic Scissor Manlift, 550 Lb. Load Capacity, 69" x 29" Platform, 36" Extension Deck, Built-In Battery Charger - Located In: Huntington Park, CA (8241HP)
237	1	19' Genie GS1930 Hydraulic Scissor Manlift, Platform Height 19', 500 Lb. Load Capacity, 64" x 29" Platform, 36" Extension Deck, Built-In Battery Charger - Located In: Huntington Park, CA (8242HP)
238	1	Dayton 5,500 Lb. Pallet Jack, Mdl: 3KR84, Located at 1335 Alexandria Court, Sparks, NV 89434
239	1	6,600 Lb. Pallet Jack, Located at 1335 Alexandria Court, Sparks, NV 89434
240	3	Werner Fiberglass Ladders, (1) 10', (2) 8', Located at 1335 Alexandria Court, Sparks, NV 89434
241	2	Port-A-Cool 3-Speed Portable Evaporative Air Coolers, 36", Model PAC2K363S, Located at 1335 Alexandria Court, Sparks, NV 89434
242	2	Port-A-Cool 3-Speed Portable Evaporative Air Coolers, 36", Model PAC2K363S, Located at 1335 Alexandria Court, Sparks, NV 89434
243	1	Dayton 36" Mobile Air Circulator, Mdl: 3C674C, 1/2 HP, Located at 1335 Alexandria Court, Sparks, NV 89434
244	1	Banding Cart 1/2" Nylon Banding, Banding Tensioner and Crimper, Located at 1335 Alexandria Court, Sparks, NV 89434
245	2	Adjustable Cantilever Racking, (1) 12' High, 4' Arms, Base is 6'-8" Wide, (1) 10' High, 3' Arms, Base is 6'-9" Wide, Located at 1335 Alexandria Court, Sparks, NV 89434
246	8	Assorted Steel Rolling Tables, Various Sizes, Located at 1335 Alexandria Court, Sparks, NV 89434
247	4	Steel Tables, (2) 4' x 10', (2) 4' x 8', Located at 1335 Alexandria Court, Sparks, NV 89434
248	3	Sections of Adjustable Storage Racking, (4) 10' x 4' Uprights, (18) 6' Crossbeams, Wood Decking, Located at 1335 Alexandria Court, Sparks, NV 89434
249	9	Pallets of Assorted Contents to Include: S/S Sink Units, Lock Units, Castors, Sliding Rails, Drawers, Plumbing Fixtures, Faucets, Sanding Pads, Scotch-Brite Pads, Etc., Located at 1335 Alexandria Court, Sparks, NV 89434