



Biditup Auctions Worldwide, Inc./Maynards Industries
TTI Floor Care - SURPLUS CNC MACHINES, TOOL ROOM &
INSPECTION EQUIPMENT

Global Webcast Auction Starts: Sep 17, 2019 11am EDT
 7005 Cochran Rd., Glenwillow, Ohio 44139

Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance With The Terms & Conditions

| Lot | Quantity | Description |
|-----|----------|--|
| 1 | 1 | Starrett 258 Height Gauge S/N 5556 |
| 2 | 1 | Starrett 258 Height Gauge S/N 12050 |
| 3 | 1 | Royal Height Gauge |
| 4 | 1 | Royal Height Gauge |
| 5 | 1 | Mitutoyo Height Gauge 0-18" |
| 6 | 1 | Starrett 254 Height Gauge |
| 7 | 1 | Royal Height Gauge |
| 8 | 1 | Royal Height Gauge |
| 9 | 1 | Royal Height Gauge |
| 10 | 1 | Ametek ML3339 Force Gauge |
| 11 | 1 | Chatillon Force Gauge |
| 12 | 1 | Force Gauge |
| 13 | 1 | Chatillon Force Gauge |
| 14 | 1 | Force Gauge |
| 15 | 3 | Federal 75B-1 Bench Depth Gauge with (1) Gauge Stand |
| 16 | 1 | Federal 57B-11 Thickness Gauge S/N Y-7896 |
| 17 | 1 | Lot of Assorted Dial Indicators |
| 18 | 5 | Ametek Force Gauge |
| 19 | 4 | Ametek Force Gauge |
| 20 | 5 | Wagner Force Gauge (4) Model FDV-50, (1) Model FDX |
| 21 | 5 | Lot of Electrical Testing Equipment to Include: (1) Magtrol Model 4612B Power Analyzer, (1) Biddle Megger, (1) Keithley Model 179 TRMS Digital Multimeter, (1) Micronta Multimeter, E2B Model MU-114 Bar-Graph DMM, (1) Fluke Model 73 DMM |
| 22 | 1 | 5" Machine Vise |
| 23 | 2 | Sine Plate (1) 6" x 12", (1) 3" x 8" with 3" Clamp |
| 24 | 2 | 6"x6" Angle Blocks |
| 25 | 5 | Angle Plates (1) 12" x 8", (1) 8" x 6", (1) 8" x 5", (1) 5" x 4", (1) 5" x 5" |
| 26 | 6 | Precision V-Blocks (1) 6" x 3", (5) 2" x 2" |
| 27 | 1 | Panametrics DL25 Ultrasonic Precision Thickness Gage |
| 28 | 1 | Oakton 37250-20 Hygrothermograph Range: -20 to +50 Degree C, RH: 0 to 100% |
| 29 | 7 | Lot of Inspection Equipment to Include: (5) Thread Wire Sets, (1) Adjustable Parallels Set, (1) Angle Shims Set |

| | | |
|----|---|---|
| 30 | 7 | Lot of Inspection Equipment to Include: (2) Caliper Gages, (1) 0-1" Micrometer, (4) Assorted Inch-Ounce Torque Wrenches |
| 31 | 1 | DMC PT-100 Wire Crimp Pull Tester |
| 32 | 2 | Wagner 525M St. Mary Spin Roll Grinding Fixture |
| 33 | 1 | Lot of Assorted Size Pin Gage Sets |
| 34 | 1 | Lot of Assorted Size Pin Gage Sets |
| 35 | 1 | Lot of Assorted Size Pin Gage Sets |
| 36 | 1 | Lot of Assorted Size Pin Gage Sets |
| 37 | 1 | Lot of Assorted Size Pin Gage Sets |
| 38 | 1 | Federal Formscan 6100 Multi Parameter Gauge |
| 39 | 1 | Gleason GRS-2 Double Flank Inspection System 12" x 12" Axis Travels, 110/220 V, 50/60 Hz S/N 6582 |
| 40 | 1 | Micro-Vu M103 Optical Comparator 18", with Micro-Vu Edge Detector and Micro-Vu 16Q Computer S/N 5706 |
| 41 | 1 | Brown and Sharpe Global Image 544 CMM Travels: X-500 mm, Y-400 mm, Z-400 mm, 120 V, 50/60 Hz, 900 VA, with Renishaw PHC10-2 Probe Controller and Pendant, 35" x 31" x 6" Granite Surface Plate 500 lb. Max. S/N 0801-1018 |
| 42 | 1 | Granite Surface Plate 48" x 36" x 6", with Cover and Stand |
| 43 | 1 | Quincy Lab Inc. 10AFE-LT Lab Oven 115 V, 1 Ph., 60 Hz S/N A1EL-0263 |
| 44 | 1 | TA Instruments AR 2000 Advanced Rheometer |
| 45 | 1 | Instron 4444 Hardness Tester 450 lb. Cap. 42.4" Tension Testing Opening, 36.1" Stroke, .004-40 IPM Testing Speed, 100/120/22/240 V, 47-63 Hz, 1 Ph. S/N 4444-C7287 |
| 46 | 1 | Olympus BH-2 Laboratory Microscope (2) WHK 10x/20L Eye Pieces, (1) MSPlan5 Optical Lenses, (1) MSPlan10 Optical Lenses, (1) MSPlan50 Optical Lenses, (1) MA 100 Optical Lenses, Integrated Light Source, Adjustable Table |
| 47 | 1 | Exhausted Work Station 58" x 48" x 36" Work Area |
| 48 | 1 | Exhausted Work Station 58" x 48" x 36" Work Area |
| 49 | 1 | Fisher Scientific Safeaire Laboratory Fume Hood 60" x 36" x 24" Work Area |
| 50 | 1 | Fisher Scientific Safeaire Laboratory Fume Hood 60" x 36" x 24" Work Area |
| 51 | 1 | Fisher Scientific Safeaire Laboratory Fume Hood 60" x 36" x 24" Work Area |
| 52 | 1 | Tenney Thirty T30RS Environmental Test Chamber Temp Range: -40 to +200 Degrees C, 230 V, 1 Ph., 60 Hz |
| 53 | 1 | Tenney Thirty T30RS Environmental Test Chamber Temp Range: -40 to +200 Degrees C, 230 V, 1 Ph., 60 Hz |
| 54 | 1 | Granite Surface Plate 48" x 36" x 6", with Stand |
| 55 | 1 | 2000 MCP Systems 004PLC Vacuum Casting Machine 208/460 V, 3 Ph., 30 Degree C Operating Temp S/N 7-B-4 |
| 56 | 1 | St. Catharine's Pattern Gas Vac II Vacuum Chamber with (1) Emerson Model C55NXHGJ-4035 Vacuum Pump, 1725 RPM, 115 V, 60 Hz, 1 Ph. S/N 01-02-306 |
| 57 | 1 | Lot of Testing Equipment to Include: Assorted Power Supplies, Oscilloscope, Multimeters, Etc. |
| 58 | 1 | Lot of Testing Equipment to Include: Assorted Power Supplies, Voltmeters, Connectors, Capacitors, Stators, Etc. |
| 59 | 1 | Lot of Testing Equipment to Include: Assorted Power Supplies, Oscilloscope, Multimeters, Etc. |

| | | |
|----|----|--|
| 60 | 1 | Lot of Testing Equipment to Include: Assorted Power Supplies, Oscilloscope, Multimeters, Etc. |
| 61 | 1 | Lot of Testing Equipment to Include: Assorted Power Supplies, Multimeters, Electrical Connectors, Etc. |
| 62 | 1 | Lot of Testing Equipment to Include: Assorted Power Supplies, Voltmeters |
| 63 | 1 | Lot of Testing Equipment to Include: Assorted Power Supplies, Voltmeters |
| 64 | 1 | Max Spindle Grinder 24" x 24" Full Tilt Table, Assorted size Grinding Attachments, 220 V |
| 65 | 1 | Delta 18" Variable Speed Scroll Saw |
| 66 | 1 | Formech FM1 Vacuum Forming Machine |
| 67 | 1 | Powermatic 81 Vertical Band Saw 20" Throat, 24" x 24" Table S/N 9181101 |
| 68 | 1 | DoAll D618-7 Surface Grinder 8" Wheel, 12" x 6" Chuck, 220 V, 3 PH, 60 HZ, 1725 RPM, S/N 219-67392 |
| 69 | 1 | Niagra Pinch Roll 48" Rollers |
| 70 | 3 | Delta Lot of Equipment to Include: (1)Vertical Bandsaw, (1) 6" Double End Pedestal Grinder, (1) 18" Grinder |
| 71 | 1 | Fosdick Drill Press 8" Stroke, 60" Table Travel, 36" x 24" Table, 110-1800 RPM, 2" Chuck |
| 72 | 1 | Bridgeport Series I Vertical Milling Machine 5" Stroke, 2 HP, 60-500 RPM Spindle Speed, 48" x 9" T-Slotted Table, (1) Kurt Machine Vise S/N 217300 |
| 73 | 1 | Lagun FTV-2 Vertical Milling Machine 5" Stroke, 50" x 10" Table, 33" X-Table Travel, 16" Y-Table Travel, 55-4250 RPM Spindle Speed, 3 HP, 220/440 V, 50/60 Hz, Anilam Wizard 450 DRO |
| 74 | 1 | Hardinge HLV-H Lathe 6" 3-Jaw Chuck, 11" Swing, 18" Centers, 1-1/4" Spindle Through Hole, 125-3000 RPM, 230 V, 60 Hz, 3 Ph. |
| 75 | 1 | Hardinge HLV-H Lathe 11" Swing, 18" Centers, 1-1/4" Spindle Through Hole, 1.5 HP, 125-3000 RPM, 230 V, 60 Hz, 3 Ph. |
| 76 | 1 | Hardinge Lathe Tooling |
| 77 | 1 | Trak TRL1745P Lathe 8" 3-Jaw Chuck, 17" Swing, 45" Centers, 2" Spindle Bore, 220 V, 7.5 HP, 3 Ph., 60 Hz, S/N 98.742 |
| 78 | 1 | 1998 Fadal 904 VMC 3016 CNC Vertical Machining Center 39" x 16" Table Size, 2736 lb. Capacity, 30" X-Axis Travel, 16" Y-Axis Travel, 20" Z-Axis Travel, 15 HP, 900 IPM Feed Rate, 21 Position Tool Changer, Fadal CNC 88HS Controller, 230 V, 3 Ph., 60 Hz S/N 9309722 |
| 79 | 1 | Fadal 904 VMC 3016 CNC Vertical Machining Center 39" x 16" Table Size, 2736 lb. Capacity, 30" X-Axis Travel, 16" Y-Axis Travel, 20" Z-Axis Travel, 15 HP, 900 IPM Feed Rate, 21 Position Tool Changer, Fadal CNC 88HS Controller, 230 V, 3 Ph., 60 Hz, with Assorted Tooling S/N 9303125 |
| 80 | 15 | Assorted Vertical and Horizontal Filing Cabinets |
| 81 | 1 | Dual Draw Down Draft Clean Air Station 60" x 72" Work Area |
| 82 | 1 | Dual Draw Down Draft Clean Air Station 60" x 72" Work Area |
| 83 | 8 | Lot of Assorted Size Work Benches |
| 84 | 1 | Sola Pallet of Transformers Input @ 60 Hz: 95-130 x 175-235 x 190-260 x 300-520 V, Input Current: 34.6 x 19.0 x 17.5 x 8.7 A, Output @ 60 Hz: 120/240 V, 3000 VA |
| 85 | 1 | 1998 Silvan Air Compressor MAWP 200 PSI @ 450 Degree F, MDMT 20 Degree F @ 200 PSI |

| | | |
|----|---|--|
| 86 | 1 | Ottwa Yard Tractor (Does Not Run) S/N 303101 |
| 87 | 1 | Tennant 8200 Floor Scrubber 4270 GVW S/N 8200-6389 |