



## Biditup Auctions Worldwide, Inc./Maynards Industries

HB FULLER ONLINE ONLY AUCTION - Over 1 Million Dollars Of New And Used Liquamelt And Adhesive Parts Inventory.

Thursday, October 10, 2019 - 10:00am (CDT)  
 1200 Willow Lake Blvd., Vadnais Heights, MN 55110

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance With The Terms & Conditions**

Lot	Quantity	Description
1	1	Graco 24E451 (3) Control Display Keypad Module Type 1, ENCL, 12-30 VDC, 4 Amps, Maxi,
2	1	Graco 24E451 (3) Control Display Keypad Module Type 1, ENCL, 12-30 VDC, 4 Amps, Maxi,
3	1	Graco 24E451 (3) Control Display Keypad Module Type 1, ENCL, 12-30 VDC, 4 Amps, Maxi,
4	1	Graco 24E451 (3) Control Display Keypad Module Type 1, ENCL, 12-30 VDC, 4 Amps, Maxi,
5	1	Graco 24E451 (3) Control Display Keypad Module Type 1, ENCL, 12-30 VDC, 4 Amps, Maxi,
6	1	Graco 24E451 (3) Control Display Keypad Module Type 1, ENCL, 12-30 VDC, 4 Amps, Maxi,
7	1	Go Pro ZC32 (17) Clean Shot, Module Fixed Stroke .032" Nozzle. S/N 71332
8	1	Go Pro ZC28 (4) Clean Shot, Module, Fixed Stroke. .028" Nozzles, With (4) Go Pro, STR ZC. (.016" Module Nozzles) S/N 71328,
9	1	Go Pro ZC20 Approx., (99) Clean Shot, Module, Fixed Stroke (.020" Nozzles) S/N 71320
10	1	Go Pro ZC32 Approx., (100) Clean Shot, Module, Fixed Stroke (.032" Nozzles) S/N 71332
11	1	Graco Disassembled Ratio Transfer Pump Unit Stand (Without Pump)
12	1	Go Pro (10) 90 Degree Adapter Plate Attached To Go Pro, SM Bead .016" Module
13	1	Go Pro ZC32 (7) Clean Shot, Module, Fixed Stroke .032" Nozzles. S/N 713324
14	1	D-Go Pro (16).020" Module Fixed Stroke. With (8) D-Go Pro, .024" Module Fixed Stroke.
15	1	Go Pro 71111 (9) NLT, (.008" Filtered) Valve Module ASOC, Use With .024" Nozzle Orifice
16	1	Go Pro 76116 (9) NLT, Valve Modules (.008" Filtered) ASOC, Use With .024" Nozzle Orifice.
17	1	Go Pro Easy Fix (93) Single (MFP) Module Filter Plate. 008" Filtering. S/N 8101
18	1	Graco 24M187 (5) Conversion Kits Type 1, Maxi Air WPR .7 Mpa, 7 Bar, 100Psi, Maxi Outlet Fluid WPR 11.7 MPa, 117 Bar, 1700 Psi, 240 V, 32 Amps, 60 Hz. S/N NJ13A
19	1	Patlite LME-302-RYG+FB120 (7) Light Tower Kits 24 V, AC/DC
20	1	Patlite LME-302-RYG+FB120 (8) Light Tower Kits 24 V, AC/DC

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

21	1	Assorted Components To Include (1)Coil Relay SPDT 24 VDC, 240 V, (2) Mac, mdl. 411A-B0A-DM-DDAJ-1JB, 4-Way Sol Valve D-24 V DC, (1)Graco, SS Single Adapter, (1) Harness Wire Signal Adapter, (1) 6' LED, 24 V, Prewired Coil, (1) Hardness Power Wire, (1) 0.12" Valve, (2) 1/4" ELB, (1) 1/4" Pipe Fitting, (1)Single Module Manifold 240 V.
22	1	Melt Pro (3) Adhesive Guns Configuration Containing (1) Dual Module Manifold 240V, With (2) Graco ZC, 0.012" Module (1) Filter Assembly, 45 W/200 Mesh (1) Nordson 24 VDC, Solenoid Valve, 240 V.
23	1	(1) Nordson, mdl. BCM-CBZC-01602ACAT, Hot Melt Adhesive Application System, 240 V, 200 Watts With (1) Melt Pro, P/N. N020A22N7B, Type A, Dual Module, 100 OHM, 240 V.
24	1	Go Pro ZC20 (10) Clean Shot, Module Fixed Stroke (.020" Nozzle)
25	1	Go Pro ZC28 (10) Clean Shot, Module Fixed Stroke 0.28" Nozzle With (18) Go Pro, S/N. 71328, Clean Shot Module, Fixed Stroke .028" Nozzle. S/N 71428,
26	1	Go Pro ZC24 Approx., (93) Clean Shot Modules, Fixed Stroke. .024" Nozzle
27	1	Turck (21) 13' Command Cables
28	1	Graco (10) Fitting Swivels To include (16) Graco, 1/4" NPT Muffler, And (8) Graco Pipe Plugs
29	1	Graco (8) 10' Hydraulic Hose
30	1	D-Graco (16) Temperature Module Controls Type 1, 0-250 Vac, 10 Amps
31	1	Go Pro (64) Hpt Melt O.E.M. Module Filter Cartridges .008"
32	1	Graco Series J11A (2) Air Motors 100 Posi, 7 Bar. S/N A178
33	1	Graco (2) Mech Air Valve Kits To Include (3) Graco, Small AV, Seals, (8) Reservoir Windows
34	1	Turck 24E897 (3) 5 Pin 16.0" Molded Cable
35	1	Go Pro (64) Replacement Nozzles Ranging From .008", .012", .016", .020", .024", .028", .032"
36	1	Graco (1) Air Valves With (3) Motor Seals.
37	1	Graco 71320 (42) Clean Shot, Module Fixed Stroke. .020" Nozzles S/N 71320
38	1	Turck 0.3m Cables
39	1	Turck Type 572 30' AMD, EXT Cords 250 V, 4 Amps.
40	1	Go Pro ZC24 Approx., (112) Clean Shot Module Fixed Stroke. .024" Nozzles
41	1	(7) Graco, 3/8" NPT Adapter With (18) Graco Turbo Fittings, (2) Air Line Fittings, (4) Graco System Caps.
42	1	Turck (2) Female/Female , STR XRT, 4' Cables With (30) Turck 12" Female/Female Fitting, (3) Turck Signal HHB Adapters.
43	1	Go Pro ZC32 Approx. (50) Clean Shot, Module Fixed Stroke. .032" Nozzles
44	1	Go Pro ZC16 Approx. (55) Clean Shot, Modul, Fixed Stroke. .016" Nozzle S/N 71316
45	1	Go Pro ZC28 Approx., (60) Clean Shot, Module, Fixed Stroke. .028" Nozzle S/N 71328
46	1	Go Pro Assorted Components (4) O-Ring Kits, (2) Graco Splitters, (1) Turck 4' ADM Cord, (1) Graco D-Liner Sensor.
47	1	Graco (2) Disp Pump
48	1	Go Pro ZC24 (9) Clean Shot, Module, Fixed Stroke. .024 Nozzle S/N 71324
49	1	(2) Graco Fluid Control Module With (1) Graco, Type 1 ENCL, Block Control Module, 12-30 VDC, 4 Amps,

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

50	1	(6) Graco, Suppressors With Approx., (20) Graco, Safety Valve, 75 Psi.
51	1	Assorted Piping To Include (1) Graco, Bulk Feed Hose EXT Adapter, (1) Tube Fluid Intake 750 OD, (2) Graco, HA Tube FL. Press, (3) Graco HA Adapters, (1) Graco HA Run Tee.
52	1	Assorted Components (1) Graco Harness Signal Wire, (4) Graco, Turbo Harness RTD Check,
53	1	Graco 24J48 (6) Harness Wire Power Channel Adapters
54	1	Approx., (56) Harness To NS Connect Adapters
55	1	(52) Go Pro, Internal Filters, .016", With (22) Go Pro, S/N 75108 Adhesive Seals And Filter Cartridges. S/N 75116
56	1	Go Pro Approx., (24) Module Repair Kits.
57	1	Kingston (7) MC Master Safety Valve, 85 Psi.
58	1	Graco NG16A (8) Liquamelt Application Machine, Maxi Air WPR, 0.7 Mpa, 7 Bars, 100 Psi. 10 Amps, Maxi 11.7, Mpa, 117 Bar, 1700 Psi, 230/1 V, 60 Hz, 240 Volt Max, With 30"x 15" x 20" Stand. Key Components Include (2) Norgen Pneumatic, Solenoid, 24 V, Solenoid, 1 Input/1 Output, (1) Mean Well 24 V, 4 amp, Power Supply (1) 3' Turck Molded M12 Female To Female 5 Pin Cable, (8) 1' Turck Molded M12 Female To Female 5 Pin Cable, (1) 2' Turck Molded M12 Female To Female 5 Pin Cable, (1) Hdrualkic Distribution Block-6 Ports, (1) Pneumatic Acuated Ball Valve, (1) Alteck 12 Point Dairtribution Bar With 5 x 10 KA Breaker, (12) 7" x 8" Riser Post, (4) 3" x 8" Ball Valve, (4) Weld Muller, DIN Ground Terminal 10- GA, (1) 8.6 Bar Regulator, (8) IEC 320 Socket- Female With Pigtails 250 V, (8) Graco, S/N 256270, (2) IFM, Electronic Ultrasonic Sensors, (1) Graco, Air Motor, (1) RTD With M5 Pin Out, (1) 240 V, Padlock Safety Master Power switch, (1) Graco Signal Interface, (1) Graco, Human Machine Interface ATD, P/N 24E451. [Loc: 2480 Long Lake Rd Roseville Mn, 55113 ]
59	1	Graco NG16A (8) Liquamelt Application Machine, Maxi Air WPR, 0.7 Mpa, 7 Bars, 100 Psi. 10 Amps, Maxi 11.7, Mpa, 117 Bar, 1700 Psi, 230/1 V, 60 Hz, 240 Volt Max, With 30"x 15" x 20" Stand. Key Components (2) Norgen Pneumatic, Solenoid, 24 V, Solenoid, 1 Input/1 Output, (1) Mean Well 24 V, 4 amp, Power Supply (1) 3' Turck Molded M12 Female To Female 5 Pin Cable, (8) 1' Turck Molded M12 Female To Female 5 Pin Cable, (1) 2' Turck Molded M12 Female To Female 5 Pin Cable, (1) Hdrualkic Distribution Block-6 Ports, (1) Pneumatic Acuated Ball Valve, (1) Alteck 12 Point Dairtribution Bar With 5 x 10 KA Breaker, (12) 7" x 8" Riser Post, (4) 3" x 8" Ball Valve, (4) Weld Muller, DIN Ground Terminal 10- GA, (1) 8.6 Bar Regulator, (8) IEC 320 Socket- Female With Pigtails 250 V, (8) Graco, S/N 256270, (2) IFM, Electronic Ultrasonic Sensors, (1) Graco, Air Motor, (1) RTD With M5 Pin Out, (1) 240 V, Padlock Safety Master Power switch, (1) Graco Signal Interface, (1) Graco, Human Machine Interface ATD, P/N 24E451. [Loc: 2480 Long Lake Rd Roseville Mn, 55113 ]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

60	1	<p>Graco NG16A (8) Liquamelt Application Machine, Maxi Air WPR, 0.7 Mpa, 7 Bars, 100 Psi. 10 Amps, Maxi 11.7, Mpa, 117 Bar, 1700 Psi, 230/1 V, 60 Hz, 240 Volt Max, With 30"x 15" x 20" Stand. Key Components (2) Norgen Pneumatic, Solenoid, 24 V, Solenoid, 1 Input/1 Output, (1) Mean Well 24 V, 4 amp, Power Supply (1) 3' Turck Molded M12 Female To Female 5 Pin Cable, (8) 1' Turck Molded M12 Female To Female 5 Pin Cable, (1) 2' Turck Molded M12 Female To Female 5 Pin Cable, (1) Hdrualkic Distribution Block-6 Ports, (1) Pneumatic Acuated Ball Valve, (1) Alteck 12 Point Dairtribution Bar With 5 x 10 KA Breaker, (12) 7" x 8" Riser Post, (4) 3" x 8" Ball Valve, (4) Weld Muller, DIN Ground Terminal 10- GA, (1) 8.6 Bar Regulator, (8) IEC 320 Socket- Female With Pigtails 250 V, (8) Graco, S/N 256270, (2) IFM, Electronic Ultrasonic Sensors, (1) Graco, Air Motor, (1) RTD With M5 Pin Out, (1) 240 V, Padlock Safety Master Power switch, (1) Graco Signal Interface, (1) Graco, Human Machine Interface ATD, P/N 24E451. [Loc: 2480 Long Lake Rd Roseville Mn, 55113 ]</p>
61	1	<p>Graco NG16A (7) Liquamelt Application Machine, Maxi Air WPR, 0.7 Mpa, 7 Bars, 100 Psi. 10 Amps, Maxi 11.7, Mpa, 117 Bar, 1700 Psi, 230/1 V, 60 Hz, 240 Volt Max, With 30"x 15" x 20" Stand. Key Components (2) Norgen Pneumatic, Solenoid, 24 V, Solenoid, 1 Input/1 Output, (1) Mean Well 24 V, 4 amp, Power Supply (1) 3' Turck Molded M12 Female To Female 5 Pin Cable, (8) 1' Turck Molded M12 Female To Female 5 Pin Cable, (1) 2' Turck Molded M12 Female To Female 5 Pin Cable, (1) Hdrualkic Distribution Block-6 Ports, (1) Pneumatic Acuated Ball Valve, (1) Alteck 12 Point Dairtribution Bar With 5 x 10 KA Breaker, (12) 7" x 8" Riser Post, (4) 3" x 8" Ball Valve, (4) Weld Muller, DIN Ground Terminal 10- GA, (1) 8.6 Bar Regulator, (8) IEC 320 Socket- Female With Pigtails 250 V, (8) Graco, S/N 256270, (2) IFM, Electronic Ultrasonic Sensors, (1) Graco, Air Motor, (1) RTD With M5 Pin Out, (1) 240 V, Padlock Safety Master Power switch, (1) Graco Signal Interface, (1) Graco, Human Machine Interface ATD, P/N 24E451. [Loc: 2480 Long Lake Rd Roseville Mn, 55113 ]</p>