



## Biditup Auctions Worldwide, Inc./Maynards Industries

ASSETS FORMERLY OF A TOOL & DIE FACILITY, Including: 2008 Mag-G&L PT1800 CNC Horizontal Boring Mill, Danly SH-300-144-100 300-Ton Spotting Press, Okuma Geno, Haas, OKK & Enshu CNC VMC'S, Okamoto & Blanchard Surface Grinders, I.M. Parpas Horizontal Boring Mill & Much More.

Wednesday, November 6, 2019 - 11:00am (CDT)

37 Murray Dr., Tullahoma, TN 37388

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance With The Terms & Conditions**

Lot	Quantity	Description
1	1	1998 I.M Parpas SL100-3000 4" Horizontal Boring Mil A- Axis 180 Degree, C- Axis 120 Degree, (X= 2500mm Travel) ( Y= 1000mm Travel) (Z= 1500mm Travel) 8000 mm/1 Work Feed, 4000 RPM Spindle Speed, Usable Surface Area 3100 x 1000mm, 50- Cat, Drive Cylinder, 170mm Cylinder Travel, 70 Bar Pressure, 7.3(l/min) Flow, 10.28(m/mm) Speed Cylinder Section Out 7.1/" 5.1, 52" x 140" T-Slotted Table, With Heidenheimer Max. 60 m/mm Option 120 m/min Maxi. 90 KVA-110 A, 480 V, 60 Hz. S/N 100-9088 [Loc: Tullahoma, TN ]
2	1	1994 Leblond Makino EDNCD-65 E.D.M Machine 13" Stroke, 59159 Hrs. With 22" x 32" Table 8" x 24" Magnetic Chuck, MAKINO, Mge 20 Control Panel, Tank Capacity 700 Liters S/N CA244N [Loc: Tullahoma, TN ]
3	1	OKAMOTO ACC-28-60DX 28" x 60" Surface Grinder Maxi. Table Cap 4,320 lbs. 20" x 3.9" Wheel 6500 SFPM, 230-460 V, 60 Hz, 3 Ph, 25 KVA. S/N 9.90735E+11 [Loc: Tullahoma, TN ]
4	1	Blanchard 22K-42 Rotary Surface Grinder 48" Dia, 12" High Over 42" Chuck, 5/8" Pole Spacing 720 RPM, 18" Cylinder Wheel, Table Traverse 900 Rpm, 125 Gal. Coolant supply, 20" Cylinder Wheel Holder 42" Chuck, 50 Hp, 60 Hz, S/N 141170 [Loc: Tullahoma, TN ]
5	1	2011 Haas VM-3 CNC Vertical Machine Center Table Size: 48" X 18" X Axis Travel: 40",Y Axis Travel: 20" ,Z Axis Travel 25" Spindle, 24 Tool Changer, Tool Changer, 30 HP, Spindle Speed: 12,000 RPM, Rapid Feed Rates 1,400 IPM, Spindle Taper CT40 ,Tool Changer 24 + 1, 208/230 V, 3 Phase, 40 Amps. S/N 1086649 [Loc: Tullahoma, TN ]
6	1	1996 Haas VF3 CNC Vertical Machine Center Table Size: 48" X 18" X Axis Travel: 40",Y Axis Travel: 20" ,Z Axis Travel 25", Spindle, 20 Tool Changer,30 Hp, Spindle Speed: 12,000 RPM, Rapid Feed Rates 1,400 IPM, Spindle Taper CT40 ,10,000 Interrupting Capacity, Tool Changer 24 + 1, 208/230 V, 3 Phase, 50/60 Hz, 40 Amps Full Load, 30 Amps, Largest Load, [Loc: Tullahoma, TN ]
6B	1	Table Vise 5""
7	1	2013 Okuma Genos M560-V CNC Vertical Machine Center 3 Axis Spindle, X-Axis 1,050mm(41.34) Y-Axis 560mm(22.05) Z-Axis 460mm 72mm0 (28.35) Column Front To Spindle Center, 560 x 1,300 (22.05 x 51.18 Work Area, (18.11) 200% Cutting Feed, 32 ATC Tool Holder, 22" x 51" T- Slotted Table, 15 K RPM, 200 VAC + 10% 50/60 Hz. S/N 9.90735E+11 [Loc: Tullahoma, TN ]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

8	1	Okk VM-7 CNC Vertical Machine Center 20 Tool Changer, 4.2 L-Tank Capacity, 5/6 RPM, 0.3 Maxi. Discharge Rate, 50-Spindle, 1200 RPM Spindle, 61" x 33" Bed AC 200/220 V, 3 Ph, 50/60 Hz, 63 KVA. [Loc: Tullahoma, TN ]
9	1	1995 Enshu 650VX CNC Vertical Machine Center 30 Tool Changer, 25.6" x 78" T- Sotted Table, 30 ATC Tool Holder. S/N 346 [Loc: Tullahoma, TN ]
9C	2	Chicago Pneumatic Pneumatic Tools Impact Guns, 3/4" Drive
10	1	1997 Leblond Makino SNC64-A15 CNC Vertical Machine Center 79087 Power HR. 16" X 30" Table, 15 ATC Tool Holder With Atomic Comutec Dust Collector S/N A95-252-6 [Loc: Tullahoma, TN ]
11	1	Danly SH-300-144-100 300 Ton Spotting Press 48" Stroke, 1350 Psi, 150 Ton Die Spotter Capacity,300 Ton Tryout Capacity,150 Ton Gross Stripping Stroke144' x 100" Area Of Slide, 144" x 100" Area Of Bed, 275 Gal. 144" x 160" Rolling Bolster Plate, 460 V, 3 Ph, 60 Cycle, 115 Control V, 110 Amp S/N 67251101 [Loc: Tullahoma, TN ]
12	1	2008 Mag G&L PT1800 CNC Plain Table Horizontal Boring Mill 4-Axis , X=141.7", Y=102", Z=39", W=59" 142" x 71" Table, Allowable Load 88,200lbs. 39.4 (1000) Spindle Travel, Traverse Feeds X,Y,Z,W 985 Ipm (2500 mm/min) 3500 RPM, 60 Hp, 4-speed live headstock, Coolant thru spindle, Heidenhain iTNC Control S/N 480-0120-08 [Loc: Tullahoma, TN ]
13	1	Colchester Lathe 4" Hole Spindle, 10" x 100" Bed Travel, 350 RPM spindle speed 6" 3-Jaw Chuck, 20" x 72" Bed, 1600 RPM, 19" Steady Rest [Loc: Tullahoma, TN ]
14	1	2007 Sulliar 1509E/A 20 HP Air Compressor 20 Hp,125/135 PSIG, 1755 RPM, [Loc: Tullahoma, TN ]
15	1	Sulliar RC500-460-3-60-A Air Dryer 363 PSIG 25 Barg Max. Air Pressure, 230 PSIG 16 Barg Max. Air Pressure, 16,5 Circuit Ampacity, 460 V,3 Ph, 60 Hz, 0,39 Hp Fan, S/N 1614SA00591 [Loc: Tullahoma, TN ]
16	1	2015 Sulliar 370011 50 HP Air Compressor 50 Hp, 460 V, 60 Hz, 3 Ph, 56.1 BHP, 47 KW S/N 2.01503E+11 [Loc: Tullahoma, TN ]
17	1	2007 Brown And Sharpe Xcel CMM Renishaw Probe, 115 V, 50-60 CPS, 15 A, 65 PSIG,2 Air Flow SCFM. S/N 1189-125 [Loc: Tullahoma, TN ]
18	1	Willis Micro cut 1050II Vertical Milling Machine S/N 94398 [Loc: Tullahoma, TN ]
19	1	Bridgeport Series 1 Vertical Milling Machine 36" X-Axis, Table Travel, 12" Y-Axis Saddle Travel, 5" Quill Travel, 16" Z- Axis Knee Travel, 12" Ram Travel, 6.75" Throat Distance, 18.75" Maxi. Throat Travel, 42" x 9" T-Slotted Table, 500-4200 RPM, 208/230/460 V, 50-60 Cycle, 3 Ph, S/N 196420 [Loc: Tullahoma, TN ]
20	1	WF Wells And Son Horizontal Band Saw 10" Work Area, 460 V, 3 Ph. [Loc: Tullahoma, TN ]
21	1	Powermatic 1200 Drill Press 6" Stroke 2000 RPM, 1/2" Jacobs Super Chuck, With 6" Vice [Loc: Tullahoma, TN ]
22	1	Hand Work 24" Rotary Downdraft Table With 4" Vise, 30 A, 600 Vac/V. [Loc: Tullahoma, TN ]
23	1	Pneumatic Lift Table [Loc: Tullahoma, TN ]
24	1	60" x 49" Down Draft Table 480 V.with Wilton 6" Vise. [Loc: Tullahoma, TN ]
25	1	CEC Heat Weld Oven 700 Degree Max. Temp With 45" x 54" Rolling Conveyor S/N 2431 [Loc: Tullahoma, TN ]
26	1	Trinco 60X48SL/BF 63" x 51" x 72" Dual Dry Blast Cabinet 22" x 10" View Windows, (2) Trinco Mdl. BP2 Dust Collectors S/N 60828-4 [Loc: Tullahoma, TN ]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

27	1	48" x 96" Pink Precision Granite Table [Loc: Tullahoma, TN ]
28	1	48" x 36" Grey Precision Granite Table [Loc: Tullahoma, TN ]
29	1	48" x 96" Black Precision Granite Table [Loc: Tullahoma, TN ]
30	1	1995 Rush Machinery 382 Drill Grinder 5-1/2" Wheel, 8" Clearance Relief arm, 10" for Straight Reamer, 30 A, 3W, 3490 RPM, 600 Max. Volt. S/N 1984 [Loc: Tullahoma, TN ]
31	1	Huot Tool Scoot Portable Tool Cart [Loc: Tullahoma, TN ]
31A	1	(6) Cat- 40 Tool Holders [Loc: Tullahoma, TN ]
31B	1	(6) Cat- 40 Tool Holders [Loc: Tullahoma, TN ]
31C	1	(6) Cat- 40 Tool Holders [Loc: Tullahoma, TN ]
31D	1	(5) Cat-40 Tool Holders [Loc: Tullahoma, TN ]
31E	1	(5) Cat-40 Tool Holders [Loc: Tullahoma, TN ]
31F	1	(5) Cat-40 Tool Holders [Loc: Tullahoma, TN ]
31G	1	(5) Cat-40 Tool Holders [Loc: Tullahoma, TN ]
31H	1	(5) Cat-40 Tool Holders [Loc: Tullahoma, TN ]
31I	1	(5) Cat-40 Tool Holders [Loc: Tullahoma, TN ]
31J	1	(5) Cat-40 Tool Holders [Loc: Tullahoma, TN ]
32	1	Huot Tool Scoot Portable Tool Cart [Loc: Tullahoma, TN ]
32A	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
32B	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
32C	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
32D	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
32E	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
32F	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
33	1	Huot Tool Scoot Portable Tool Cart [Loc: Tullahoma, TN ]
33A	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
33B	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
33C	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
33D	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
33E	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
34	1	Huot Tool Scoot Portable Tool Cart [Loc: Tullahoma, TN ]
34A	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
34B	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
34C	1	(6) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
34D	1	(7) Cat- 50 Tool Holders [Loc: Tullahoma, TN ]
35	1	2017 Flexco Novitool Aero 1525 60" Splice Press Effective Splice Length 1525mm /6", Effective Splice Width 150mm / 8", Overall Length 1725mm /67.9" 36" Portable Finger Punch 2 Bar/ 28 Psi. 1x 230 V, 15 A, 1 Ph, With 70" x 15" Manual Punch Knife Board, mdl. PUN-M-900 And Power Cord And Transporting Case [Loc: La Vergne, TN ]
36	1	2017 Flexco Novitool Aero 1525 60" Splice Press Effective Splice Length 1525mm /6", Effective Splice Width 150mm / 8", Overall Length 1725mm /67.9" 36" Portable Finger Punch 2 Bar/ 28 Psi. 1x 230 V, 15 A, 1 Ph, With 70" x 15" Manual Punch Knife Board, mdl. PUN-M-900 And Power Cord And Transporting Case [Loc: La Vergne, TN ]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

37	1	2017 Faro Portable Laser ARM Tracker 0.5" Laser Tracker Ball Probe Rhino Series Tough Probe,0.875" Laser Tracker Ball Probe Rhino Series Tough Probe, 8" Magnetic Mount For Portable CMM With 3 1/2" Treaded Ring, 1.5" Ball Probe seat With 10mm Pin-25mm Offset, 1.5" Ball Probe Seat With 6mm Pin-25mm Offset, 1.5" Ball Probe seat with 1/2" Pin, 1.5" Ball Seat Monument- Hard Coat Aluminum Black, 1,5 Ball Probe Seat with 3/8" Pin, 0.5" Ball Probe Seat With 1/4" Pin, 20" Extension For Heavy-Duty Tripod, 36" Extension For Heavy-Duty Tripod S/N V20001706758 [Loc: La Vergne, TN ]
38	1	2017 Faro Portable Laser ARM Tracker 0.5" Laser Tracker Ball Probe Rhino Series Tough Probe,0.875" Laser Tracker Ball Probe Rhino Series Tough Probe, 8" Magnetic Mount For Portable CMM With 3 1/2" Treaded Ring, 1.5" Ball Probe seat With 10mm Pin-25mm Offset, 1.5" Ball Probe Seat With 6mm Pin-25mm Offset, 1.5" Ball Probe seat with 1/2" Pin, 1.5" Ball Seat Monument- Hard Coat Aluminum Black, 1,5 Ball Probe Seat with 3/8" Pin, 0.5" Ball Probe Seat With 1/4" Pin, 20" Extension For Heavy-Duty Tripod, 36" Extension For Heavy-Duty Tripod S/N V20001706758 [Loc: La Vergne, TN ]
39	1	Hyster S60XM Forklift 3 Ton, Long Reach Push/Pull5 Degree Back Tilt, 16x6x10.5 RR, 21x8x15FR Tires/Size, 5' Forks S/N D187V20532X [Loc: La Vergne, TN ]
40	1	Hyster S150A Forklift 7-1/2 Ton, 6' Forks, 10.00 degree Back Tilt, 44.50 Tread Width, [Loc: La Vergne, TN ]
41	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph, [Loc: La Vergne, TN ]
42	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
43	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
44	1	Fanuc R-2000 IA 165R 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
45	1	Fanuc R-2000 IA 200R 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
46	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

47	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm With Control Panel System mdl. R-J3iB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
48	1	Fanuc R-2000 IA 165R 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
49	1	Fanuc R-2000 IA 165F 6- Axis Robotic Arm With Control Panel System mdl. R-J3iB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
50	1	Fanuc R-2000 IA 165F 6- Axis Robotic Arm With 9" Throat Welding Gun Attachment, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
51	3	Pneumatic Tools Air Grinders, 9"
52	1	Fanuc R-2000 IA 200R 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
53	1	Fanuc R-2000 IA 200R 6- Axis Robotic Arm With Control Panel System Md. R-J3i, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
54	1	Fanuc R-2000 IA 200F 6- Axis Robotic Arm With Suction Defector, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
55	1	Fanuc M-410 IA WW 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
56	1	Fanuc R-2000 IA 1655 F 6- Axis Robotic Arm With 7" Throat Welding Gun Attachment, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
57	1	Fanuc R-2000 IA 6- Axis Robotic Arm With 8" Throat Welding Gun Attachment And Control Panel AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
58	1	Fanuc R-2000 IA 200 165F 6- Axis Robotic Arm With 5" Throat Welding Gun Attachment, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

59	1	Fanuc R-2000 IA 200F 6- Axis Robotic Arm With Control Panel System mdl. R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
60	1	Fanuc R-2000 IA 200F 6- Axis Robotic Arm With 28" Welding Gun Attachment And Control Panel System mdl. R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
61	1	Fanuc R-2000 IA 165F 6- Axis Robotic Arm With 28" Welding Gun Attachment And Control Panel System mdl. R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
62	1	Fanuc R-2000 IA 165F 6- Axis Robotic Arm With 28" Welding Gun Attachment And Control Panel System mdl. R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
63	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm With Control Panel System mdl. R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
64	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
65	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm With 33" Welding Gun Attachment, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
66	1	Fanuc R-2000 IA 165F 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
67	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm With Gripping End Defector, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
68	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm With Control Panel System mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
69	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm With End Defector And Control Panel System mdl. R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

70	1	Fanuc R-2000 IA 165F 6- Axis Robotic Arm With Gripping End Defector And Control System Panel mdl.R-J3IB AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
71	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm With Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
72	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
73	1	Fanuc R-2000 IA 200F 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
74	1	Fanuc R-2000 IA 200FO 6- Axis Robotic Arm AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
75	1	Fanuc R-2000 IA 165F 6- Axis Robotic Arm With Control System Panel R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
76	1	Fanuc R-2000 IA 165F 6- Axis Robotic Arm With Control System Panel R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
77	1	Fanuc R-2000 IA 165F 6- Axis Robotic Arm With 13" Welding Gun Attachment, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: La Vergne, TN ]
78	1	TOYO-OKI 447-1 Hydraulic Pump Unit-2 100 Capacity, 10 Hp, Baldor Motor, 208-230/460 V, 25.4-24/12 Amps, 1770 RPM, 215T Frame, 60 Hz, 3 Ph. S/N GG14K1589 H [Loc: La Vergne, TN ]
79	1	TOYO-OKI 447-1 Hydraulic Pump Unit-2 160 Capacity, 20 Hp, Baldor Motor, 230/460 V, 48-24 Amps, 1765 RPM, 256T Frame, 60 Hz 3 Ph S/N GG14K1588 H [Loc: La Vergne, TN ]
80	1	Accolift 2130140 2 Ton Chain Hoist 36 FPM,3.25 To 12" I-Beam Flange Width S/N 1205042 [Loc: La Vergne, TN ]
81	1	Accolift 2130140 2 Ton Chain Hoist 36 FPM,3.25 To 12" I-Beam Flange Width S/N 1205046 [Loc: La Vergne, TN ]
82	1	Hyster S60FT 3 Ton Forklift 5' Fork Attachments, 5 Degree Back Tilt, 16x6x10.5 Rear 12x8x15 Front Tires. S/N F187V01794C [Loc: La Vergne, TN ]
83	1	1997 Genie Z34-N Manlift 11,500 lb. Machine Unladen Weight, 500 Lb. Work Load, 28 MPH, 22' x 4" Platform Reach. [Loc: La Vergne, TN ]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

84	1	1996 Genie Z30-N Manlift 14,500 lb. Machine Unladen Weight, 500 Lb. Work Load, 25 MPH, 6' x 7" Transport Height, 21' Platform Reach, 30' Platform Height, 2800 Psi (193 Bar) Hydraulic Lift Pressure, 110 V, 60 Hz. [Loc: La Vergne, TN ]
85	1	Fanuc S-900 IW 6- Axis Robotic Arm With Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
86	1	Fanuc R-2000 IA 200 FO Robot With Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
87	1	Fanuc R-2000 IA 200 FO Robot With Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
88	1	Fanuc R-2000 IA 200 FO Robot With 10" Welding Gun, mdl. TRXN-402732-A-R, 4.0 E/Force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
89	1	Fanuc R-2000 IA 200F Robot With 32" Welding Gun Attachment, Welding Transformer 460 V, 60 Hz, To include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
90	1	Fanuc R-2000IA 165F Robot With 16" Welding Gun, Attachment, Welding Transformer 460 V, 60 Hz, 50% Duty Cycle, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
91	1	Fanuc S-900IB 220L Robot With Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
92	1	Fanuc R-2000IA 200FO Robot With Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
93	1	Fanuc R-2000IA 200FO Robot With Dengensha, 36" Welding Gun Attachment, Portable Welding Transformer 50% Duty Cycle, To include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
94	1	Fanuc R-2000IA 200FO Robot With Obara, 32" Welding Gun Attachment, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]



**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

95	1	Fanuc R-2000IA 200FO Robot With Obara, 36" Welding Gun Attachment. Welding Transformer, 50% Duty Cycle 60 Hz, 460 V, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output 4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
96	1	Fanuc R-2000IA 200FO Robot With 12" welding Gun Attachment, To include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
97	1	Fanuc R-2000IA 165F Robot With 12" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
98	1	Fanuc R-2000IA 165F Robot With 10" Welding Gun Attachment, Welding Transformer, 105 Duty Cycle, 480 V, 60 Hz, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
99	1	Fanuc R-2000IA 200FO Robot With 16" Welding Gun Attachment, Welding Transformer, 50% Duty Cycle, 400-460 V, 60 Hz, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
100	1	Fanuc R-2000IA 165F Robot With 14" Welding Gun Attachment, 4.0 E/force, Welding Transformer 10% Duty Cycle 36 Turn Ratio 480 V 60 Hz, To include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
101	1	Fanuc R-2000IA 200FO Robot With Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
102	1	Fanuc R-2000IA 200FO Robot With Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
103	1	Fanuc R-2000IA 165F Robot With 14" Welding Gun Attachment, 4.0 E/Force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
104	1	Fanuc R-2000IA 200FO Robot With 10" Welding Gun Attachment, 4.0 E/Force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

105	1	Fanuc R-2000IA 165F Robot With 14" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
106	1	Fanuc R-2000IA 200F Robot With 14" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
107	1	Fanuc R-2000IA 200FO Robot With 8" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
108	1	Fanuc R-2000IA 200FO Robot With 36" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
109	1	Fanuc R-2000IA 200FO Robot With Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
110	1	Fanuc R-2000IA 200FO Robot With Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
111	1	Fanuc S-900 IW Robot With Material Handler, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
112	1	Fanuc R-2000IA 200FO Robot With Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
113	1	Fanuc R-2000IA 200FO Robot With Material Handler, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
114	1	Fanuc R-2000IA 200FO Robot With 16" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

115	1	Fanuc R-2000IA 200FO Robot With Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airc 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
116	1	Fanuc R-2000IA 200F Robot With 38" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airc 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
117	1	Fanuc R-2000IA 200FO Robot With 16" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airc 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
118	1	Fanuc R-2000IA 200FO Robot With 6" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airc 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
119	1	Fanuc R-2000IA 165F Robot With 12" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airc 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
120	1	Fanuc R-2000I 200F Robot With 36" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airc 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
121	1	Fanuc R-2000 165F Robot AC Servo Motor, mdl. Airc 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
122	1	Fanuc R-2000IA 200FO Robot With 20" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airc 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
123	1	Fanuc R-2000IA 200FO Robot With 34" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airc 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
124	1	Fanuc R-2000IA 165F Robot With Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airc 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance  
With The Terms Conditions**

125	1	Fanuc R-2000IA 200FO Robot With 32" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
126	1	Fanuc R-2000IA 200FO Robot With 20" Welding Gun Attachment, 4.0 E/force, To Include Control System Panel mdl.R-J3IB, AC Servo Motor, mdl. Airs 30/3000, Output4.3 Kw, 179 V, 14A, 98% Power Factor, 30 Nm, Amps (~) 21 Amps, 2000 Min Speed, 133 Freq Hz, Amp input (~) 200-240 V 50-60 Hz, 3 Ph. [Loc: Springfield, TN ]
127	1	Fanuc R-30IB Robotic Control Panel [Loc: Springfield, TN ]
128	1	Fanuc R-30IB Robotic Control Panel [Loc: Springfield, TN ]
129	1	Fanuc R-30IB Robotic Control Panel [Loc: Springfield, TN ]
130	1	Fanuc R-30IB Robotic Control Panel [Loc: Springfield, TN ]
131	1	Fanuc R-30IB Robotic Control Panel [Loc: Springfield, TN ]
132	1	Fanuc R-30IB Robotic Control Panel [Loc: Springfield, TN ]
133	1	Fanuc R-30IB Robotic Control Panel [Loc: Springfield, TN ]
134	1	Fanuc R-30IB Robotic Control Panel [Loc: Springfield, TN ]
135	1	(2) Welding Guns With Transformer 87 Rated Capacity, AC 400-460 V +PE, 60 H, 3 % Duty-Cycle, With (2) Weld Controls, mdl. SRCR-L1DI-M1-NAS2, 480 V, 50/60 Hz, 150 A, 10 Ka. [Loc: Springfield, TN ]
136	1	Robotic End Defectors Attachments [Loc: Springfield, TN ]
137	1	Robotic End Defectors Attachment [Loc: Springfield, TN ]
138	1	Robotic End Defectors Attachment [Loc: Springfield, TN ]
139	1	BTM (3) 1500 lbs. 700 KG, Hydraulic Spoiler Holes Press 75-80 Psi.480 V 3 Ph, 60 Hz, 30 FLA. 10.8 KA SCCR. [Loc: Springfield, TN ]
140	1	Hyster S60XM 3 Ton Forklift Long Reach Push/Pull 5 Degree Back Tilt, 16x6x10.5 RR, 21x8x15FR Tires/Size, 5' Forks S/N D187V33572B [Loc: Springfield, TN ]
141	1	Hyster S150A 7 Ton Forklift 185 Hr. 10.00 Degree Back Tilt 44.50" Drive Tread, 21100. Approx. Weight [Loc: Springfield, TN ]