



Biditup Auctions Worldwide, Inc./Maynards Industries

MEC, INC. – GREENWOOD, SC: CNC Laser Systems • CNC Turret Punches • CNC Press Brakes • Stamping Presses • Shears • Tube Benders • Cutoff & Saws • CNC VMC • CNC Wire EDM Machine • End Formers • Deburring Units • Robotic Welding Cells • Sheet Metal Roller • Welders • Paint System • Cranes • Tool Room • Compressors • Forklifts & Vehicles • & More

Wednesday, September 23, 2020 - 11:00am (EDT)

161 Rock Church Road SE Greenwood, SC 29649

Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance With The Terms & Conditions

Lot	Quantity	Description
1	1	Dake CB-330W Horizontal Band Saw 34" I x 1.06T, 27-80 Blade Speed, 5-700mm, Feed Speed, 220V, 60 Hz, 3 Ph S/N CJ-331115 [Loc: Building 15 Tool Room]
2	1	2011 Cessco SH-460M Horizontal Band Saw 3505mm Blade, 27" L x .09T, 460 V, 2 P S/N 100046153 [Loc: Building 15 Tool Room]
3	1	Do all M-L Vertical Saw 0-1600 Speed Indicator, 3510 Variable Transmission, 2260 Motor Pump, 3370 Motor To Variable, 120" Max Saw Length, 120" File Length, 220 V, 60 Hz, 3 P, 24" W x 24" L Table With Do all Welder mdl. DBW-1A 220V, 1 Ph, 30 Amps, 60% Duty Cycle, 4 K.V.A., .5 K.V.A. A. S/N 5216563 [Loc: Building 15 Tool Room]
4	1	Brown And Sharpe No. 5 Surface Grinder 10" Wheel, 440V, 60Hz, 3 Ph, 60 Cycle, With 9"W x 24"L Magnetic Chuck (Dust Collector Not Included) S/N 523-5-9 [Loc: Building 15 Tool Room]
4A	1	Kent SGS-1020AHD Surface Grinder 8" Grinding Wheel, 22.2" Table, 19.7 Spindle To Table, 10.5" Saddle Travel, 2Hp, 3500 Rpm With 9" x 12" Kanetsu Electro Magnetic Chuck [Loc: Building 15 Tool Room]
4B	1	Burr King 760 Belt Grinder 1.5 HP / 120 volt / Single Phase, 800-8000 SFPM - Variable Speed, Dynamic Braking 3 Wheels, 7" x 1.5" Contact Wheel Size, 55 Duro Contact Wheel Hardness Standard, Throat Clearance 8-7/8" [Loc: Press Room]
7	1	Bridgeport Vertical Mill 36"x 9" T-Slotted Table, 30" Table Travel, 27-1/2" Table Travel With Power Feed, 12" Saddle Travel, 16" Vertical Travel, 12" Ram Movement, 60-3000 Spindle Speed, 6-3/4"-18-3/4" Spindle Center To Column Face, (30" X-Axis)Table Travel (12" Y-Axis) Saddle Travel, 208/ 230/460 V, 60 Hz S/N BR29660 [Loc: Building 15 Tool Room]
8	1	South Bend Lathe 2-9/16" Spindle Bore, 18" Swing Over Bed, 18-50 RPM, 11-1/4" Swing Over Cross Slide, With Tool Post, 12" 3-Jaw Chuck, And Tail Stock [Loc: Building 15 Tool Room]
9	1	Nardini Mascote Lathe 13-3/4" Swing Over Bed, 7" Swing Over Cross Slide, 19" Swing In Gap, 35" Distance Between Centers, 8" Cross Travel, 4" Top Travel, 1-5/8" Spindle Bore, 31.5- 2500 RPM, With 8" 3-Jaw Chuck, Dual Tool Post Holder And Tailstock, 110 Control Volts, 24 Vac, 5.0 Kw, S/N D5JFS775 [Loc: Building 15 Tool Room]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

10	1	Bickford Chip master 951 3' Radial Arm Drill 43" Max Distance Spindle To Column, 9" Column Dia', 24" Vertical Travel, 53"-15" Spindle To Base, 42" W x 36" L Working Surface, 10" Vertical Travel Spindle, 60-1200 Rpm Spindle Speed S/N 359 [Loc: Building 15 Tool Room]
11	1	Bliss 44198 60 Ton OBI Press 32" W x 22 L Work Area, 13" Between Gap, 2" Stroke, 90 Strokes Per Min [Loc: Building 15 Tool Room]
12	1	1997 Hannifin OGF-50 50-Ton Hydraulic Press 6" Stroke, 2" Dia' Ram, 30" W x 27" L Table Size, 5 Hp, 2550 Max Psi, 460V S/N T-17880 [Loc: Building 15 Tool Room]
13	1	Custom Built Tube Former 15" W Opening, 480V 5Hp Motor, 2000 Psi [Loc: Building 15 Tool Room]
14	1	Haeger Stud Welder 24 Throat, 0-16,000 Psi, 2,200 Psi Max, With 8" Bowl Feeder [Loc: Building 15 Tool Room]
15	1	Cress Electric C123HP/PM4 Furnace 14" W x 8" L x 32" Depth, 480 AC, 20 Amps, 2250 Degree Max Intermittent Temperature, 2000 Max Continuous Temperature, 1.6 KWV Input S/N 1306 [Loc: Building 15 Tool Room]
16	1	Sodick VZ500L Wire EDM Machine (X- Axis Travel 500mm) (Y-Axis Travel 300mm) (Z-Axis Travel 250mm) (U/V Axis Travel 80 x 80 mm) Sodick mdl. LN2W Control S/N T0231 [Loc: Building 15 Tool Room]
17	1	Jet J-02550 20" Floor Drill Press 10" Throat, 5" Stroke, 19" W x 17" L T-Slotted Height Adjustable Table [Loc: Honda Area Main Building]
18	1	Clausing 20 2234 Drill Press 20" Swing, 10 Throat, 6" Stroke, 240V, 150-1800Rpm, With 86" W x 29" L Work Area [Loc: Honda Area Main Building]
19	1	2016 Dake 350 14" Cold Saw Rotating Base 43/4" Tube Capacity at 90 Degree, 41/8" Square Capacity at 90 Degree, 22/44/88 Speed S/N 01-00230 [Loc: Honda Area Main Building]
20	1	2012 Dake 350 14" Cold Saw Rotating Base 43/4" Tube Capacity at 90 Degree, 41/8" Square Capacity at 90 Degree, 22/44/88 Speed S/N 1200805 [Loc: Honda Area Main Building]
21	1	Clausing Start rite 30RWH Vertical Band Saw 30" Capacity, Blade, 30" Throat, .032" Thickness, 21"W x 21" L Table, 12" Working height, 3/4" Max blade width, 480V, 3 Ph, 60 Hz, 3600 Spindle Speed Max S/N S126663 [Loc: Honda Area Main Building]
22	1	Do all 2013-V Vertical Band Saw 154" Saw Band Length, 49" W x 26" L Table, 460V, 60 Hz, 2.8Amp, S/N 500-992271 [Loc: Welding Room Main Building]
23	1	Hydmech DM 12 Horizontal Band Saw 1" X 10'11" Blade, 2/2.5 HP Blade Drive, 480 V, 3Ph, 60Hz, 2.88 Hp, 156/312 SFM Blade Speed - 2 Speed, 16 Gallon Coolant Tank Capacity, 34" Table Height S/N H-11-16-131 [Loc: Large Tube Area Main Building]
24	1	Hydmech DM 12 Horizontal Band Saw 1" X 10'11" Blade, 2/2.5 HP Blade Drive, 480 V, 3Ph, 60Hz, 2.88 Hp, 156/312 SFM Blade Speed - 2 Speed, 16 Gallon Coolant Tank Capacity, 34" Table Height S/N 640/1410 [Loc: Large Tube Area Main Building]
25	1	MSC Vertical Band Saw 1.5HP, 110V/230V, 1 Ph, 60 Hz, Prewired 110V. [Loc: Large Tube Area Main Building]
26	1	2015 Marvel 8-Mark-II-V Vertical Band Saw 22" x 18" Capacity, 33"W x 24" L, Table, 50-450 FPM, 0-140lbs. Feed, 14'6" x 1" x 0.35" Blade, 460V, 3Ph, 60Hz, S/N 831426 [Loc: Large Tube Area Main Building]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

27	1	2019 Marvel 8-Mark-II-V Vertical Band Saw 22" x 18" Capacity, 33"W x 24" L, Table, 50-450 FPM, 0-140lbs. Feed, 14'6" x 1" x 0.35" Blade, 460V, 3Ph, 60Hz, S/N 831919 [Loc: Large Tube Area Main Building]
28	1	2019 Marvel 8-Mark-II-V Vertical Band Saw 22" x 18" Capacity, 33"W x 24" L, Table, 50-450 FPM, 0-140lbs. Feed, 14'6" x 1" x 0.35" Blade, 460V, 3Ph, 60Hz, S/N 831920 [Loc: Large Tube Area Main Building]
29	1	2015 Marvel 8-Mark-II-V Vertical Band Saw 22" x 18" Capacity, 33"W x 24" L, Table, 50-450 FPM, 0-140lbs. Feed, 14'6" x 1" x 0.35" Blade, 460V, 3Ph, 60Hz, S/N 831427 [Loc: Large Tube Area Main Building]
30	1	2016 Marvel 8-Mark-II-V Vertical Band Saw 22" x 18" Capacity, 33"W x 24" L, Table, 50-450 FPM, 0-140lbs. Feed, 14'6" x 1" x 0.35" Blade, 460V, 3Ph, 60Hz, S/N 831529 [Loc: Large Tube Area Main Building]
31	1	Bridgeport Vertical Mill 48"x 9" T-Slotted Table, 30" Table Travel, 27-1/2" Table Travel With Power Feed, 12" Saddle Travel, 16" Vertical Travel, 12" Ram Movement, 60-4200 Spindle Speed, 6-3/4"-18-3/4" Spindle Center To Column Face, (30" X-Axis)Table Travel (12" Y-Axis) Saddle Travel, 208/230/460 V, 60 Hz, 2hp, w/ Aµ-Rite Digital Display S/N 224305 [Loc: Large Tube Area Main Building]
32	1	Custom Built Pneumatic Press 6" Throat, 6" Stroke, On Mobile Cart [Loc: Large Tube Area Main Building]
33	1	Custom Built Pneumatic Press 6" Throat, 6" Stroke, On Mobile Cart [Loc: Large Tube Area Main Building]
34	1	Custom Built Pneumatic Press 6" Throat, 6" Stroke, On Mobile Cart [Loc: Large Tube Area Main Building]
35	1	Custom Built Tube O.D. Roll Stamper, 8" Stroke, 100 Psi [Loc: Large Tube Area Main Building]
36	1	Vaill 511 5" End Former 5Hp Motor, Foot Operating Control With Mounted Jib Crane And 1/2 Ton Chain Hoist S/N 43 [Loc: Large Tube Area Main Building]
37	1	Vaill 511 4" End Former Machine, 5 Hp Motor, Foot Operating Control With Mounted Jib Crane S/N 69 [Loc: Large Tube Area Main Building]
39	1	Roll Stamper 8" Stroke, 120 Psi, 115 V, With Foot Pedal Operating Control [Loc: Large Tube Area Main Building]
40	1	Roll Stamper 8" Stroke, 120 Psi, 115 V, With Foot Pedal Operating Control [Loc: Large Tube Area Main Building]
41	1	8" Stroke Notched Press, 120V, With Foot Pedal Operating Control [Loc: Large Tube Area Main Building]
42	1	P-150 Dimplier Press 6" Stroke, 3" Throat, 120V With Foot Pedal Operating Control [Loc: Large Tube Area Main Building]
43	1	Slapper Press 5" Stroke, 6" Throat, 120V, With Foot Pedal Operating Control [Loc: Large Tube Area Main Building]
44	1	MB 24" Electric Motorized Bead Roller And Mobile Stand 22-33 Rpm With Foot Pedal Operation Control [Loc: Large Tube Area Main Building]
45	1	MB 24" Electric Motorized Bead Roller And Mobile Stand 22-33 Rpm With Foot Pedal Operation Control [Loc: Large Tube Area Main Building]
46	1	Pines 4 6" Tube Bender Capacity 6" OD; Rotation Tube Support Up-Down; Approximately 120" Travel, 3000 Psi, 480V, 3 Ph, 60 Hz, 37.8A With Schneider Electric Controller; SMT Rebuild S.O. 29804; Approx. 12' Length Over Mandrel S/N SMT S.O. 29804 [Loc: Large Tube Area Main Building]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

47	1	Pines 4 6" Tube Bender Approximately 120" Travel, 3000 Psi, 480V, 3 Ph, 60 Hz, 37.8A With Schneider Electric Controller; SMT Rebuild S.O. 28949 S/N 11405-65415 [Loc: Large Tube Area Main Building]
48	1	Pines 4 6" Tube Bender 120" Travel, 3000 Psi, 480V, 3 Ph, 60 Hz, 37.8A With Pines Electric Controller S/N 11435-05020 [Loc: Large Tube Area Main Building]
49	1	Pines 4 6" Tube Bender Approximately 120" Travel, 3000 Psi, 480V, 3 Ph, 60 Hz, 37.8A With Schneider Control Screen; SMT Rebuild S.O. 28756 S/N 28756 [Loc: Large Tube Area Main Building]
49A	1	Schwarze-Robitec 6" Tube Bender Approximately 120" Travel, 3000 Psi, 480V, 3 Ph, 60 Hz, 37.8A With Schneider Control Screen; Bend Pro G2 Control S/N 990670 [Loc: Honda Area Main Building]
49B	1	Eaton Leonard 2" Tube Bender Approximately 120" Travel, 3000 Psi, 480V, 3 Ph, 60 Hz, 37.8A; Schneider Screen; Bend Pro G2 Control [Loc: Honda Area Main Building]
49C	1	(2) Pallets 48"W x 31" L Containing: Assorted Various Size Pines Tube Bending Dies & Holders [Loc: Large Tube Area Main Building]
49D	1	2014 Addison McKee FM-150 RFD Digi Pro Tube End Former Capacity 1" to 6"; 20 HP Motor, Allen Bradley PLC S/N J181870 [Loc: Large Tube Area Main Building]
49E	1	Eagle TC 2000 Tube Trim and Cut Machine Capacity 6" OD; Tooled for 5" OD: Allen Bradley PLC S/N 3506 [Loc: Large Tube Area Main Building]
49F	1	1996 GWS SZ500 Tube Sizer Capacity 4" S/N GMY2211 [Loc: Large Tube Area Main Building]
50	1	2018 Proto-1 RDM-8 Deburring Machine 0.125" - 8.0" Tube Diameter, 035" - Solid Rod Tube Wall, 480V, 3 Ph, 60 Hz, 2 Hp, Motor, S/N 500312 [Loc: Large Tube Area Main Building]
51	1	Proto-1 RDM-200 Deburring Machine S/N 1201582 [Loc: Large Tube Area Main Building]
52	1	Proto-1 RDM-2009 Deburring Machine S/N 11839 [Loc: Large Tube Area Main Building]
53	1	Proto-1 RDM 2009 Deburring Machine S/N 221782 [Loc: Large Tube Area Main Building]
54	1	2015 Proto-1 RDM-200 Deburring Machine S/N 12015-33 [Loc: Large Tube Area Main Building]
55	1	Proto-1 RDM 200 Deburring Machine S/N 10385 [Loc: Large Tube Area Main Building]
56	1	T.J. Snow 76295 Resistance Spot Welder 31" Throat, 125 KVA, 440 V, 50% Duty-Cycle 60 Freq With Controller S/N L3657 [Loc: Welding Area Main Building]
57	1	T.J. Snow Resistance Spot Welder 24" Throat, 440 V, 150 KVA 50% Duty-Cycle, 250 Fuse Amps, 35 Psi, Foot Paddle Control S/N UM000984 [Loc: Welding Area Main Building]
58	1	Resistance Spot Welder 24" Throat, 75 KVA, 440Vac, 1 Ph, With Foot Paddle Control S/N 59925 [Loc: Welding Area Main Building]
59	1	24" Spot Welder 50% Duty-Cycle With Entron mdl. ENE1000 Control 440V, 60 Hz, 1Ph, With Foot Paddle Control [Loc: Welding Area Main Building]
60	1	Jet JOVS-10 Oscillating Spindle Sander 1" Stroke, 75 Strokes Per/Min, 4" Platen, 24" W x 24" L Work Area, 1Hp, 115V, 1PH S/N 14128515 [Loc: Welding Area Main Building]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

61	1	2014 Bardon And Oliver RH-900 Automatic CNC Tube Cuttin Line Capacity 2.5" - 9" Dia; Part Length 6" - 120"; Stock Length 13' - 24'; Fanuc 35i Model B CNC Control; Control - Run Time 7,825 Hours / Spindle Hours Meter 7,597 Hours; 5.0/127.0 Slide Travel, 50" Intel Table, 10" Continuous Stroke, Heavy-Duty 6-Jaw Scroll Chuck, 30 Gal. Hydraulic system, 1000 Psi, 480V, 3 Ph, 60 Hz, With (1) 5'W x 6"L Required Conveyor (1) 10"W x 159" L Power-Pack Conveyor 1660 Rpm; Bar Feed No. T-578; Power Pack Co Exit Conveyor; LNS #62878999 Chip Conveyor, S/N 396782 S/N M-5726 [Loc: Welding Area Main Building]
62	1	Fanuc Arc Mate 100i Single Arm 6-Axis Robotic Welding Cell With Lincoln Electric mdl. Power Wave 450, 50% Duty-Cycle, 3Ph, 460/575 V/AC (1) Robotic Arc Mate Power Supply , (1) 61"W x 51" L Fixture Plate Mounted To 13" Ferguson 6 Index Positions Rotary Indexing Table [Loc: Large Tube Area Main Building]
63	1	2004 Trumpf Trumatic L-4050 CNC Laser Cutting Machine 84" x 136" Cutting Table; 42122 Resonator Time, 14540 Beam Time, Travels: X - 4000.0mm, Y - 2000.0mm, 5" Laser Cutting Head, 7.5" Lens, 5000W, 460V, 60 Hz; Trumatic L4050; Laser Power 5000 W, S/N A0250A0098 S/N A0250A0098 [Loc: Large Tube Area Main Building]
64	1	2003 Trumpf Trumatic L3030 CNC Laser Cutting Machine Dual 60" W x 120" L Cutting Tables; Travels: 3.000 mm X, 1.500 mm Y, 115mm Z; 60m/min Positioning Speed, 4000W, 460V, 60Hz; Laser Type TLF 4000 Turbo, No D0004A7263 S/N A0220A0218 [Loc: Large Tube Area Main Building]
65	1	2003 Trumpf Trumatic L3030 CNC Laser Cutting Machine Dual 60" W x 120" L Cutting Tables; Travels: X - 3.000 mm, Y - 1.500 mm, Z - 115 mm; 60m/min Positioning Speed, Trumpf Operating System 5.20.00; Trumpf Tru Flow 6000 Laser Supply, No D0009A7046; 460V, 60Hz S/N A0060A0379 [Loc: Large Tube Area Main Building]
66	1	2004 Trumpf Trumatic 5000-R CNC Punch Press Machine 24-Ton Punching Force, 1200 Strokes Rate, 18 tool Places, 3 Sec. Tool Changing Time, 116m/min Simultaneous, Positioning Speed (X+Ym/Min) Y-Axis 60m/Min, 400 V, 60Hz S/N A0060A0294 [Loc: Large Tube Area Main Building]
67	1	2005 Trumpf Trumatic 5000-R CNC Punch Press Machine 24-Ton Punching Force, 1200 Strokes Rate, 18 tool Places, 3 Sec. Tool Changing Time, 116m/min Simultaneous, Positioning Speed (X+Ym/Min) Y-Axis 60m/Min, 400 V S/N A0060A0379 [Loc: Large Tube Area Main Building]
68	1	Cincinnati 230 CB x 10' 230 Ton Hydraulic Press Brake 10" Max Stroke, O/A Bed & Ram 12', Distance Between Housings 10' 6", Hurco Autobend 7 Back Gauge; 460V, 60 Hz, 39.3 A S/N 42125 [Loc: Press Room]
69	1	Cincinnati 230 CB x 10' 230 Ton Hydraulic Press Brake 10" Max Stroke, O/A Bed & Ram 12', Distance Between Housings 10' 6", Die Holder 4-1/2" H; 460V, 60 Hz, 39.3 A, Laser Brake Guard Controls; Floor Standing; Hurco Autobend 7 Back Gauge, S/N HGAA90090444 S/N 48358 [Loc: Press Room]
70	1	Trumpf Truma Bend V200 220 Ton Hydraulic 9-axis CNC Press Brake 6-Axis CNC Back Gauge; O/A Bed & Ram Approx. 161"; Distance Between Housings Approx. 145"; Bed Crowning; Lower & Upper Die Clamping; Stroke 14.37" Max, (24" X-Axis) (16" Y-Axis); 21" Open Height, 16" Throat Dept, Max Brake Time 95 ms; Max PSI 4930; 460V, 3 Ph, 60Hz, Laser Brake Guard Controls S/N B0106A0067 [Loc: Press Room]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

71	1	Trumpf Truma Bend V130 143 Ton Hydraulic 9-axis CNC Press Brake 6-Axis CNC Control; O/A Bed & Ram Approx. 120.5", Distance Between Housings Approx. 106"; Bed Crowning; Lower & Upper Die Clamping; 8.66" Max Stroke, 460V, 60Hz, 3 Ph, With Laser Brake Guard Controls S/N B0104A0311 [Loc: Press Room]
72	1	Trumpf Truma Bend V130 143 Ton Hydraulic 9-axis CNC Press Brake 6-Axis CNC Control; O/A Bed & Ram Approx. 120.5"; Distance Between Housings Approx. 106"; Bed Crowning; Lower & Upper Die Clamping; 8.66" Max Stroke, 460V, 60Hz, 3 Ph, With Laser Brake Guard Controls S/N B0104A0308 [Loc: Press Room]
73	1	2003 Trumpf Truma Bend V85 93 Ton Hydraulic 9-axis CNC Press Brake CNC Control; O/A Bed & Ram Approx. 80"; Distance Between Housings Approx. 69"; Bed Crowning; Lower & Upper Die Clamping; 8.46" Max Stroke, 10.0mm/S Working Speed, 460V, 60Hz, Laser Brake Guard Controls S/N B0102A0101 [Loc: Press Room]
74	1	2003 Trumpf Truma Bend V85 93 Ton Hydraulic 8-axis CNC Press Brake CNC Control; O/A Bed & Ram Approx. 80"; Distance Between Housings Approx. 69"; Bed Crowning; Lower & Upper Die Clamping; 8.46" Max Stroke, 10.0mm/S Working Speed, 460V, 60Hz, Laser Brake Guard Controls S/N B0102A0099 [Loc: Press Room]
75	1	Century 4H12 12' x 1/2" Hydraulic Squaring Shear FRONT OPERATED POWER BACK GAUGE WITH INDICATOR, Squaring Arm; (2) FRONT Stock Supports; FOOT PEDAL, GRACE AUTO LUBE SYSTEM, BALL TRANSFERS IN TABLE, HYDRAULIC HOLD DOWNS, 460V, 60 Hz; Spare Set of Blades S/N 3C192 [Loc: Press Room]
76	1	Cincinnati 1812G 12' x 1/4" Mechanical Squaring Shear 60 Strokes Per Min, 1200 Rpm Fly Wheel, 12'-3" Length Between Housing, 10Hp Motor, 48"Front Operated Power Backage Range; PC Controls LLC #PC100/Shear Wizard Control; Front Stock Supports; 82" Squaring Arm; Powered Sheet Stacker; 5/8" Hold Down To Knife Edge, 1/2" Distance Under Hold Downs, 9-Ton Of Hold Down Pressure, 1/4" Rake Shear Angle- Taper Per Foot; 460 V, 60 Hz S/N 51808 [Loc: Press Room]
77	1	Chicago D&K 1214R 150-Ton Mechanical Press Brake 14' 150 inch In Between, O/A Bed & Ram 14'; Distance Between Housings 12' 6"; Die Riser 9" H; Seven (7) 2' Sectional Ram Clamps; Motorized Adjustment; Air Clutch; Hurco Autobend 7 Control - S/N HHAA9048105A; 24" Rear Operated Manual Back Gauge S/N L20011 [Loc: Press Room]
78	1	RAHN 72" W x 48" Granite Top Table With 73" W x 49" L Steel Frame [Loc: Press Room]
79	1	Imperial M-10022 72" W x 36" L Black Granite Top Table With 73" W x 37" L Steel Frame [Loc: Press Room]
80	1	70" W x 50" L Steel Precision Table [Loc: Press Room]
81	1	Imperial RG698 48" W x 30" L Pink Granite Top Table With 49" W x 31" L Steel Frame S/N 252583 [Loc: Press Room]
82	1	Do All 48" W x 36" L Granite Top Table With 49" W x 31" Steel Frame [Loc: Press Room]
83	1	Tru Stone 96" W x 48" L Granite Top Table With 97" W x 49" L Steel Frame [Loc: Inspection Room]
84	1	70" W x 30" L Steel Top Table [Loc: Inspection Room]
85	1	Mitutoyo BN-715 87" W x 51" Black Granite Top Table S/N 8908131 [Loc: Shipping Dock]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

86	1	2272-16 48" W x 48" L Granite Top Table S/N 5052-287 [Loc: Building 15 Tool Room]
86A	1	(3) Assorted Various Size Height Gages Ranging From 12", 18", 24" [Loc: Inspection Room]
87	1	Danly S2-600-136-48 600 Ton Straight Side Double Crank Press 13" Stroke, 53" Shut Height Of Slide To Bed, 10" Motorized Slide Adjustment, 15-30 Strokes Per/min, Bed 136"W x 48" L, T-Slotted Bolster Plate 6" Thick; Load Gard mdl. TLG4500S Digital Readout Controller; Slide Plate 21-34" H (-Tslotted 102" L-R); Windows in Uprights 64" Wide x 38" H S/N 57117901 [Loc: Press Room]
88	1	AIDA SMX-II-S2-330 330 Ton Straight Side 2-Point Press 11.81" Slide Stroke, 25-55 Strokes Per/min, 22.63" Die Height, 3.93" Motorized Slide Adjustment, 84.65" x 39.37" Slide Area, 84.65" x 43.3" Bolster Area, 49Hp, 85"W x 47" L T-Slotted Table; Window in Uprights 45-3/4" W x 27" H; Link #PLS 2500 S/N 17003-2229 [Loc: Press Room]
89	1	Verson S2-300-96-48T 300 Ton Straight Side Double Crank Press 16" Stroke , 20-40 Strokes Per/min, 39" Shut Height to Bed, 8" Motorized Slide Adjustment, 96" x 48" T-Slotted Bolster Plate - 7" Thick; Floor Standing; Window in Uprights 38" W x 40" H; Bed Riser 3-1/2" Thick; Recirculating Lube System S/N 29250 [Loc: Press Room]
90	1	Cleveland 2-84-250 250 Ton Straight Side Double Crank Press Bed 56" x 84", 26" Shut Height, 12" Stroke, 10" Adjustment, 18 Strokes Per Minute, Bolster Plate 6" Thick S/N 9702 [Loc: Press Room]
91	1	Bliss C-110 110 Ton OBI Press 8" Stroke, 19" Shut Height to Bed, 42" x 27" Bed Area, 21" x 28" Slide; 4" Slide Adjustment, 40 SPM, Single Back Geared, Air Cushion S/N H-56602 [Loc: Press Room]
92	1	Minster G1-90 90 Ton OBI Press 6" Stroke, 4" Adjustment, Bed 26" x 40", Slide 20" x 30", Motorized Slide Adjustment, Shut Height 18", 60 Strokes Per/min [Loc: Press Room]
93	1	Bliss 8 Approx. 80 Ton OBI Press 8" Stroke, 37"W x 28" L Bed, Approx. 17" Shut Height, Approx. 90 Spm, Approx. 3.5" Adjustment [Loc: Press Room]
94	1	Cleveland No. 8-1 Approx. 80 Ton OBI Press Approx. 4" Stroke, 32"W x 22" Bed, 9" x 9" Slide, Approx. 17" Shut Height [Loc: Press Room]
95	1	Ferracute C16 Punch Press 4" Stroke, 33"W x 26" L Bed, 17" Shut Height [Loc: Press Room]
96	1	Pines Hydraulic Vertical Tube Bender 12" Stroke, 35" W x 28" L Work Area, 440V, 3Ph, 60 Cycle, S/N 45200-61093 [Loc: Shipping Dock]
96A	1	Bliss 21-1/2 M 60 Ton OBI Press 4" Stroke, 33"W x 26" L Bed, 17" Shut Height With (2) Foot Operating Paddle's [Loc: Stamping Area]
97	1	2013 Haas VF-7/40 3-Axis CNC Vertical Machining Center 24 + 1 Position Side Mount Tool Changer, Programmable Coolant Nozzle; Rigid Tapping; Chip Auger; Table 84"W x 28"L, 4,000 Table Load Capacity, Travels: X - 84", Y - 32", Z - 30"; Spindle Speed Max 8100; 600IPM, Hours: Power On 4878, Cycle Start Time 1658, Feed Cutting Time 651; 360-480V, 3Ph, 50/60Hz S/N 1103328 [Loc: Honda Area Main Building]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

98	1	2014 Fanuc Arc Mate 100i Dual Arm 6-Axis Robotic Mig Welding Cell Two (2) Fanuc Arc Mate 100iC 7L Robots,#F-156569 (Controller 5653 Hours),#F-156568 (Controller 5816 Hours); (2) Fanuc System R-30iB Controllers; (2) Teach Pendants; With (2) Lincoln Electric mdl. Power Wave R350 Welding Power Supplies, S/N U1140707617 & U1150505574, 50% Duty-Cycle, 3Ph, 460/575 V/AC; Lincoln #4R220 Autodrive; 72" Diameter Rotary Turntable; ARCS Cell; Nasarc Intelliream Robotic Torch Maintenance Center [Loc: Honda Area Main Building]
99	1	Fanuc Arc Mate 100i Single Arm 6-Axis Robotic Welding Cell One (1) Fanuc Arc Mate 100 Robot; Lincoln Electric Mdl. Power Wave 455M Arc Link Weld Power Supply, S/N U1070502919; 50% Duty-Cycle, 3Ph, 460/575 V/AC (1) Robotic Arc Mate Power Supply, (1) 61"W x 51" L Fixture Plate Mounted To 13" Ferguson 6 Index Positions Rotary Indexing Table, (1) Fanuc System R-J2 Control, Teach Pendant S/N F-23026 [Loc: Honda Area Main Building]
100	1	Mettler Toledo SC 60 48" W x 48" L. Floor Scale 120 x 0.002 lb. Capacity [Loc: Shipping Dock]
101	1	Mettler Toledo 8582 48" W x 48" L Floor Scale, 1000lb. Cap [Loc: Shipping Dock]
102	1	Mettler Toledo 60" W x 60" L Floor Scale, 1000lb. Capacity [Loc: Honda Area Main Building]
103	1	150" W x 204" L Open Front Spray Booth With Mounted Maxess 24" 120 Shop Fan [Loc: Large Tube Area Main Building]
104	1	177' W x 145"L Open Front Paint Booth With Sprinkler System To Include (2) 10"W x 132"L Belt Conveyors (2) 8" W x 120" L Rolling Conveyors (4) Indoor Ceramic Heater, 1420 Degree Temperature, 240VAC [Loc: Large Tube Area Main Building]
105	1	109" W x 28' 5" L Bake Oven With Cincinnati mdl. CPF-160 Fan 230V Motor 7.5/5.5. Hp [Loc: Large Tube Area Main Building]
106	1	Nordson Powder Paint System Approx. 1000' Of Monorail System, (2) Spray Booths With Largest Part Opening 5'x 3' W (Can Swing Max Part Length Of 84") Nordson Reclaiming Unit 6'x 6' At Suction Side 3 HR-2-60 Powder Cans Reclaimers Have 4 Rows Of 16"x 36" x 2" Cartridge Filters (2) Nordson Encore LT Gun Controllers & (4) Guns Jager & Light 1.6 Million BTU Gas Fired Curing Oven With Wash Dryer, 2-15 FPM Speed Control To Include Assorted Various Size Paint Racks [Loc: Powder Coating]
107	1	60" W x 36"L 35" Depth, Blast Cabinet With 45" x 12" View Window, 110V [Loc: Large Tube Area Main Building]
108	1	Dayton 3AA28B Dust Collector 1100 Max Flow, 6900 Velocity Range, 1-1/2Hp, 30 Gal Drum Capacity [Loc: Large Tube Area Main Building]
109	1	Royson Vibratory Tumbler Polishing Machine, 2'W x 5' L x2' Deep 20 Cu. ft., 100 Lbs./ Cu. ft. 2000 Lbs. To Fill Tube to Top, 460V ÿ [Loc: Large Tube Area Main Building]
110	1	Royson Vibratory Tumbler Polishing Machine, 2'W x 5'L x 2' Deep 20 Cu. ft., 100 Lbs./ Cu. ft. 2000 Lbs. To Fill Tube to Top, 460V ÿ [Loc: Large Tube Area Main Building]
111	1	Royson 36" Dja Vibratory Feeder Bowls [Loc: Powder Coat Room]
112	1	(3) D 8 CORROSIVE Substance Hazard Self-Adhesive Units 48" W x 48" L x 46" [Loc: Powder Coat Room]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

113	1	2017 Gardner Denver L110RS Air Compressor 19118 Hour, Variable Speed 190 PSIG, 205A 150Hp,2080Rpm, 460V, 60 Hz, 3Ph (Late Removal) S/N S522969 [Loc: Powder Coat Room]
114	1	Gardner Denver 190-132B Air Compressor 11348 Hour, 2059Rpm, 125 Hp, 168A, 130 PSIG, 460V, 3Ph, 60Hz (Late Removal) S/N S522783 [Loc: Powder Coat Room]
115	1	Ingersoll Rand SSR-EP100 Air Compressor 446 CFM, 125PSIG, 128 Max Discharge Pressure, 230/460V, 5.0 Hp, 280/140A, 3/60 Ph, (late Removal) S/N F5883U92 [Loc: Powder Coat Room]
116	1	2017 Steel Fab Air Tank 155 Psi 118" From Seam to Seam (Late Removal) [Loc: Powder Coat Room]
117	1	Gardner Denver FME-5 Compressed Air Filter, 150Psig, 10.3 Bar (Late Removal) S/N 1E+12 [Loc: Powder Coat Room]
118	1	Air Tek TW 1200 Refrigerated Air Dryer, 115V, 150 PSIG, 1250 SCFM Capacity, 1Ph, 60 Hz (Late Removal) S/N T04132-09K [Loc: Powder Coat Room]
118A	1	2011 Ingersoll Rand SSR-EP100 Air Compressor 446 CFM, 125 Psi, 5.0 Hp (Late Removal) S/N F10749U94298 [Loc: Outside Air Compressor Room Door Number 3]
118B	1	2000 Ingersoll Rand TM-1000-T Air Dryer 175 Psig, 144 Low Side, 278 High Side, 5Hp (Late Removal) S/N 00FTMA1518 [Loc: Outside Air Compressor Room Door Number 3]
118C	1	1964 Richmond Air Tank 74" Between Seams, 160 Psi, 120 Gal. 96 Over All Length (Late Removal) S/N K41325 [Loc: Outside Air Compressor Room Door Number 3]
119	1	2000 Air Tank 1060 Gal. 137 PSI, 121" Seam To Seam (Late Removal) [Loc: Powder Coat Room]
120	1	Crane And Tec G-471 1-Ton Over Head Bridge Crane, Approx. 57' Spam With Space Master SX 1-Ton Electric Cable Hoist , 3Hp, 3410/525 Rpm, 440-480V, To Include 167' Crane Rail [Loc: Large Tube Area Main Building]
121	1	Crane And Tec G-472 1-Ton Over Head Bridge Crane, Approx. 57' Spam With Space master SX 1-Ton Electric Cable Hoist , 3Hp, 3410/525 Rpm, 440-480V [Loc: Large Tube Area Main Building]
122	1	Spanco Jib Crane 13' Span, 13' Stand 250 lbs. Capacity With Harrington Electric 1/4 Ton Chain Hoist S/N OB0440-001-A [Loc: Large Tube Area Main Building]
122A	1	Spanco Jib Crane 13' Span, 13' Stand 250 lbs. Capacity With Harrington Electric 1/4 Ton Chain Hoist [Loc: Outside Of Building 15 Tool Room]
123	1	1-Ton H-Frame Hoist Lifting Beam [Loc: Large Tube Area Main Building]
124	1	Anver G-751 1500 Lb. Capacity 12' x 6' Suction gripper [Loc: Large Tube Area Main Building]
125	1	2 Person Pallet Forklift, 42" W x 48" L Platform Safety Cage [Loc: Honda Area Main Building]
126	1	Nissan MCP1F2A25LV Forklift Truck Type LP. 3' Mast, 4000 lb. Capacity, With Side Shift, 187" max Lift Height, 42" Forks Extensions [Loc: Front Yard]
127	1	Nissan MCUG1F236LV Forklift Truck 7059 Hours Type LP. 3' Mast, 4000 lb. Capacity, With Side Shift, 187" max Lift Height, 59" Forks Extensions [Loc: Front Yard]
128	1	Nissan MCP1F2A25LV Forklift Truck Type LP. 3' Mast, 4000 lb. Cap, With Side Shift, 187" max Lift Height, 42" Fork Extensions (Unit Doesn't Run) [Loc: Front Yard]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

129	1	Nissan MCP1F2A25LV Forklift Truck Type LP. 3' Mast, 4000 lb. Cap, With Side Shift, 187" max Lift Height, 42" Fork Extensions (Unit Doesn't Run) [Loc: Front Yard]
130	1	Nissan MCP1F2A25LV Forklift Truck Type LP. 3' Mast, 4000 lb. Capacity, With Side Shift, 187" max Lift Height 42" Fork Extensions (Unit Doesn't Run) [Loc: Front Yard]
130A	1	Crown 50FCTT-188 Electric Forklift Truck 4000lb. Capacity, 24" Vertical Mast, 40" Forks With Hobart 250-OCII Auto Start Battery Charger 208/240/480V S/N 1A1425290 [Loc: Powder Coat Room]
130B	1	Caterpillar T1500 Forklift Truck 10" Back Tilt, 15000 lb. Capacity, 74" Fork Attachment (Needs Back Wheel Bearing) [Loc: Powder Coat Room]
130C	1	Uni-Carriers MCP1F2A25LV Forklift Truck Type LP. 3' Mast, 4000 lb. Capacity, With Side Shift, 187" max Lift Height, 42" Fork Extensions (Unit Doesn't Run) [Loc: Powder Coat Room]
130D	1	Taylor S-10-13676 Forklift Truck 6755 Hours, 71" Fork Attachment, 12000Lb. Capacity (Needs Battery And New Tire) [Loc: Powder Coat Room]
130E	1	Nissan MCP1F2A25LV Forklift Truck Type LP. 3' Mast, 4000 lb. Capacity, With Side Shift, 187" max Lift Height, 42" Forks Extensions S/N CP1F2-9W1577 [Loc: Maintenance Shop Building 7]
131	1	Crown M-Series Electric Walk Behind 2000lb. Capacity 42" Forks S/N 1A402051 [Loc: Powder Coat Room]
132	1	Crown Electric Walk Behind 2000lb. Capacity 42" Forks S/N 1A402174 [Loc: Powder Coat Room]
133	1	Crown Electric Walk Behind 2000lb. Capacity 42" Forks S/N 1A402296 [Loc: Powder Coat Room]
134	1	2000 GMC Siesc3 Pick Up Truck 1GDJC34R9YF443046 Vin, 315243 Miles, 2-Door 4900/1100 Empty/GVW, 3-Passagers, 5-Speed, 200-4600 Rpm, Rear Wheel Drive [Loc: Back Yard]
135	1	2006 Ford F150 Pick Up Truck IFTR12236NB59245 Vin, 221405 Miles, 3800 Lb. Front GVW, 3800 Lbs. Rear GVW, With 8-Removable Side Panels Reading Rack / Stake body mdl. R-12-24 Z, 15ft L x 96" W [Loc: Front Yard]
137	1	Yellow Jacket 110 Pallet stretch wrapper 9.3' Wide, 7.7 Deep, 7.9Tall, 20" Wide Blown 70-80 Gal, 110VAc S/N 00021-0905 [Loc: Back Dock]
138	1	Spare Motor for 200T Brake Press Trumpf [Loc: Building 15 Tool Room]
139	1	2011 Waldemar B-4-48 Initial Pinch Sheet Metal Roller 12 Ga. X 4' Rated Capacity, 6/3 A, 230/460V, 3Ph, 2Hp, S/N 61151-11 [Loc: Press Room]
140	1	Rowe S20 Coil Straightener 21" Opening, .03 Mild Steel, .150 Mild Steel S/N 6802 [Loc: Press Room]
141	1	64" Manuel Uncoiler [Loc: Press Room]
142	1	(22) Sections Of Pallet Racking To Include 16' Upright, 108" Cross Beams With Wire Decking, 6810 Capacity (Contents Not Included) [Loc: Back Dock]
143	1	(20) Section Of Pallet Racking To Include 16' Upright, 108" Cross Beams With Wire Decking, 6810 Capacity (Contents Not Included) [Loc: Back Dock]
144	1	(20) Section Of Pallet Racking To Include 16' Upright, 108" Cross Beams With Wire Decking, 6810 Capacity (Contents Not Included) [Loc: Back Dock]
145	1	(20) Section Of Pallet Racking To Include 16' Upright, 108" Cross Beams With Wire Decking, 6810 Capacity (Contents Not Included) [Loc: Back Dock]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

146	1	(24) Section Of Pallet Racking To Include 16' Upright, 108" Cross Beams With Wire Decking,6810 Capacity (Contents Not Included) [Loc: Back Dock]
147	1	(20) Section Of Pallet Racking To Include 16' Upright, 108" Cross Beams With Wire Decking, 6810 Capacity (Contents Not Included) [Loc: Back Dock]
148	1	(26) Section Of Pallet Racking To Include 16' Upright, 108" Cross Beams With Wire Decking, 6810 Capacity (Contents Not Included) [Loc: Back Dock]
149	1	(38) Section Of Pallet Racking To Include 16' Upright, 108" Cross Beams With Wire Decking, 6810 Capacity (Contents Not Included) [Loc: Back Dock]
150	1	(20) Assorted Various Size Section Of Pallet Racking Ranging From 3000 lb. - 6810 Lbs. Capacity (Contents Not Included) [Loc: Back Dock]
150A	1	(5) Section Of Pallet Racking To Include 10' Uprights, 8' Cross Beams And Wire Decking (Contents Not Included) [Loc: Back Dock]
151	1	(41) Section Of Assorted Various Size Pallet Racking Ranging From 3000 lb. - 6810 Lbs.- 6220 Lbs. (Contents Not Included) [Loc: Back Dock]
151A	1	(9) Section Of Assorted Various Size Pallet Racking Ranging From 5000 lbs. - 6357 Lbs. Capacity (Contents Not Included) [Loc: Large Tube Area Main Building]
152	1	73" L x 153"W x 60" D Wash Tank With 4" x 6" Drip Pan [Loc: Back Dock]
153	1	Eagle (38) Various Size Containment Pallets [Loc: Back Dock]
154	1	U Line Shop Step Ladder 450Lb. Max Capacity [Loc: Back Dock]
155	1	Hallowell (44) Safety-View Locker - Double Tier - 3-Wide, 36"W x 12"D x 78"H [Loc: Main Building]
156	1	Just-Rite Flammable Liquid Storage Cabinet 34"W x 34 L, 60 Gal. Capacity [Loc: Main Building]
157	1	Lyon Flammable Liquid Storage Cabinet 43"W x 18 L, 45Gal. Capacity [Loc: Main Building]
158	1	Just-Rite Flammable Liquid Storage Cabinet 43"W x 18 L, 45Gal. Capacity [Loc: Main Building]
159	1	Just-Rite Flammable Liquid Storage Cabinet 43"W x 18 L, 45Gal. Capacity [Loc: Main Building]
160	1	Eagle CRA-62 Acid And Corrosive Storage Cabinet, 31" W x 31"L, 60 Gal. Capacity [Loc: Main Building]
161	1	Eagle CRA-62 Acid And Corrosive Storage Cabinet, 31" W x 31"L, 60 Gal. Capacity [Loc: Main Building]
162	1	Just-Rite Flammable Liquid Storage Cabinet, 43" W x 18"L x 25" H, 17 Gal. Capacity [Loc: Main Building]
163	1	Just-Rite Flammable Liquid Storage Cabinet, 43" W x 18"L x 25" H, 17 Gal. Capacity [Loc: Main Building]
164	1	Just-Rite Flammable Liquid Storage Cabinet, 43" W x 18"L x 25" H, 17 Gal. Capacity [Loc: Main Building]
165	1	Just-Rite Flammable Liquid Storage Cabinet, 43" W x 18"L x 25" H, 17 Gal. Capacity [Loc: Main Building]
166	1	Just-Rite Flammable Liquid Storage Cabinet, 43" W x 18"L x 25" H, 17 Gal. Capacity [Loc: Main Building]
167	1	(2) Cantilever Racks 12' H x 4' W 48" Arms, 12,500 lbs. Max Column, 2,500 Lbs. Per Arm (Contents Not Included) [Loc: Main Building]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

168	1	(2) Cantilever Racks 12' H x 4' W 48" Arms, 12,500 lbs. Max Column, 2,500 Lbs. Per Arm (Contents Not Included) [Loc: Main Building]
169	1	(2) Cantilever Racks 12' H x 4' W 48" Arms, 12,500 lbs. Max Column, 2,500 Lbs. Per Arm (Contents Not Included) [Loc: Main Building]
170	1	(3) Cantilever Racks 12' H x 4' W 48" Arms, 12,500 lbs. Max Column, 2,500 Lbs. Per Arm (Contents Not Included) [Loc: Main Building]
171	1	(4) Cantilever Racks 12' H x 4' W 48" Arms, 12,500 lbs. Max Column, 2,500 Lbs. Per Arm (Contents Not Included) [Loc: Main Building]
172	1	(2) Cantilever Racks 12' H x 4' W 48" Arms, 12,500 lbs. Max Column, 2,500 Lbs. Per Arm (Contents Not Included) [Loc: Main Building]
173	1	(2) Cantilever Racks 12' H x 4' W 48" Arms, 12,500 lbs. Max Column, 2,500 Lbs. Per Arm (Contents Not Included) [Loc: Main Building]
174	1	(2) Cantilever Racks 12' H x 4' W 48" Arms, 12,500 lbs. Max Column, 2,500 Lbs. Per Arm (Contents Not Included) [Loc: Main Building]
175	1	(3) Cantilever Racks 12' H x 4' W 48" Arms, 12,500 lbs. Max Column, 2,500 Lbs. Per Arm (Contents Not Included) [Loc: Main Building]
175A	1	(2) Cantilever Racks 12' H x 4' W 48" Arms, 12,500 lbs. Max Column, 2,500 Lbs. Per Arm (Contents Not Included) [Loc: Main Building]
176	1	Pellet Of (4) Assorted Various Size Transformers [Loc: Main Building]
177	1	Pellet Of (4) Rolling Conveyor 10' L x 24" W [Loc: Main Building]
178	1	Pellet Of (4) Assorted Various Size Grease Pumps [Loc: Main Building]
179	1	(10) Assorted Various Size Metal Table And Mobile Carts [Loc: Main Building]
180	1	(14) Assorted Various Size Metal Tables And Mobile Carts [Loc: Main Building]
181	1	(16) Mobile Material Carts [Loc: Main Building]
182	1	(12) Assorted Various Size Storage Racks And Metal Tables [Loc: Main Building]
183	1	(13) Assorted Various Size Metal Tables [Loc: Main Building]
184	1	(20) Assorted Various Size Metal Tables And Mobile Carts [Loc: Main Building]
185	1	(18) Assorted Various Size Metal Tables [Loc: Main Building]
186	1	(25) Assorted Various Size Mobile Carts And Material Carts And Desk [Loc: Main Building]
188	1	Waste Water Treatment Tank (1) 10' W x 5' L Tank And (1) 5' W x 4' L Tank, (Tank Not Clean) [Loc: Main Building]
189	1	Mobile High Beam A-Frame Bridge Crane Approx. 10' High Free Standing , With (1) Cm 1/2 Ton Chain Hoist With Yale Trolley, (1) Harrington 1-Ton Electric Chain Hoist [Loc: Maintenance Room]
190	1	10' W x 5' L Steel Table (Contents Not Included) [Loc: Maintenance Room]
192	1	Contents Of Maintenance Room To Include (4) Various Size Metal Shelving Units, (8) Various Size Fastenal Tool Bins, With Assorted Pipe Fittings, Electrical Components, Washers, Filters, Nuts And Bolts Bins , Disassembled Motor Pumps, Disassembled Motors, Misc. Parts, Plastic Piping, Aluminum Pipe End Piping, M.E.T. Conduit, Various Size A-B. Belts, Etc. [Loc: Maintenance Room]
193	1	(3) Assorted Various Size Tool Boxes (1) 5-Drawer 27" W x 18" L (2) Mobile 36" W x 34" L [Loc: Large Tube Area Main Building]
194	1	U-Line (5) Aluminum Desk 35" W x 30" L With (1) 73" W x 31" L Storage Rack [Loc: Large Tube Area Main Building]
195	1	Lincoln CV-300 Mig Welder Code 10180, Cart, Lincoln #LF-72 Wire Feed, Bernard Gun, NOTE: Excludes Bottles S/N U1960712580 [Loc: Tool Room]

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

196	1	Lincoln CV-300 Mig Welder Code 10180, Cart, Lincoln #LN-10 Wire Feed, Bernard Gun, NOTE: Excludes Bottles S/N U1990203005 [Loc: Tool Room]
197	1	2011 Miller Syncrowave 350LX Welding Power Source Stock #907199032, Cart, Foot Pedal, Tig Torch S/N MB050280L [Loc: Tool Room]
198	1	Miller Syncrowave 350 LX Welding Power Source Stock #907198-03-1, Cart, Foot Pedal, Tig Torch S/N LE430953 [Loc: Tool Room]
204	1	Miller MC-300 VS CV DC Arc Welding Power Source Cart, Miller #S-52A Wire Feed S/N KA784854 [Loc: Tool Room]
205	1	Miller Syncrowave 250 CC AC/DC Arc Welding Power Source Cart, Abicor Binzel #BWC-3 Torch Cooler; Tig Torch S/N KA852087 [Loc: Tool Room]
206	1	Miller MC-300 VS CV DC Arc Welding Power Source Cart, Bernard Welding Gun; Miller #S- 52A Wire Feed S/N KA793025 [Loc: Tool Room]
207	1	Esab 482 CC Welding Power Source Cart; NOTE: No Leads [Loc: Tool Room]