



Biditup Auctions Worldwide, Inc./Maynards Industries

World Class Aerospace & Defense Contractor: Cormer Group Industries



Thursday, October 1, 2020 - 10:00am (CDT)

Manitoba, Canada

Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In

Lot	Quantity	Description
1	1	Acme Steel Banding Cart With Tensioner, and Strapping Tools
2	1	YBICO Banding Cart With Tensioner, and Strapping Tools
3	1	Rust-oleum Paint Stripping Machine With Stripping Paint
4	2	Dayton 34D685 Steel Cylinder Trolley /Twin Tank Oxi-Acetylene Torch Cart 500 Lbs. Capacity, Cylinder Max. Dia 9-1/2", Hard Rubber Tires
5	2	2 Wheel Steel Hand Carts
6	1	Dispensing Drum Truck
7	1	Dispensing Drum Truck
8	4	Steel Drum Cradles 600 Lbs. Capacity
9	4	Steel Drum Dolly 55 Gallon Drums
10	1	Kleton Drum Stacking Racks 2400 Lbs., Capacity
11	1	Hydraulic Scissor Lift Table Table Platform 32" X 20", 500 Lbs., Capacity
12	1	Lift Rite EA5200200-520-0 Winch Operated Platform Lift Stacker Table Platform 20" X 20", 500 Lbs. Capacity , Load Center 10", Lower Platform Height 4 1/2", Raised Platform Height 52", Operation Type: Hand Winch, Overall Height 60", Wheels 6" Diameter, Swivel Casters: 3" Diameter, Weight 98 Lbs. S/N 4436571-07
13	1	Lift Rite EA5200200-520-0 Winch Operated Platform Lift Stacker Table Platform 20" X 20", 500 Lbs. Capacity , Load Center 10", Lower Platform Height 4 1/2", Raised Platform Height 52", Operation Type: Hand Winch, Overall Height 60", Wheels 6" Diameter, Swivel Casters: 3" Diameter, Weight 98 Lbs.
14	1	Lift Rite EA5200200-520-0 Winch Operated Platform Lift Stacker Table Platform 20" X 20", 500 Lbs. Capacity , Load Center 10", Lower Platform Height 4 1/2", Raised Platform Height 52", Operation Type: Hand Winch, Overall Height 60", Wheels 6" Diameter, Swivel Casters: 3" Diameter, Weight 98 Lbs.
15	1	SLM2020-53 Winch Operated Platform Lift Stacker Table Platform 20" X 20", 500 Lbs. Capacity , Load Center 10"
16	1	2016 Doosan AC25 Hand Pallet Truck 5500 Lbs. Capacity S/N 160234430-48
17	1	2012 CE L60 Hand Pallet Truck 5500 Lbs. Capacity, Fork Width 685 mm, Fork Length 1220 mm S/N 12062413/010
18	1	CE L60 Hand Pallet Truck 5500 Lbs. Capacity, Fork Width 685 mm, Fork Length 1220 mm
19	1	Lift Rite L50 Hand Pallet Truck 5500 Lbs. Capacity, Fork Width 685 mm, Fork Length 1220 mm S/N 256450
20	1	Tuv Hand Pallet Truck 5500 Lbs. Capacity, Fork Width 685 mm, Fork Length 1220 mm

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

21	1	2011 Anver M100M-QD1 W/PA0032-100-2 Mechanical Vacuum Lifter 1100 Lbs. Capacity Lift, with VLS-o7 Vacuum Leakage Sensor and Warning System S/N S0030014715
22	1	2011 Anver M100M-QD1 W/PA1220 -S-3 Mechanical Vacuum Lifter 1100 Lbs. Capacity Lift, with VLS-o7 Vacuum Leakage Sensor and Warning System S/N S0080014630
23	1	Renfroe NM 2 Ton Vertical Lift Grab Plate Thickness 0-1 S/N 513
24	1	Renfroe NM 2 Ton Vertical Lift Grab Plate Thickness 0-1 S/N 514
25	1	ASC WII Lifting Clamp 500 Lbs. S/N 241931
26	1	Lifting Clamp 500 Lbs.
27	1	Assorted Barrel Lifting Clamps With 4 Piece 3/4" Screw Pin Shackles
28	1	CM Series 622 Chain Hoist 600 Lbs. Capacity
29	1	Assorted Lifting Slings
30	1	Morrison Brothers Air Tank Reservoir 253,33 Liter Capacity on Wheels, used for fluid mainly
31	1	Werner D6232-2C 32'ft Fiberglass Extension Ladder 300 Lbs. Capacity
32	1	Featherlite 6224 24'ft Fiberglass Extension Ladder 300 Lbs. Capacity
33	1	Sturdy 8'ft Fiberglass A Frame Ladder
34	1	Louiseville PS1600 8'ft Fiberglass A Frame Ladder
35	5	Assorted Ladders 8'ft Ladder, 6'ft Ladder, 4'ft ladder, 3' ft Ladder, 2'ft Step Up Ladder
36	1	4-Step Rolling Ladder
37	4	Air King/Commercial Electric/Comfort Zone/Whirlpool Industrial Shop Fans
38	2	Industrial Shop Fans 26"
39	2	Orient Industries Industrial Drum Fans 30" Drum, 3 Speeds
40	1	Power Fist/Commercial Electric Industrial Drum Fans 30" Drum
41	1	Ultra Pro Advantage Top and Bottom Roller Tool Box 23 Drawer
42	1	Mastercraft Maximum Rolling Tool Box 11 Drawer
43	1	Mastercraft/International Top and Bottom Roller Tool Box 12 Drawer Top Box , 5 Drawer Lower Box
44	1	Waterloo Pro Max Rolling Tool Box 5 Drawer
45	1	Waterloo Shop Series Rolling Tool Box 6 Drawer
46	1	Assorted Open End Wrenches (1) Tote
47	1	Handy Man Tool Set (3) Totes ; Hammers, Rubber Mallets, Vise grips, Pilers, Squares, Misc. Tools
48	1	Rigid (2) Pipe Wrenches, Pipe Cutter and Pipe Threading Handle - (1) Tote
49	1	Gear Pullers (1) Tote
50	1	Grease Guns (2) Manual Guns and (1) Pneumatic Gun
51	1	Jancy Engineering USA 200 HoleMaker Portable Magnetic Drill 120 V S/N 60967
52	1	Hitchi DS 120VF3 SGX Cordless Drill and Light Set 12 Volt with Chargers and (2) Batteries
53	3	Dewalt/Makita (3) Cordless Drills
54	1	Weller / Mastercraft Soldering Gun and Glue Gun with Extra Glue Sticks
55	1	Bosch SDS Plus Bulldog Xtreme Rotary Hammer Drill 1" Chuck, 120 V, 60 Hz, 7.2 Amps S/N 684002931
55A	1	Dewalt Cordless Sawz-All and Drill Combo 18V , with Bag and Charger

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

56	1	Milwaukee 13852 Electric 4 1/2" Hand Grinder 12,000 RPM, 120 V , 7 Amp, 5/8"-11 Threaded Spindle S/N C27DD1727
57	1	(5) Pneumatic Pencil Grinders (1) Tote
58	1	Easy Marker / Chicaco Pneumatics (3) Engravers (2) Electric Pencil Engravers , (1) Pneumatic Pencil Engraver
59	1	Pneumatic Air Guns, Impact Guns, Drills and Grinders - (1) Tote
60	1	Pneumatic Impact Drivers, Drills and Sanders (1) Tote
61	1	Pneumatic Impact Drivers, Drills and Sanders (1) Tote
62	1	Pneumatic Aerospace Drills, Countersink Drills, Air Ratchets, Sanders - (1) Tote
63	1	Reed / Winters Pressure Gages Assorted Sizes, (1) Tote
64	1	Pneumatic Rivet Squeezer with AN470 Squeezer Set
65	4	Pneumatic Rivet Squeezers
66	1	2019 Gage Bilt GBP 751 Fastener Installation Tool Hand Held Weight 4.5 Lbs., Air Pressured Required 90-100 PSI, Setting Stroke .780", Rated Pull Load 2,200 Lbs., Noise Level 81.5dB (A) S/N 1597
67	1	2016 Gage Bilt GBP 751 Fastener Installation Tool Hand Held Weight 4.5 Lbs., Air Pressured Required 90-100 PSI, Setting Stroke .780", Rated Pull Load 2,200 Lbs., Noise Level 81.5dB (A) S/N 1431
68	2	2017 / 2013 Gage Bilt GBP 751 / GB51 Fastener Installation Tools Hand Held Weight 4.5 Lbs., Air Pressured Required 90-100 PSI, Setting Stroke .780", Rated Pull Load 2,200 Lbs., Noise Level 81.5dB (A) S/N 1477 /2059
69	1	Westco Cherry G-29 Hand Riveters
70	1	Assorted C Clamps (1) Tote
71	1	Oxi-Acetylene Torch and (2) Regulators (1) Tote
72	1	Assorted Casters (1) Tote
73	1	Power Fist 220987 4 Ton Hydraulic Hand Pump
74	1	KBC Tool & Machinist 1-397-024X 24" Machinist Steel Square
75	1	KBC Tool & Machinist 1-397-024X 24" Machinist Steel Square
76	1	KBC Tool & Machinist 1-397-024X 24" Machinist Steel Square
77	1	Mitutoyo / TMX Universal Bevel Protractors with 6" Blade and (2) 5" X 3" Solid Squares
78	1	Precision V-Blocks and 1-2-3 Blocks
79	1	3" High Precision Toolmakers Vise
80	1	3" High Precision Toolmakers Vise
81	1	Record 4" Combination Vise and 3 1/2" Bench Top Vise
82	3	Fowler 52-520-444 Shockproof Dial Indicators Range ; .40", Graduation: .001, Travel 1", Reading; .001, Continuous Reading ; 0-1--, Tolerance Markers, Contact Point : M2.5, AGD Group 2,2 1/4" Dia., Lugback and Carbide Point, In Cases
83	1	Fowler 52-520-444 Shockproof Dial Indicators Range ; .40", Graduation: .001, Travel 1", Reading; .001, Continuous Reading ; 0-1--, Tolerance Markers, Contact Point : M2.5, AGD Group 2,2 1/4" Dia., Lugback and Carbide Point, In Cases
84	1	Fowler 52-520-444 Shockproof Dial Indicators Range ; .40", Graduation: .001, Travel 1", Reading; .001, Continuous Reading ; 0-1--, Tolerance Markers, Contact Point : M2.5, AGD Group 2,2 1/4" Dia., Lugback and Carbide Point, In Cases
85	1	Fowler (14) Assorted Dial Indicators (1) Tote
86	1	Fowler (14) Assorted Dial Indicators (1) Tote
87	1	Mitutoyo Absolute Digital Dial Indicator with Base Stand

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

88	2	Mitutoyo / Insize (2) Intrepid Horizontal Dial Indicators In (1) Case
89	4	Dial Indicators with Magnetic Bases
90	1	Mitutoyo 7008 Dial Gage Stand S/N 800156
91	1	Mitutoyo / Starrett Radius Gage Sets (1) Tote
92	1	Starrett 7238 Dial Type Depth Gage 0-7" S/N 120
93	1	Starrett 7238 Dial Type Depth Gage 0-8"
94	4	Mitutoyo 2904S Dial Type Depth Gages
95	3	Starrett 684/689 Chamfer Gage and (2) Countersink Gages 90-127 Degrees , (2) 100 Degree
96	3	Starrett 684/689 Chamfer Gage and (2) Countersink Gages 90-127 Degrees , (2) 100 Degree
97	3	Fisher/Barcor 32874 Countersink Gage and (2) Rivet Gages .001 - .250 Range for Rivet Gages
98	12	Mitutoyo Dial Bore Gages Assorted Sizes, (1) Tote
99	12	Mitutoyo Dial Bore Gages Assorted Sizes, (1) Tote
100	12	Mitutoyo Dial Bore Gages Assorted Sizes, (1) Tote
101	11	Mitutoyo Dial Bore Gages Assorted Sizes, (1) Tote
102	1	Mitutoyo No. 192-152 Height Gage Dial Type , 24" Capacity
103	1	Mitutoyo No. 192-152 Height Gage Dial Type , 24" Capacity
104	1	Mitutoyo No. 192-152 Height Gage Dial Type , 24" Capacity
105	1	Mitutoyo No. 192-150 Height Gage Dial Type , 12" Capacity
106	1	Mitutoyo 30 " Vernier Calipers In Case
107	1	Mitutoyo Digimatic 24" Digital Vernier Calipers In Case
108	1	Mitutoyo Absolute Digimatic 8" Digital Vernier Calipers
109	2	Mitutoyo 8" Digital Vernier Calipers (1) Missing a Battery Cover
110	2	Mitutoyo/ STM 12" Dial Type Vernier Calipers
111	1	Mitutoyo 6" and 8" Dial Type Vernier Calipers
112	1	Mitutoyo 104-155 24-28" Vernier Outside Micrometer Interchangeable set In Case
113	1	Mitutoyo 104-202 18" - 24" Vernier Outside Micrometer Interchangeable set S/N 89055853
114	1	Mitutoyo / Starrett (2) Micrometer Sets
115	1	3203-1212 Outside Micrometer Sets 0.0 - 12" in Box Set
116	1	3203-1212 Outside Micrometer Sets 0.0 - 12" in Box Set
117	1	3203-1212 Outside Micrometer Sets 0.0 - 12" in Box Set
118	1	3203-1212 Outside Micrometer Sets 0.0 - 12" in Box Set
119	1	Outside Micrometer Sets 0.0 - 12" in Box Set
120	1	Outside Micrometers (2) 0-1" , 4-5" , 5-6" , (3) 6-7" , 7-8" , 8-9" , 9-10" , 11-12"
121	1	Mitutoyo / Starrett Outside Micrometers Assorted Sizes, (1) Tote
122	1	Outside Micrometers Assorted Sizes, (1) Tote
123	1	Mitutoyo (5) Digital Outside Micrometers (3) 0-1" , (1) 1-2" , (1) 2-3" , with (1) Micrometer Table Base Holder
124	1	Mitutoyo/ STM (6) Micrometers (3) Digital 0-1" , (1) .093 - 1" Angled, (1) 2-3" , 0-1" Inside Mic
125	1	Mitutoyo 547-312 (2) Digital Thickness Gages
126	1	(7) Dial Snap Gages
127	1	Imada Force Gage 10 Lbs. Capacity S/N 277010
128	1	Co Axis Type Edge Finder

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

129	1	Starrett 1175 Groove Gage, (2) Thread Gages, and (1) Snap Gage , 0.0005
130	1	Sets of Standards
131	1	SPI (3) Outside Dial Caliper Gages
132	1	Digital 3 Point Internal Micrometer
133	1	ST I Depth Micrometer Set 0-12" , 4" Base
134	1	Depth Micrometer Set 0-12" , 2" Base
135	1	Depth Micrometer Set 0-6" , 2" Base
136	1	Depth Micrometer Set 0-6" 4" Base , Missing 1 size
137	1	Depth Micrometer Set 0-6" 4" Base , Missing 2 size
138	1	Mitutoyo 12" Depth Gage
139	1	Starrett No.78 (19) Bore Gages Assorted Sizes
139A	1	Black Ox (2) Pin Gage Sets (1) .061 - .250 , (1) .251 - .500
140	1	(3) Pin Gage Sets (3) .251- .500
141	1	(5) Pin Gage Sets (1) .251- .500 , (3) .061 - .250, Some Missing Pins
142	1	Pin Gages Assorted Sizes
143	1	(2) Gage Block Sets .100 - 4"
144	1	Spectroline DSE-100X/L (2) Digital Radiometer / Photometer
145	1	Check Line 3000FX (2) Coating Thickness Gauges
146	1	Check Line / Reed 2000/ CM8822 (2) Coating Thickness Gauges and (1) Coating Thickness Meter
147	1	DMV MH 180 Metal Hardness Tester S/N MH0111040806
148	1	Bellingham & Stanley Eclipse 45-01 Hand Held Refractometer
149	1	Hand Held Refractometer
150	1	Hardness Standard Test Blocks
151	1	Anyload OCSL Mini Crane Scale 250 Lbs. Capacity S/N 4211000557
152	1	Thermo Scientific Orion AQ3700 Colorimetry Meter
153	1	Verimet M4900C Portable Conductivity Tester
154	1	Verimet M4900C Portable Conductivity Tester
155	1	Dakota Ultrasonics MVX Visual Ultrasonic Thickness Gauge
156	1	Mitutoyo Mu Gage
157	1	Reed R8050 Dual Range Sound Level Meter Backlight LCD Display
158	1	Mitutoyo 178-02A Surface Roughness Tester S/N 102051003
159	1	Mitutoyo SJ--201P Profilemeter Surface Roughness Tester
160	1	Omega/Fluke/Reed/Digi Sense (4) Thermometers and Humidity Meters
161	1	Newton/Torqueleader/CDI (5) Needle Dial Torque Wrenches
162	1	Federal Dimension Air
163	1	No - Go Gages
164	1	Granite Surface Plate 20" X 30"
165	1	Wilson 3QR Rockwell Hardness Tester With Trojan Rectifier on Stand S/N 3QR 471
166	1	Starrett 3814 Analog Bench Hardness Tester BRAND NEW , IN CRATE , 6.69"/169.9mm, 30 X 8.5 x 20" / 762 X 216 X 508mm, 6.6" / 168mm
167	1	New Age PB 7000 Series Brinell Hardness Tester Hydraulic, Load Cell Sensor, Load Selection (kgf) ; 3000, 1500, 500, 250, 187.5, 62.5, Time at Load (sec): 2, 10 and 30, Vertical Capacities with Elevating Screw 10", With out Screw 16", Indenter Stroke 4", Indenter 10mm Tungsten Carbide, Operating Temp : 50F to 120F, 10 C to 49C S/N 120

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

168	1	New Age 1358825 HiLight Brinell Scope Magnification 20X, Reticle Scale Length 7 mm, Scale Divisions .05 mm, Field Diameter 10 mm, Height X Diameter 6" X 2", Scope Weight 2 1/2 Lbs. Battery CR2, 3V
169	1	2013 Zeiss Accura Bridge Type CMM Travels: X-44.24", Y-70.86", Z-39.37", Floor Plate Size: 99.8" x 62.2" Floor Plate S/N 2.0131E+11
170	1	Mitutoyo CRT-A916 Crystal Apex Bridge Type CMM Travels: X-35.6", Y-63.2", Z-23.8", RENISHAW PH10MQ Probe, Process Personal Computer S/N 23205
171	1	Mitutoyo BHN-710 Bridge Type CMM Travels: X-27.55", Y-39.37", Z-23.62", Granite Table: 59.84" x 51.18", With RENISHAW PH10 Probe & Personal Computer S/N 623708
172	1	Mitutoyo B-241 Bridge Type CMM Travels: X- 27.55", Y- 39.37", Z-19.68", Granite Table: 59.84" x 51.18", with RENISHAW PH10 Probe & Personal Computer S/N 800808
173	1	Renishaw Probe Tips Assorted Sizes
174	1	Bal-Tec The Abalone Vacuum Hold Down Foot
175	1	Aluminum Mount Plates for CMM
176	1	Jet BGC-8 8" Heavy Duty Bench Grinder
177	1	Darex Drill Sharpener 1/3 HP, 3450 RPM, 115 Volts, 4.2 Amps, 60Hz S/N 5235
178	1	Delta 17-965C 16 1/2" Floor Style Drill Press 3/4 HP S/N 1012
179	1	2005 King KC-122FC 22" Floor Style Drill Press 12 Speed, 1 HP, Spindle MT#4, Chuck/Mandrin : 3/4", Table Size 16" X 18 1/2" S/N 311225
180	1	2005 King KC-122FC 22" Floor Style Drill Press 12 Speed, 1 HP, Spindle MT#4, Chuck/Mandrin : 3/4", Table Size 16" X 18 1/2" S/N 425939
181	1	2005 King KC-122FC 22" Floor Style Drill Press 12 Speed, 1 HP, Spindle MT#4, Chuck/Mandrin : 3/4", Table Size 16" X 18 1/2" S/N 425925
182	1	2005 King KC-122FC 22" Floor Style Drill Press 12 Speed, 1 HP, Spindle MT#4, Chuck/Mandrin : 3/4", Table Size 16" X 18 1/2" S/N 330841
183	1	2005 King KC-122FC 22" Floor Style Drill Press 12 Speed, 1 HP, Spindle MT#4, Chuck/Mandrin : 3/4", Table Size 16" X 18 1/2" S/N 277513
184	1	2005 King KC-122FC 22" Floor Style Drill Press 12 Speed, 1 HP, Spindle MT#4, Chuck/Mandrin : 3/4", Table Size 16" X 18 1/2" S/N 330861
185	1	2003 King KC-45 Gear Head Drilling Machine Drilling Capacity 1 1/4", No. of Speeds 6, Table Size 9 1/2" X 32 1/4", Overall Width 36", Overall Length 47", Overall Height 55", 60-1500 RPMS S/N 330763
186	1	Pneumatic Riveting / Dimpling Machine 36" Mouth
187	1	Pneumatic Riveting / Dimpling Machine 12" Mouth
188	1	Pneumatic Riveting / Dimpling Machine 9" Mouth
189	1	2014 Devin LP 500 Hydraulic Arbor Press 10 Ton Max Pressure, Large U Notch Table Plate S/N 1611
190	1	Open Lot
191	1	Ficher Dottikon 1077 5000 Kg Arbor Press
192	1	Open Lot
193	1	Ficher Dottikon 1147 Screw Press
194	1	No. 3 Arbor Press
195	1	No. 3 Arbor Press
196	1	Power Fist 3-1 Metal Forming Machine 30" Rollers

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

197	1	T-Jaw 360 Vertical Band Saw With Annealing Station , 110 Volts, 60 Hz, 1 Ph, 0.70 KW S/N 936808
198	1	Open Lot
199	1	Cammann C-86 Metal Disintegrator Head Model : CMBL, Voltage 450, Single Phase, Current 15 KVA, 60 Hz, Secondary Rating Duty Cycle 50%, Maximum Current 250, Volts Across Head Circuit 3-30 S/N 103686
200	1	Canox C-SW351 AC/DC Welding Power Source Tig Welder Volts 230/460/575, Amps 131/67/52, KW 17.4, Phase 1, 60 Hz With Miller Coolmate 3 S/N KG049081
201	1	Lincoln Electric Idealarc CV-400 Constant Voltage DC Arc Welding Power Source 575 Volts, 22 Amps, 60 Hz, 3 Phase, 100% Duty Cycle, 42 Input Voltage With Lincoln LN-7 Wire Feeder
202	1	Sentry Air Systems Portable Fume Extractor
203	1	Phoenix 16C Electrode Stabilizing Oven Type: 300, Volts 120 AC, Watts: 1000, Temp. Range : 100-550 F, 60 Hz, AC Only
204	1	2004 Fanuc P-145 6 Axis Material Handling Paint Robot 7.00 Kg. Payload, 2542mm Reach, Repeatability +- 0.5000mm, Robot Mass 500 Kg, Structure Articulated, Mounting Floor, Type F66619, EE-4657-550, With Fanuc Controller System R-J3iB, Type A05B-2470-B150, 575 Volt, 3 Phase, 50/60 Hz, 7.5 KVA, With I.S. Teach Pendant Model A05B-2308-C307 S/N P1450281 / E04901568
205	1	2004 Fanuc P-145 6 Axis Material Handling Paint Robot 7.00 Kg. Payload, 2542mm Reach, Repeatability +- 0.5000mm, Robot Mass 500 Kg, Structure Articulated, Mounting Floor, Type F68154, EE-4657-550, With Fanuc Controller System R-J3iB, Type A05B-2470-B150, 575 Volt, 3 Phase, 50/60 Hz, 7.5 KVA, With I.S. Teach Pendant Model A05B-2308-C307 S/N P1450299 / E04Y08575
206	1	Barber Coleman 10 VGS Gear Shaper Max Dia. Gear 254 mm, Max. Pitch Diameter, External and Internal: 10", Max Face Width: 4", Diameter Pitch Spur: 4 DP, Distance From Face of Cutter Spindle to Face of Work Spindle: Max 12 1/16" - Min 10 1/16", (Including 4" Extra Height), Max Helix Angle : 40 Degree, (With 5" Dia. Cutter and Helical Guide), Diameter of T-Slotted Work Table: 10", Diameter of Hole in Work Table 3", Stoking Speeds, 80-300SPM, Infinity Variable Rotary Speeds
207	1	Okuma Crown L1060 CNC Turning Center Max. Swing Over Bed: 21.65", Max. Swing Over Cross Slide: 15.75", Max. Turning Diameter: 10.63", Max. Machining Length: 19.68", Spindle Bore: 3.15", X-Axis Travel: 7.28", Z-Axis Travel: 20.47", Spindle Nose: A2-8, Spindle Speed: 3,500 RPM, With 12-Station Turret, Tailstock, Chip Conveyor, OKUMA OSP U10L CNC Control S/N 1763
208	1	Okuma Crown L1060 CNC Turning Center Max. Swing Over Bed: 21.65", Max. Swing Over Cross Slide: 15.75", Max. Turning Diameter: 10.63", Max. Machining Length: 19.68", Spindle Bore: 3.15", X-Axis Travel: 7.28", Z-Axis Travel: 20.47", Spindle Nose: A2-8, Spindle Speed: 3,500 RPM, With 12-Station Turret, Tailstock, Chip Conveyor, OKUMA OSP U10L CNC Control S/N 1767
209	1	2005 Mazak Nexus 250-II CNC Turning Center Max. Swing 17.32", Max. Turning Diameter:13.8", Center Distance 20.25", Bar Capacity: 3", Travels: X-9", Spindle Nose: A2-8, Spindle Speed: 4000 RPM, 35 HP Motor, With 10" Chuck,12-Station Turret, Tailstock, Chip Conveyor, Rapid Traverse: X/Z-1181 IPM, Y-826 IPM, W-1181 IPM, 35 HP Spindle Motor, MAZATROL Nexus CNC Control S/N 215122

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

210	1	1986 Dainichi B82 CNC Turning Center MAX TURNING DIA. 31", MAX CENTER DISTANCE 82", 12-POSITION TURRET, PROGRAMMABLE TAILSTOCK, 20: SPINDLE, 60-HP S/N 20043
211	1	2005 Romi G50 CNC Turning Center Max. Swing: 26", Max. Turning Dia.: 21.65", Max. Length: 20", Bar Capacity: 4.52", 2000 RPM, With 12-Position Turret, 50 HP, Programmable Tailstock, Fanuc 21iTB CNC Control S/N 016.005786-401
212	1	2005 Romi G50 CNC Long Bed Turning Center Max. Swing: 26", Max. Turning Dia.: 21.65", Max. Length: 60", Bar Capacity: 4.52", 2000 RPM, With 12-Position Turret, 50 HP, Programmable Tailstock, Fanuc 21iTB CNC Control S/N 016.005785-401
213	1	2011 Mazak Integrex i-400ST 9-Axis CNC Turning & Milling Center MAZAK Matrix-2 CNC Control, Max. Swing: 26.91", Machining Diameter, Max. Machining Length: 69.80", Max. Bar Work: 4", Travels: X1-24.21", X2-9.06", Y-10.24", Z1-62.40", Z2-64.66", Main Chuck Size: 12", 3300 RPM, 40 HP; Second Chuck Size: 10", 4000 RPM, 35 HP, B-Axis Milling Spindle: 12,000 RPM, 30 HP, 240 Degree Swivel, 36 ATC, 9-Position Lower Turret, Tool Probe, MAZAK Super-Flow High Pressure Through Spindle Coolant, Chip Conveyor S/N 234035
214	1	Okuma V4020 CNC Vertical Machining Center Travels: X-40", Y-20", Z-20", Table Size: 47" X 20", Spindle Speeds: 50-8,000 RPM, 15-HP, CAT 40, 20-Position ATC, OKUMA OSP-U10M CNC Control, Flood Coolant S/N 1028
215	1	1993 Mazak H-630W 4-Axis Twin Pallet CNC Horizontal Machining Center Travels: X-35.4, Y-31.5", Z-40.2, (2) 24.8" x 24.8" Pallets, 40 ATC, 12,000 RPM, 50 HP, Rapid Traverse: 1000 IPM, Cutting Feed Rate: 1000 IPM, High Pressure Through Spindle Coolant, Chip Conveyor, Mazatrol M-32 CNC Control S/N 105837
216	1	2007 Mazak VariAxis 630-5 X II 5-Axis Trunnion Table CNC Vertical Machining Center With Pallet Changer, Travels: X-24.80", Y-30.12", Z-23.62", (2) 19.7" x 19.7" Pallets, A-Axis Trunnion Table Tilt: +120/ -130 Deg., C-Axis Table Rotation: 0.001 Degrees, 18,000 RPM, 120 ATC, 40 HP, CAT 40 Taper, Mazak Superflow T8-1000 Through Spindle Coolant S/N 195079
217	1	2009 Mazak VariAxis 630-5 X II 5-Axis Trunnion Table CNC Vertical Machining Center With Pallet Changer, Travels: X-24.80", Y-30.12", Z-23.62", (2) 19.7" x 19.7" Pallets, A-Axis Trunnion Table Tilt: +120/ -130 Deg., C-Axis Table Rotation: 0.001 Degrees, 18,000 RPM, 120 ATC, 40 HP, CAT 40 Taper, Mazak Superflow T8-1000 Through Spindle Coolant S/N 203493
218	1	2000 Cincinnati V5-3000 5-Axis High Speed CNC Vertical Machining Center / Aerospace Profiler Travels: X-120", Y-30", Z-35", Table Size 130" X 30", A-Axis Spindle Tilt: +/- 40 Degrees, B-Axis Spindle Tilt: +/- 40 Degrees, 10-15,000 RPM, 21 ATC, HSK 63 Taper, 30 HP, Rapid Traverse: X-630 IPM, Y-709 IPM, Z-945 IPM, Cutting Feed Rate 0.1" - 590 IPM, Equipped with Siemens-Acramatic 2100 5-Axis CNC Control, Color Touch Screen Monitor, 21 Position Automatic Tool Changer, Dual Rear Exit Jorgenson Chip Conveyors, Rigid Tapping , Oil Chiller, Flood and Through Spindle Coolant S/N QF00A010000007

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

219	1	2000 Cincinnati V5-3000 5-Axis High Speed CNC Vertical Machining Center / Aerospace Profiler Travels: X-120", Y-30", Z-35", Table Size 130" X 30", A-Axis Spindle Tilt: +/- 40 Degrees, B-Axis Spindle Tilt: +/- 40 Degrees, 10-15,000 RPM, 21 ATC, HSK 63 Taper, 30 HP, Rapid Traverse: X-630 IPM, Y-709 IPM, Z-945 IPM, Cutting Feed Rate 0.1" - 590 IPM, Equipped with Siemens-Acrumatic 2100 5-Axis CNC Control, Color Touch Screen Monitor, 21 Position Automatic Tool Changer, Dual Rear Exit Jorgenson Chip Conveyors, Rigid Tapping , Oil Chiller, Flood and Through Spindle Coolant S/N QF00A010000005
220	1	2000 Cincinnati V5-3000 5-Axis High Speed CNC Vertical Machining Center / Aerospace Profiler Travels: X-120", Y-30", Z-35", Table Size 130"X 30", A-Axis Spindle Tilt: +/- 40 Degrees, B-Axis Spindle Tilt: +/- 40 Degrees, 10-15,000 RPM, 21 ATC, HSK 63 Taper, 30 HP, Rapid Traverse: X-630 IPM, Y-709 IPM, Z-945 IPM, Cutting Feed Rate 0.1" - 590 IPM, Equipped with Siemens-Acrumatic 2100 5-Axis CNC Control, Color Touch Screen Monitor, 21 Position Automatic Tool Changer, Dual Rear Exit Jorgenson Chip Conveyors, Rigid Tapping , Oil Chiller, Flood and Through Spindle Coolant S/N QF00A010000008
221	1	2014 Grob G550 5-Axis High Speed CNC Horizontal / Universal Machining Center Travels: X-31.5", Y-40.15", Z-40.1", Dual 27.56" Dia. Pallets, Rotary Pallet Changer, A-Axis Table Swivel: -180/+45 Degrees, B-Axis Table Rotation: 0.001 Degrees, 16,000 RPM, 120 Double Carousel ATC, HSK-A63 Taper, 43 HP, KNOLL High Pressure Coolant System, Probe, Mist Collector, Oil Skimmer Chip Conveyor S/N G551AB19KD
222	1	2005 SNK HPS-120B 5-Axis Twin-Pallet High Speed Horizontal CNC Profiler / Machining Center SNK HPS-120B 5-Axis Twin Pallet CNC High Speed Aerospace Profiler/Machining Center, Travels X-124", Y-51.96", Z-28.03", Pallet Size 120" x 48", A-Axis Spindle Swivel: -180/+45 Degrees, C-Axis Spindle Rotation: 360 Degrees, Horizontal Table Setup Position, Vertical Table Machining Position, 8800 Lb. Work Weight, 20,000 RPM, 39 HP, 60 ATC, HSK-80A Taper, Through Spindle Coolant S/N A6K2301
223	1	2001 Cincinnati 5X High Performance 5-Axis 3-Spindle CNC Gantry Profiler Travels: X-324", Y-110", Z-28", Rail Length: 480", Gantry Travel: 420", Table Mounting Surface: 324" x 120", Spindle To Table 32.5", 46" Rail To Table, (3) 100 HP Spindles with 40" Distance Between Each, A/B-Axis Spindle Tilt: +/- 30 Degrees, A/B Axis: Spindle Nose to Pivot Point Range 5"-33", Spindle Speeds 100-10,000 RPM, CAT 50 Taper, Feed Rates: X & Y Axis: 0.1"-600 IPM, Z-Axis: 0.1"-100 IPM, A & B Axes: 0.1"-300 DPM, with Collet-Type Automatic Draw Bar, Through Spindle Coolant, Chip Conveyor, CINCINNATI A2100 CNC Controls S/N RC00C01010004
224	1	Makino Bulk Makino A88/A88E Line, 4 CNC Horizontal Machining Centers With 32 Pallet Shuttle System
225	1	2005 Makino 3-Axis Twin Pallet Horizontal CNC Machining Center Travels: X-35.4", Y-31.5", Z-40.2", Pallet Size: 24.8" x 24.8", Maximum Workpiece: 118.1" x 59.1" x 19.7", Spindle Speeds To 12,000 RPM, 244 ATC, 50 HP, 6600 Lb. Work Weight, Rapid Traverse: 1000 IPM, Cutting Feedrate: 1000 IPM, High Pressure Through Spindle Coolant, Chip Conveyor, All Tooling In Machine Included: 130 Tools in Carousel S/N 457

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

226	1	2000 Makino 3-Axis Twin Pallet Horizontal CNC Machining Center Travels: X-35.4", Y-31.5", Z-40.2", Pallet Size: 24.8" x 24.8", Maximum Workpiece: 118.1" x 59.1" x 19.7", Spindle Speeds To 12,000 RPM, 244 ATC, 50 HP, 6600 Lb. Work Weight, Rapid Traverse: 1000 IPM, Cutting Feedrate: 1000 IPM, Tool-To-Tool: 10 Seconds, Chip-To-Chip: 22 Seconds, Max. Tool Length: 12", Max. Tool Diameter: 3.52", Max. Tool Weight: 17.6 Lbs., High Pressure Through Spindle Coolant, Chip Conveyor, All Tooling In Machine Included: 244 Tools in Carousel S/N 128
227	1	2000 Makino 4-Axis Twin Pallet Horizontal CNC Machining Center Travels: X-35.4", Y-31.5", Z-40.2", Pallet Size: 24.8" x 24.8", Maximum Workpiece: 118.1" x 59.1" x 19.7", Spindle Speeds To 12,000 RPM, 244 ATC, 50 HP, 6600 Lb. Work Weight, Rapid Traverse: 1000 IPM, Cutting Feedrate: 1000 IPM, Tool-To-Tool: 10 Seconds, Chip-To-Chip: 22 Seconds, Max. Tool Length: 12", Max. Tool Diameter: 3.52", Max. Tool Weight: 17.6 Lbs., High Pressure Through Spindle Coolant, Chip Conveyor, All Tooling In Machine Included: 76 Tools in Carousel S/N 177
228	1	2000 Makino 4-Axis Twin Pallet Horizontal CNC Machining Center Travels: X-35.4", Y-31.5", Z-40.2", Pallet Size: 24.8" x 24.8", Maximum Workpiece: 118.1" x 59.1" x 19.7", Spindle Speeds To 12,000 RPM, 244 ATC, 50 HP, 6600 Lb. Work Weight, Rapid Traverse: 1000 IPM, Cutting Feedrate: 1000 IPM, Tool-To-Tool: 10 Seconds, Chip-To-Chip: 22 Seconds, Max. Tool Length: 12", Max. Tool Diameter: 3.52", Max. Tool Weight: 17.6 Lbs., High Pressure Through Spindle Coolant, Chip Conveyor, All Tooling In Machine Included: 110 Tools in Carousel S/N 178
229	1	Makino B2NT 32 Pallet Shuttle System (32) 24.8" x 24.8" Pallets On In-Line Shuttle System S/N 702
230	1	Quick Change 3 Sided Tombstone With Mounted 6" 3 Jaw Chuck
231	1	Quick Change 3 Sided Tombstone
232	1	Quick Change 3 Sided Tombstone
233	1	Quick Change 3 Sided Tombstone
234	1	Quick Change 3 Sided Tombstone
235	1	Quick Change 3 Sided Tombstone
236	1	Quick Change 3 Sided Tombstone
237	1	Quick Change 3 Sided Tombstone
238	1	Quick Change 3 Sided Tombstone
239	1	Quick Change 4 Sided Tombstone
240	1	Quick Change 4 Sided Tombstone With Mounted 6" 3 Jaw Chuck
241	1	Quick Change 4 Sided Tombstone
242	1	Quick Change 4 Sided Tombstone
243	1	Quick Change 4 Sided Tombstone
244	1	Quick Change 4 Sided Tombstone
245	1	Quick Change 5 Sided Tombstone
246	1	Quick Change 5 Sided Tombstone
247	1	Quick Change 4 Sided Tombstone
248	1	Quick Change 4 Sided Tombstone With Mounted 6" 3 Jaw Chuck
249	1	Kurt 8" Machine Vise
250	1	Kurt 8" Machine Vise
251	1	Kurt 8" Machine Vise
252	1	Kurt 8" Machine Vise
253	1	Kurt 8" Machine Vise

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

254	1	Kurt 8" Machine Vise
255	1	Kurt 8" Machine Vise
255A	1	Kurt 6" Machine Vise
256	1	6" Machine Vise
257	1	6" Machine Vise
258	1	6" Machine Vise
259	1	Jet 6" Machine Vise
260	1	6" Machine Vise
261	1	Liang Ji 6" Machine Vise
262	1	Freer Tool and Supply MCB 818 8 X 18" Rectangular Magnetic Chuck S/N 326-0505
263	1	7 X 10" Mounted T Slotted Tilt Sine Plate
264	1	Bison 6" 3 - Jaw Chuck
265	1	Bison 6" 3 - Jaw Chuck
266	1	HSK 63 (10) Shrink Fit Tool Holders
267	1	HSK 63 (10) Shrink Fit Tool Holders
268	1	HSK 63 (10) Tool Holders Bore Tool, Shrink Fit, Collet Style
269	1	HSK 63 (10) Collet Style Tool Holders
270	1	HSK 63 (10) Tool Holders Mixed
271	1	HSK 63 (9) Tool Holders Mixed
272	1	HSK 63 (10) Tool Holders Shrink Fit
273	1	HSK 63 (9) Tool Holders Collet Style
274	1	HSK 63 (10) Tool Holders Shrink Fit
275	1	HSK 63 (12) Tool Holders Collet Style with (2) Fitted Shanks
276	1	HSK 63 (10) Tool Holders Shrink Fit
277	1	HSK 63 (10) Tool Holders Shrink Fit
278	1	HSK 63 (10) Tool Holders Shrink Fit
279	1	HSK 63 (12) Tool Holders Collet and (4) Fly Cutters
280	1	HSK 80 (8) Tool Holders Mixed
281	1	HSK 63 (11) Tool Holders Collet Style
282	1	HSK 80 (10) Tool Holders Shrink Fit
283	1	HSK 80 (10) Tool Holders Shrink Fit
284	1	HSK 80 (10) Tool Holders Shrink Fit
285	1	HSK 80 (9) Tool Holders Shrink Fit
286	1	HSK 80 (10) Tool Holders Shrink Fit
287	1	HSK 80 (10) Tool Holders Shrink Fit
288	1	HSK 80 (11) Tool Holders Shrink Fit
289	1	HSK 80 (10) Tool Holders Shrink Fit
290	1	HSK 80 (11) Tool Holders Shrink Fit
291	1	HSK 80 (12) Tool Holders Fitted Shank
292	1	HSK 80 (13) Tool Holders Collet Style
293	1	HSK 80 (7) Tool Holders
294	1	Capto 6 (12) Tool Holders Mixed
295	1	Capto 6 (12) Tool Holders Mixed
296	1	Capto 6 (8) Tool Holders Mixed
297	1	Capto 6 (8) Tool Holders Mixed
298	1	Capto 6 (15) Tool Holders Mixed
299	1	CAT 40 (10) Tool Holders Mixed

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

300	1	CAT 40 (10) Tool Holders Mixed
301	1	CAT 40 (10) Tool Holders
302	1	CAT 40 (10) Tool Holders
303	1	CAT 40 (10) Tool Holders
304	1	CAT 40 (10) Tool Holders
305	1	CAT 40 (10) Tool Holders Collet Style amd Shrink Fit
306	1	CAT 40 (12) Tool Holders
307	1	CAT 40 (12) Tool Holders
308	1	CAT 40 (10) Tool Holders Mixed
309	1	CAT 40 (12) Tool Holders Mixed
310	1	CAT 40 (10) Tool Holders Mixed
311	1	CAT 40 (10) Tool Holders Collet Style
312	1	CAT 40 (10) Tool Holders Shrink Fit and Collet Style
313	1	CAT 40 (10) Tool Holders Mixed
314	1	CAT 50 (10) Tool Holders Mixed
315	1	CAT 50 (10) Tool Holders Mixed
316	1	CAT 50 (10) Tool Holders Mixed
317	1	CAT 50 (10) Tool Holders Mixed
318	1	CAT 50 (10) Tool Holders Mixed
319	1	CAT 50 (10) Tool Holders Mixed
320	1	CAT 50 (10) Tool Holders Mixed
321	1	CAT 50 (10) Tool Holders Mixed
322	1	CAT 50 (10) Tool Holders Mixed
323	1	CAT 50 (10) Tool Holders Mixed
324	1	CAT 50 (10) Tool Holders Mixed
325	1	CAT 50 (10) Tool Holders Mixed
326	1	CAT 40 (10) Tool Holders Mixed
327	1	CAT 40 (10) Tool Holders Mixed
328	1	Command Tool Holder Cart Holds 60 Tool Holders
329	1	Command Tool Holder Cart Holds 60 Tool Holders
330	1	Command Tool Holder Cart Holds 50 Tool Holders
331	1	(3) Custom Tool Holder Carts
332	1	Rousseau Tool Holder Cart Holds 56 Tool Holders
333	1	Tool Holder Cart Holds 64 Tool Holders
334	1	Tool Holder Cart Holds 64 Tool Holders
335	1	Tool Holder Cart Holds 64 Tool Holders
335A	1	Big Bear Tool Holder Cart Holds 100 Tool Holders
336	1	(17) Romi Tooling Bars and Holders Cart with Lathe Chuck Jaws
337	1	Lathe Turning Tool Holders In (1) Tote
338	1	Lathe Turning Tool Holders In (1) Tote
339	1	Lathe Turning Tool Holders In (1) Tote
340	1	(17) Romi Tooling Bars and Holders
341	1	(12) Romi Tooling Bars and Holders
342	1	(14) Sets of 3 Jaw Chucks
343	1	(12) Sets of 3 Jaw Chucks
344	1	Specialty 3 Jaw Chucks
345	1	Zoller Smile 600 Tool Presetter S/N SMU-642MW-00093

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

346	1	2003 Zoller Smile 500 Tool Presetter Type VSM500-00081, Voltage 115V, 50/60 Hz, Power 1000VA S/N VSM500-00081
347	1	2008 ETM ISSNT INDCL 110 Shrinker S/N 320341
348	1	Solid State Systems S-3047JA Multi Mode Magnetic Particle Inspection System Coils : 12.5,16.5, 20.5, 30.5, 36.5" Diameter, Heading Opening : 32", 49", 66", 90", 133", AC ; 4,000, 6,000, 10,000 Amps, AC Demag Standard, Voltage 240 / 480, Single Phase, Amps 170/86, Cycle 60, Output 4000 S/N 120014
349	1	Magnaflux ZB-100F UV Black Light Volts 115, 60 Hz, 2 Amps
350	1	Precision Drying Oven 52" X 60" X 80", 2 Door, 2 Racks, With Cole Parmer Ultrasonic Cleaner
351	1	Torit 50 Cab Dust Collector 208/230/460, 1/2 HP, 60 Cycle, 3 Phase, 3450 RPM S/N IG729802
352	1	(4) Stainless Steel Wash Tanks (1) 50" X 112" X68", (1) 50" X 112" X 40", (3) 92' X 48" X 36", (4) 41" X 110" X 46"
353	1	500 Lbs. Capacity Jib Crane 155" Tall , 12ft Arm , With a CM 500 Lbs. Capacity 2 button Hoist , 2 Sets of Black Lights S/N SS7253RQ
354	1	Bulk - Lots 355 - 361 A Complete Turnkey Anodizing Line - NADCAP Certified
355	1	10-Tank Anodizing Line To Include: Stainless Steel Tank Size: 14' 6" L x 3' W x 5'D, Heated Tanks #'s 1,2,6,9, Circulation Tanks #'s 1,2,3,4,5,6,8,9, Lined Tank #6, Rectifier Tank #6, With RPE DC Rectifier, Air Compressor, Holding Tank
356	1	10-Tank Manual Test Anodizing Line To Include:: Stainless Steel Tank Size: 4"L x 12" W x 16" D, Heated Tanks 1,2,5,8,9, Circulation All Tanks
357	1	Waste Water Treatment Filtration System
358	1	Titanium Rack
359	1	Titanium Rack
360	1	Titanium Clamps
361	1	P & H 3-Ton Single Girder Underslung Traveling Bridge Crane Manual Pendant Controlled
362	1	FWC 4045 Deburring Parts Tumbler 480 Volts , 3 Phase
363	1	(Description to come)
364	1	Parts Washer 48 " Diameter Wash Area, 2 Level Trays , 1-60 Min Wash Cycles, Heater Timer, Oil Skimmer, Turntable Jog,
365	1	Engineered Air 2 Door Dry Filter Paint Booth 55 - 75 degrees F, 172" X 258" X 108 Tall, Contents not Included
366	1	Graco 236153 Series L09B 10 Gallon High Pressure Pot Agitator, Regulated to 100 PSI, ASME Rated 33.9 " (88 cm), 85 Lbs. (39 kg) , SST
367	1	Graco 236153 Series L09B 10 Gallon High Pressure Pot Agitator, Regulated to 100 PSI, ASME Rated 33.9 " (88 cm), 85 Lbs. (39 kg) , SST
368	1	Graco 236153 Series L09B 10 Gallon High Pressure Pot Agitator, Regulated to 100 PSI, ASME Rated 33.9 " (88 cm), 85 Lbs. (39 kg) , SST
369	1	Graco 236153 Series L09B 10 Gallon High Pressure Pot Agitator, Regulated to 100 PSI, ASME Rated 33.9 " (88 cm), 85 Lbs. (39 kg) , SST
370	1	UniRam UFC550A Oil Filter and Can Crusher Max Pressure 125 PSI
371	1	Pneumatic Paint Shaker
372	1	Fume Extraction Table
373	1	Paint Supplies, Tapes and Pressurized Cup
374	1	Mec ME-605AI Impulse Auto Sealer 120Vac, 60 Hz, 1400 W S/N 50030067

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

375	1	Mec ME-500HI Impulse Sealer 110-120 Vac, 60 Hz, 800 W
376	1	Labconco Chemical Fume Hood
377	1	Barnstead International 3511-1Q Gravity Convection L-C Oven 1.7 Cubic Ft Capacity, 120 Volts, 6.7 Amps, 800 Watts , 50/60 Hz, Single Phase S/N 1.88007E+12
378	1	Just Rite 25871 (2) Chemical Storage Cabinets 12 Gallon Capacity (47 Liter Capacity)
379	1	Laboratory Glassware Assorted
380	1	2006 Cas SC-25P Digital Scale Capacity 50 X 0.01 Lb., Voltage 110/220, 50/60 Hz, 7 Watts
381	1	Weight Tronix PC-805-25 Digital Scale Capacity 50 Lb./ 25 Kg S/N L7D20071B
382	1	Sartorius Digital Scale
383	1	Ohaus Adventurer Pro AV264 Electronic Balance 220g Capacity, and 1mg Readability S/N 8029001237
384	1	Denver Instruments SI-234 Summit Series Analytical Balance 230g Capacity, and 1mg Readability
384A	1	Sartorius CP323S Top Loading Balance
385	1	Thermo Fisher Orion AquaFast Cod 165 Thermoreactor Temp Settings for 100C, 120C, 150C, 160C and 165C, Timer Setting 30,60, and 120 Minutes, 115-230 Volts, 50/60 Hz, 400 Watts
386	1	Hach DR 890 Portable Datalogging Colorimeter
387	1	Horiba Navi F-54BW PH Meter
388	1	LaMatte/Accumet/Oakton/ (5) PH/Salinity/TDS Meters
389	1	Control Company Traceable Digital Thermometer and TDS Tester With Electrodes
390	1	Proceco PC 42-42-E-1000-RD Parts Washer Volts 575, Amps 26, 3 Phase, 60 Cycle, Tank Capacity 115 Gallons, Heating Capacity 18 KW, Turntable Capacity 1000 Lbs., Motor 7.9 Amps S/N 93-108
391	1	Dispatch TAD3-10-E Electric Oven Heater Capacity 36KW, Heater Amps 43.3A, Line Voltage 480Volt, 3 Phase, 60 Hz, Largest Motor Amps 6.6A, Total Motor Amps 6.6A, Full Load Amps 51.0A, Max Operating Temp 343 C / 650 F S/N 182877
392	1	Drying Furnace 42" X 64" X 96" on Wheels
393	1	Drying Furnace 39" X 73" X 51" on Wheels
394	1	Drying Furnace 39" X 73" X 51" on Wheels
395	1	2007 Puckmaster LT500 Hydraulic Briquette Machine Allen Bradly PanelView 550, Vestil Dump Hopper S/N LT500-07-1039
396	1	Down Draft Table 96" X 32" X 35" Tall
397	1	Down Draft Table 96" X 32" X 35" Tall
398	1	Rousseau wood Top Work Bench, 3 Drawer Cabinet and 10 Drawer Shelving Cabinet
399	1	(5) Tables, (2) Shelving Units and (1) Two Door Cabinet With Wilton 6" Bench Vise
400	1	(4) Low Riding Shop Carts 48" X 40", Handle and Wheels
401	1	(4) Shop Carts (2) 41" X 48" X 39" Tall , and (2) 37" X 28" X 40" Tall
402	1	(5) Shop Carts (2) 24" X 24" X 38" Tall, and (3) 24" X 48" X 36" Tall
403	1	(6) Work Benches Table Sizes 48" X 96" X 38" Tall (Big) , 36" X 72" X 34" Tal (small)
404	1	(6) Work Benches Table Sizes 48" X 96" X 38" Tall (Big) , 36" X 72" X 34" Tal (small)
405	1	3 Beam Rail Hoist With CM 1/4 Ton Hoist
406	1	Gorbel / CM B2 LodeStar 500 Lbs. Capacity Jib Crane CM 1/4 Ton Hoist , 2 Button Pendant Control, 11 Ft Tall Post, 11Ft Long Arm

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

407	1	Spanco Inc TJET2016-6 1 Ton Lbs. Capacity Jib Crane With Yale 1/2 Ton Hoist, 2 Button Pendant Control, 11 Ft Tall Post, 11 Ft Long Arm S/N JM1173Xy
408	1	Gorbel / Kito ER00380 1000 Lbs. Capacity Jib Crane Kito 1/4 Ton Hoist , 2 Button Pendant Control, 11 Ft Tall Post, 11Ft Long Arm S/N 40783
409	1	Gorbel / Kito E02B534 500 Lbs. Capacity Jib Crane Kito 350 Lbs. Hoist , 2 Button Pendant Control, 11 Ft Tall Post, 11Ft Long Arm S/N 94838
410	1	B2 LodeStar 500 Lbs. Capacity Jib Crane CM 1/4 Ton Hoist , 2 Button Pendant Control, 11 Ft Tall Post, 11Ft Long Arm S/N L00100TX
411	1	Gorbel / CM B2 LodeStar 1000 Lbs. Capacity Jib Crane CM 1/4 Ton Hoist , 2 Button Pendant Control, 11 Ft Tall Post, 11Ft Long Arm S/N L2838TQ
412	1	Gorbel / Yale YJLET2016-6 1000 Lbs. Capacity Jib Crane Yale 1/4 Ton Hoist , 2 Button Pendant Control, 11 Ft Tall Post, 11Ft Long Arm S/N JM1173XV
413	1	Gorbel / CM B2 LodeStar 500 Lbs. Capacity Jib Crane CM 1/4 Ton Hoist , 2 Button Pendant Control, 11 Ft Tall Post, 11Ft Long Arm
414	1	Gorbel / Kito ER2-005SD 1000 Lbs. Capacity Jib Crane Kito 1/4 Ton Hoist , 2 Button Pendant Control, 11 Ft Tall Post, 11Ft Long Arm, Disassembled S/N 50943
415	1	Gorbel / Kito ER2-005SD 1000 Lbs. Capacity Jib Crane Kito 1/4 Ton Hoist , 2 Button Pendant Control, 11 Ft Tall Post, 11Ft Long Arm, Disassembled S/N 50942
416	1	Gorbel / CM B2 LodeStar 500 Lbs. Capacity Jib Crane CM 1/4 Ton Hoist , 2 Button Pendant Control, 11 Ft Tall Post, 11Ft Long Arm, Disassembled
417	1	Gorbel / Kito ER2-005SD 500 Lbs. Capacity Jib Crane Kito 1/4 Ton Hoist , 2 Button Pendant Control, 11 Ft Tall Post, 11Ft Long Arm, Disassembled S/N 28715
418	1	Gorbel / Ingersol-Rand Quantum Jib Crane With Mounted Hoist Ingersol-Rand 1/2 Ton Hoist , 2 Button Pendant Control, 11 Ft Tall Post, 11Ft Long Arm, Disassembled
419	1	Samson High Pressure Reel With Samson Standard Volume Digital Meter Semi Automatic Handle
420	1	Samson High Pressure Reel With Samson Standard Volume Digital Meter Semi Automatic Handle
421	1	Aget Mistkop (3) Mist Collectors
422	1	Marcus/ Nagoya (3) Transformers (1) Marcus 225 KVA Model MT225A5, Cont. 150 C Temp Rise, 600 HTType TW, BT 480/277, % IMP 4.1, 60 Hz, 1450 Lbs., Spec 7485, 3 Phase, (1) Marcus 50 KVA, Model MT50B1, Prim Volt 480, Sec 208y/120, Type WF, 60 z, 3 Phase, IMPED 4.8, Class 220, Temp 150 C, Spec 7939, Connect CU/AL, 370 Lbs., (1) Nagoyo 6 KVA Model TH6000W16KB+S, Primary Volt 440/460/480, Sec. Volts 200, Sec. Current 17.3, 3 Phase, 50/60 Hz, Ins Class 180, Mass 72.5 Kg S/N D 214-309-ENCL1 / 6063=609ENCL1 / N8E08114-2