



Biditup Auctions Worldwide, Inc./Maynards Industries

MAJOR ASSETS OF A WORLD CLASS 150,000 SQ. FT. PRECISION SCREW MACHINE FACILITY - TCR ENGINEERED COMPONENTS

Wednesday, October 7, 2020 - 10:00am (CDT)

1600 67th Ave, North Brooklyn, MN 55430

Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance With The Terms & Conditions

Lot	Quantity	Description
1	1	Large Lot Of Precision Parallels
2	1	Lot Of Magnetic Base Indicators
3	1	Cabinet With "Go" "No Go" Gages
4	1	Cabinet With Misc. Gages
5	1	Fowler Trimos V4-700 Digital Height Gage 36" Height, Features: Measuring ranges 400mm, 700mm and 1100mm - Extremely easy to use - High contrast display allows easy reading at any time with user friendly functions - Electronically adjustable measuring force 0.75/1.5 (N) - Vast range of accessories - All adjustments possible without tools - Cast iron base for optimal stability - RS232 and USB interfaces - Air cushion (on all models except V3) - Dual probe holders (on all models except V3) - Carriage displacement: Manual (V5 - V9 includes selectable manual or motorized carriage displacement) - Measures heights, diameters, perpendicularity, centerlines, Min/Max/Delta - Accessory measuring probes up to 340mm in length available and provide excellent repeatability S/N 12829610
6	1	Fowler Trimos V602+ Digital Height Gage S/N 7602
7	1	Fowler Trimos V600 Digital Height Gage S/N 1919
8	1	(2) Numerex Height Gages
9	1	(5) Height Gages
10	1	(2) Racks And Cabinet With Contents, Go And "No Go" Gages
11	1	Deltronic Dh214 14" Optical Comparator Mpc-5 Digital Read Out, Extra Lens, Specifications: Screen Size, Overall - 15.5", Usable Diameter of Screen - 14", Table Size - 5" x 15", Horizontal Table Travel - 10", Vertical Table Travel - 6", Focus Adjustment - 2", Table Helix Adjustment - ñ 15 Degrees, Chart Rotation - 360 Degrees, Lens Mount - Single, Electrics - 1/60/120 Volt, Net Weight, Approx - 275 Lbs. (less base), Estimated Shipping Weight - 650 Lbs.; Equipped: Deltronic MPC-5 Digital Readout, Electronic Screen Protractor (ESP), Fiber Optic Surface Reflection, Quick Change Bayonet Lens Mount, Single Lens Mount with (1) 20X Lens, Glass Crosshair Chart with Chart Clips, Rotary Vise Staging Fixture, Factory Cabinet Base, Vertical Erect Image S/N 279105178
12	1	Mark-10 Esm301 Motorized Test Stand S/N 3495709
13	1	(5) Microscopes
14	1	(3) Universal Concentric Gages
15	1	Lot Of Variable Product Thread Gages
16	1	(2) Portable Refractometers
17	1	Federal Air Gage

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

18	1	Sigmatic (2) Gages And Gage Stands
19	1	Wilson 3TTBB Hardness Tester S/N 1313
20	1	Surfometer PDA-3-B Profilometer S/N 1530
21	1	Surfometer PAA-400-A0 Profilometer With Granite Plate And (3) Vices S/N 4480
22	1	Lot Of Granite Plates And Stands
23	1	(4) Cabinets With Contents, Go And "No Go" Gages
24	1	Cart with New Lathe Cutting Tools and Drills
24A	1	2011 Lip Lite 250 Smart Scope optical gaging products touchless vision inspection machine, New , With Computer S/N SKL2502137
25	1	2014 Okuma Genos M560V CNC Vertical Machining Center with Kuka Loading / Unloading Robot. The 15,000 rpm spindle is very robust for exotic materials in the sense that if needed you have the rpm for high speed machining type applications with lighter cuts and faster feeds, or for heavier roughing cuts it provides ample torque and a very good duty rating of 10 mins constant while in the cut. The M560 really shines on heavier cuts due to the machine design - this is not a typical "C" frame Vertical, this is what separates it from the rest of the pack - it is designed with a double column structure allowing the "X" axis to travel on the column and NOT reside on top of the "Y" axis like most builders out there. This design gives the M560 the ultimate in rigidity. Specifications: TABLE SIZE 22.05" X 51.18", MAX TABLE LOAD CAPACITY 1,980 LBS, X-AXIS TRAVEL 41.34", Y-AXIS TRAVEL 22.05", Z-AXIS TRAVEL 18.11", SPINDLE TO TABLE, SPINDLE SPEEDS 15000 RPM, SPINDLE MOTOR 30 HP, MAGAZINE CAPACITY 32 TOOLS, TOOL CHANGER TIME 1.2 SEC., SPINDLE TAPER CAT-40 BIG PLUS, MACHINE DIMENSIONS 99.21" W X 122" L X 108.11" T, MACHINE WEIGHT 16,940 LBS; Equipped With: OKUMA OSP P300M Control, Helical Cutting, Coolblast 1000 PSI High Pressure Pump, Thru Spindle Coolant, Kuka Loading / Unloading Robot with controller, Chip Conveyor, 25/30 HP Main Motor, Big Plus 40 taper spindle, Thermal Growth Comp for Spindle and Casting S/N 171528
25A	1	Tsudakoma RN-100 R-3 (3) Spindle 4Th Axis Rotary 5C Collets S/N 146104
25B	1	10-Station Collet Fixture
26	1	2004 Haas EC-400 16" X 16" 4-AXIS PRECISION HORIZONTAL MACHINING CENTER Specifications: Travels: X 20", Y 20", Z 20"; Pallet Changer: Pallet size 15.75"x15.75", Change time 8 sec, Optional Full 4th Axis, Capacity 660 lbs, Indexing accuracy +/-15 arc-sec, 90 deg. Rotation time 3 sec., Optional Spindle: Speed 12,000 RPM, Drive system Inline direct drive, Max. Torque 90ft-lb @ 2000 RPM, Max. Rating 30 HP; Feedrates: Rapids 1000 IPM, Max. Cutting 500 IPM; Tool Changer: Capacity 40+1, Tool type/taper BT 40; General: Coolant capacity 80 Gal., Power required (min) 195-260 VAC 3-phase, 50-60 Hz, Air required 9 scfm @ 100 PSI, Weight (approx) 21,000 lbs.; MOTOR SPECIFICATIONS: 30 HP Main Drive Motor, Equipped With: Haas CNC Controls, Inline Direct Drive Spindle 12,000 RPM, (2) 400mm Pallets, 40 Position Automatic Tool Changer, Full 4th Axis Rotary Table, Rigid Tapping, Coolant System, Spindle Orientation, Coordinate Rotation & Scaling, Floppy Disk Drive, Internal High Voltage Transformer, Programmable Coolant, Power Fault Detection Module, Macros, Auxiliary Filter S/N 51285
26A	1	(2) Tombstones
26B	1	Lot Of Approx. (30) 40-Taper Tool Holders And Haas Motor

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

26C	1	6" Kurt Vice With Stand
27	1	2000 Schutte WU305 Series 03 No. 03 5-Axis CNC Grinder Control: Siemens 840D, Axis: 5, Power: 480V 60Hz, Control: Sinumerik 840 D, Software: SIGS Conversational w/ Vericut, Schunk Workholding, Grinding Spindle: 15kW (20HP), Universal Rotary Axis with Spindle Speeds: 0 to +/- 25000 rpm, Center of Grinding Wheel is close to center of rotational C-axis, Automatic change of grinding wheel and coolant distributor assembly, Integrated coolant supply system, Schutte Windows-based software with graphical support, Open architecture control system SINUMERIK 840D, Measuring probe parked in collision-free area; Linear-axes: X-axes (longitudinal travel): 400mm, X-axes with tailstock, max: 400mm, Y-axis (cross travel) 250mm, Z-axis (vertical travel) 250mm, Resolution X-, Y-, Z-axis grad <0.0001
28	1	2002 Schutte WU305 Series 08, No. 10 5-Axis CNC Grinder Control: Siemens 840D, Axis: 5, Power: 480V 60Hz, Control: Sinumerik 840 D, Software: SIGS Conversational w/ Vericut, Schunk Workholding, Grinding Spindle: 15kW (20HP), Universal Rotary Axis with Spindle Speeds: 0 to +/- 25000 rpm, Center of Grinding Wheel is close to center of rotational C-axis, Automatic change of grinding wheel and coolant distributor assembly, Integrated coolant supply system, Schutte Windows-based software with graphical support, Open architecture control system SINUMERIK 840D, Measuring probe parked in collision-free area, Linear-axes: X-axes (longitudinal travel): 400mm, X-axes with tailstock, max: 400mm, Y-axis (cross travel) 250mm, Z-axis (vertical travel) 250mm, Resolution X-, Y-, Z-axis grad <0.0001
28A	1	Deltronic Dh214 14" Optical Comparator Mpc-5 Digital Read Out, Specifications: Screen Size, Overall - 15.5", Usable Diameter of Screen - 14", Table Size - 5" x 15", Horizontal Table Travel - 10", Vertical Table Travel - 6", Focus Adjustment - 2", Table Helix Adjustment - ñ 15 Degrees, Chart Rotation - 360 Degrees, Lens Mount - Single, Electrics - 1/60/120 Volt, Net Weight, Approx - 275 Lbs. (less base), Estimated Shipping Weight - 650 Lbs.; Equipped: Deltronic MPC-5 Digital Readout, Electronic Screen Protractor (ESP), Fiber Optic Surface Reflection, Quick Change Bayonet Lens Mount, Single Lens Mount with (1) 20X Lens, Glass Crosshair Chart with Chart Clips, Rotary Vise Staging Fixture, Factory Cabinet Base, Vertical Erect Image S/N 279105178
28B	1	Fowler Trimos V602+ Digital Height Gage With Granite Plate S/N 2179
28C	1	Vision Engineering Mantis Microscope Carton Dsz44 Lens S/N H-16110
28D	1	Rack And Cabinet With Contents, Schutte Tooling
28E	1	Lot Of Grinding Wheels, Tool Holders, Collets
28F	1	Lot Of Misc. Diamond And Borazon Grinding Wheels
29	1	Haas SL-30T CNC Lathe Max. Swing Over Apron 30", Max. Turning Dia. 17", Max. Turning Length 34", Distance between Centers 39", X-Axis Travel 11.3", Z-Axis Travel 34", Rapid Traverse Rates 710 IPM, Max. Bar Capacity 3", Spindle Bore 3.5", Spindle Nose A2-6, Spindle Speeds 0 to 3,400 RPM, Max. Torque 300 ft-lb @ 700 RPM, Spindle Motor 30 HP, Turret Stations 12; Equipped With: Haas 12" Color LCD Control, Haas Controls, 10" 3-Jaw Hydraulic Chuck, 3.5" Floppy Drive, RS-232 Port & USB Ethernet, Chip Auger, Rigid Tap, Visual Quick Code, Coolant System, Tool presetter

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

30	1	2003 Haas SL-20 CNC Lathe Swing over front apron 23", Swing over cross slide 9.5", Distance between centers 20", X-Axis travel 8.45", Z-Axis travel 20", Rapid traverse rate x-axis 1200 IPM, Rapid traverse rate z-axis 1200 IPM, Spindle speeds 40 - 4000 RPM, Spindle nose A2-6, Spindle bore 3.00", Draw tube bore 2.06", Spindle motor 20 HP, Turret capacity 10 Stations, Approx. dimensions 127" x 75" x 74", Machine weight (approx.) 9,000 LBS; MOTOR SPECIFICATIONS: 20 HP, Equipped With: Haas 32 bit control w/14" LCD screen, 8" 3-Jaw chuck, Chip auger, 3.5" Floppy, High intensity lights, Quick code programming, Tool setter, Rigid tap S/N 65961
30A	1	(8) drawer vidmar cabinet filled with lathe tooling
31	1	Mori CV-500 Drill And Tap Center CATALOGUE SPECIFICATIONS: Rotating Pallet Size 48.4" x 29.5", Workpiece Change Setup 0/180 Deg., Working Surface 29.5" x 21.7", Table Load Capacity on Rotating Pallet 880 LBS Total, Table Top to Spindle Nose Minimum 6.9", Table Top to Spindle Nose Maximum 27", Longitudinal Travel (X-Axis) 20.1", Cross Travel (Y-Axis) 20.1", Vertical Travel (Z-Axis) 20.1", Rapid Traverse Rate X & Y Axes 1635 IPM, Rapid Traverse Rate Z-Axis 1259 IPM, Tool Storage Capacity 25, Spindle Horsepower 15 HP, Spindle Speed Range 20 - 8000 RPM, Spindle Taper CAT 40, Approximate Machine Dimensions 140" x 80", Approximate Machine Height 108", Approximate Machine Weight 10,000 LBS; EQUIPPED WITH: Mori Seiki MSC-803 Conversational CNC w/ CRT, High Pressure Thru the Spindle Coolant, (2) SMW Indexers, Manual Pulse Generator, Background Edit, Canned Cycles, Inch Metric Conversion, Work Coordinate System Selection, Circular Interpolation, Tool Life Management, Tool Offsets, 29.5" x 48.4" (2) Position Rotating Pallet, Rigid Tapping, 25 Station Automatic Tool Changer, Full Coolant Enclosure, Turbo Chip Conveyor, Coolant System. S/N 348
31A	1	Haas Servo Control 2-Position 4th Axis Rotary Table
31B	1	Haas Servo Control 2-Position 4th Axis Rotary Table
32	1	Mori CV-500 Drill And Tap Center CATALOGUE SPECIFICATIONS: Rotating Pallet Size 48.4" x 29.5", Workpiece Change Setup 0/180 Deg., Working Surface 29.5" x 21.7", Table Load Capacity on Rotating Pallet 880 LBS Total, Table Top to Spindle Nose Minimum 6.9", Table Top to Spindle Nose Maximum 27", Longitudinal Travel (X-Axis) 20.1", Cross Travel (Y-Axis) 20.1", Vertical Travel (Z-Axis) 20.1", Rapid Traverse Rate X & Y Axes 1635 IPM, Rapid Traverse Rate Z-Axis 1259 IPM, Tool Storage Capacity 25, Spindle Horsepower 15 HP, Spindle Speed Range 20 - 8000 RPM, Spindle Taper CAT 40, Approximate Machine Dimensions 140" x 80", Approximate Machine Height 108", Approximate Machine Weight 10,000 LBS; EQUIPPED WITH: Mori Seiki MSC-803 Conversational CNC w/ CRT, High Pressure Thru the Spindle Coolant, (2) SMW Indexers, Manual Pulse Generator, Background Edit, Canned Cycles, Inch Metric Conversion, Work Coordinate System Selection, Circular Interpolation, Tool Life Management, Tool Offsets, 29.5" x 48.4" (2) Position Rotating Pallet, Rigid Tapping, 25 Station Automatic Tool Changer, Full Coolant Enclosure, Turbo Chip Conveyor, Coolant System. S/N 348
32A	1	Haas Servo Control 2-Position 4th Axis Rotary Table
32B	1	Haas Servo Control 2-Position 4th Axis Rotary Table
32C	1	Snow Manufacturing DR-2-5 Deep Hole Drill Unit 1/2 Hp, 110V S/N M40698-978

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

32D	1	Haas Servo Control Single Position Rotary Indexer
32E	1	Akebono Minc-26 CNC Gang Tool Lathe Max diameter bar capacity: 1-1/16" BAR, X axis travel: 9", Z axis travel: 9", Spindle speeds: 6000 rpm, Slide table size: 16" X 7-1/2", Collet type: 5C, Control type: Fanuc 0-T CNC S/N 3100678
33	1	Omniturn GT-75 Series II CNC Gang Tool Lathe Specifications: Capacities: Workholding 5C Collet, 4" Chuck Max (opt.), Max. Cutting Diameter 6", Max. Bar Diameter 1.06", Tooling Plate 6" x 14" with 3/8" T-Slot, Spindle: Max Speed 4,000rpm (6000 opt.), Max Rating 5 hp, Spindle Nose 5C w/4° camlock, Drawtube Bore 1.125", Construction: Ways Precision Linear Guides, Ball Screws Precision-ground Zero Backlash, Base Billet MJ7 Composite Casting, Headstock Mehanite, Coolant Pump . 1/8hp 5gpm (1/4hp 20gpm opt), Travels & Feedrates: X-Axis 12", Z-Axis 9", Resolution of Slide Travel 0.00005", Repeatability of Slide Travel 0.0001", Threading 240tpi to unlimited, Axes Thrust 500lbs cont. 750lbs int., Max Rapid 300ipm, Max Cutting 300ipm, General: Machine Weight 1,650lbs, Air Required 3 scfm @ 70 psi, Electrical . 208 - 240 VAC, 1 or 3 phase @ 20A, Floor Space 34" x 66" (75" high) S/N 4607 PTI
34	1	Omniturn GT-75 Series II CNC Gang Tool Lathe Specifications: Capacities: Workholding 5C Collet, 4" Chuck Max (opt.), Max. Cutting Diameter 6", Max. Bar Diameter 1.06", Tooling Plate 6" x 14" with 3/8" T-Slot, Spindle: Max Speed 4,000rpm (6000 opt.), Max Rating 5 hp, Spindle Nose 5C w/4° camlock, Drawtube Bore 1.125", Construction: Ways Precision Linear Guides, Ball Screws Precision-ground Zero Backlash, Base Billet MJ7 Composite Casting, Headstock Mehanite, Coolant Pump 1/8hp 5gpm (1/4hp 20gpm opt), Travels & Feedrates: X-Axis 12", Z-Axis 9", Resolution of Slide Travel 0.00005", Repeatability of Slide Travel 0.0001", Threading 240tpi to unlimited, Axes Thrust 500lbs cont. 750lbs int., Max Rapid 300ipm, Max Cutting 300ipm, General: Machine Weight 1,650lbs, Air Required 3 scfm @ 70 psi, Electrical 208 - 240 VAC, 1 or 3 phase @ 20A, Floor Space 34" x 66" (75" high) S/N 4606 PTI
34A	1	Hydromat V12 9`6/148 Rotary Transfer Machine -max stock size, - Rnd: 1-3/4", - Hex: 1-1/2", -Sq: 1-1/4", - Length: 0.5"-12", - Hor Station: up to 18, - Vert station: up to 8, - Index time: 0.9 sec, - Weight: 16,500lbs, - Power: 60hp, -Number of stations :12, -Rotary indexing table:Indexing:12-piece, -Indexing time:0.7 seconds, -Number of Machining units: left 8, right 9, vertically 8, -Clamping devices(hydraulic): 12 Chucks, -Round bar material: Max. bar, diameter: 45 mm, Max. workpiece length: 300 mm S/N V12-7
35	1	Acme Gridley RA-8 3/4" 8-Spindle Automatic Screw Machine Threading, (6) Cross Slides S/N BD-70323
36	1	Acme Gridley RA-8 3/4" 8-Spindle Automatic Screw Machine Pick Off, Double Threading S/N BD-70291
37	1	Acme Gridley 1-5/8" Automatic Screw Machine Threading, (6) Cross Slides S/N AM-40299
38	1	Acme Gridley 1-5/8" Automatic Screw Machine Threading, (6) Cross Slides S/N AM-40407
39	1	Acme Gridley 1-5/8" Automatic Screw Machine Threading S/N AM-40387
40	1	Acme Gridley 2-5/8" Automatic Screw Machine Rotary Recessing S/N 96322
41	1	Acme Gridley 2-5/8" Automatic Screw Machine Bar Feed S/N 96271
42	1	Acme Gridley 2-5/8" Automatic Screw Machine Recessing S/N 96014

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

43	1	Acme Gridley 8-Spindle Chucker GE Fanuc CNC
44	1	Acme Gridley 1-1/4" 8-Spindle Automatic Screw Machine S/N AM-40539
45	1	Open Lot
46	1	Mitsubishi Acme Gridley S/N 5105
47	1	Mitsubishi Acme Gridley S/N 5102
48	1	Acme Gridley 1-1/4" RB-8 S/N AM-40358
49	1	Acme Gridley 1-1/4" Double Threading, Pick Off S/N 71996
50	1	Acme Gridley 1-1/4" Double Threading, Back Finishing S/N 71388-B
51	1	Acme Gridley 1-1/4" RA-6 Threading, Pick Off, High Pressure Pump S/N 71186
52	1	Acme Gridley 1-1/4" RA-6 Pick Off, Broken Tool Detection, High Pressure Pump S/N 70760
53	1	Acme Gridley 1-1/4" RA-6 Threading, Recessing S/N 70781
54	1	Acme Gridley 1-3/8" Ag-6, High Pressure Pump S/N AG-1386013
55	1	Acme Gridley 1" RA-6 Threading, Pick Off S/N B-23973-N
56	1	Acme Gridley 1" RA-6 Threading, Pick Off S/N B-23579-N
57	1	Acme Gridley 1" RA-6 Threading, Pick Off, Recessing S/N 23062-A
58	1	Acme Gridley 1" RA-6 Pick Off S/N A23102
58A	1	Acme Gridley RA-6 1" Automatic Screw Machine S/N 23275-Am
59	1	Mitsubishi MRA-6 Acme Gridley 1" Pick Off, Plain Threading, Broken Tool Detector S/N 1354
60	1	Mitsubishi MRA-6 Acme Gridley 1" Pick Off, Plain Threading, Broken Tool Detector S/N 1344
61	1	Mitsubishi MRA-6 Acme Gridley 1" Pick Off, Plain Threading, Broken Tool Detector S/N 1164
62	1	Mitsubishi MRA-6 Acme Gridley 1" S/N 1152
63	1	Acme Gridley 2" RB-6 Threading, Reaming S/N 41711
64	1	Acme Gridley 2-5/8" RB-6 Threading, Recessing, Accelerated Reaming S/N 84231-A
65	1	Conomatic 3-1/2" Six Threading S/N 7448 SF
66	1	Acme Gridley RA-6 1-1/4" 6-Spindle Automatic Screw Machine S/N 71567-B
67	1	Acme Gridley RA-6 1-1/4" 6-Spindle Automatic Screw Machine S/N 70287
68	1	Acme Gridley RA-6 1-1/4" 6-Spindle Automatic Screw Machine S/N 71358
69	1	Acme Gridley RA-6 1-1/4" 6-Spindle Automatic Screw Machine S/N 70797
70	1	Acme Gridley RA-6 1-1/4" 6-Spindle Automatic Screw Machine S/N 71650
71	1	Acme Gridley RA-6 1-1/4" Automatic Screw Machine S/N 71126-Bx
72	1	Acme Gridley RA-6 1-1/4" Automatic Screw Machine S/N 71136-Bx
73	1	Acme Gridley RA-6 1-1/4" Automatic Screw Machine S/N 71117-A
74	1	Acme Gridley RA-6 1-1/4" Automatic Screw Machine S/N 71515
75	1	Acme Gridley RA-6 1-1/4" Automatic Screw Machine S/N 71171-C
76	1	Acme Gridley RA-6 1-1/4" Automatic Screw Machine S/N 71107-C
77	1	Acme Gridley RA-6 1-1/4" Automatic Screw Machine S/N 71725-B
78	1	Acme Gridley RA-6 1-1/4" Automatic Screw Machine S/N 71704-B
79	1	Acme Gridley RA-6 1-1/4" Collet Chucker With Automation S/N 71363-C
80	1	Acme Gridley RA-6 1-1/4" Automatic Screw Machine, S/N 71513-A
81	1	Acme Gridley RA-6 1-1/4" Automatic Screw Machine S/N 70969
82	1	Acme Gridley RA-6 1-1/4" Automatic Screw Machine S/N 71840-A
83	1	Acme Gridley RA-6 1-1/4" Automatic Screw Machine S/N 70536

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

84	1	Acme Gridley 9/16" RA-6 S/N 22358
85	1	Acme Gridley 9/16" RA-6 S/N 22155A
86	1	Acme Gridley 1" RAN-6 S/N B-23838-N
87	1	Acme Gridley 1-1/4" S/N 71925
88	1	Acme Gridley S/N 71100
89	1	Acme Gridley 9/16" RA-6 S/N 22119B
90	1	Acme Gridley HSC 2-3/8" 6-Spindle Automatic Chucker S/N H-58275
91	1	Warner And Swasey M-2530 2-1/4" 5-Spindle Automatic Screw Machine S/N 2399410
92	1	Brown And Sharpe No. 2 1-5/8" 4-Speed Automatic Screw Machine S/N 542-2-6292-15/8
93	1	Brown And Sharpe No. 2 1-5/8" 4-Speed Automatic Screw Machine S/N 542-2-7278-15/8
94	1	Brown And Sharpe No. 3 2" 4-Speed Automatic Screw Machine S/N 542-3-81-2
95	1	Brown And Sharpe No. 2 3/4" 4-Speed Automatic Screw Machine S/N SN 542-2-5671-3/4
96	1	Brown And Sharpe No. 00 4-Speed Automatic Screw Machine S/N 542-00-5019
97	1	Brown And Sharpe No. 00 4-Speed Automatic Screw Machine S/N 542-00-5624
98	1	Brown And Sharpe No. 2 1-5/8" 4-Speed Automatic Screw Machine With Lipe 125-Aml Bar Feeder S/N 542-2-6761-15/8
98A	1	Brown And Sharp #2 1-1/2" Automatic Screw Machine (2) Vertical Slides, Lipe 125-Aml Bar Feed S/N 542-2-4946-1-1/2
99	1	Detroit Broach 4 Station Internal Broach
100	1	Us Broach And Machine Co. 5T54VSS Broach S/N M-90799
101	1	Hartford 20-225 Thread Roller S/N 2-232-22A
102	1	Roy No. 0 Special Thread Roller S/N 9W49
103	1	Roy Screw Slotter
104	1	Waterbury Farrell 1384 No. 20 Thread Roller Rebuilt By American Fastener Machine Co S/N 4/5/76
105	1	Okuma LB15 CNC Lathe SN 6109.4101 SPECIFICATIONS Swing: 15.8" Max Turning Length: 32" Spindle Nose: A2-6 Spindle Bore: 2.5" Tool Turret Capacity: 12 Stations Equipped With: Chip ConveyorOSP 5000L CNC Control 10" Collet Chuck Misc Tool Holders Tailstock Coolant
106	1	Caterpillar 150 Inertia Welder S/N 24J47
108	1	Cincinnati 325-12 Centerless Grinder Compensation, Auto Dressing S/N 350412H5Z-0030
109	1	Cincinnati 44065 Centerless Grinder S/N 2M8H5P-83
110	1	Cincinnati 44065 Centerless Grinder S/N 2M8H5TE22
111	1	Cincinnati OD Grinder S/N 3T2H5C-1B
112	1	Attic Automation AV-B100 Vision Inspection Machine S/N 91
113	1	General Inspection GI-300 Laser Vision Inspection Sorting Machine
113A	1	Automatic Vision Inspection Machine
113B	1	Automatic Vision Inspection Machine
114	1	Towa 10-4A Shaver S/N 98011
115	1	Towa 10-4A Shaver S/N 2020
115A	1	Toellner Systems Robotic Automated Loading System For Tsugami
116	1	Waterbury No. 10 Thread Roller

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

117	1	Almco OR-10VHE10S-142 Deburring System Consists Of Hopper, Loader, Vibratory Finisher, Shaker Table, Dryer S/N 80102
118	1	Ultramatic VB-300 Vibratory Finishing System Consists Of Hopper, Loader, Vibratory Finisher, Shaker Table, Dryer S/N 8636
119	1	Almco DB-50 Barrel Type Part Tumbler S/N 56112
120	1	Part Washing And Tumbling System Consists Of Loader, Tumbler, Washer, Dryer
121	1	Met-Chem 8GPM Clarifier With Tank And Filter Press S/N 1781R
122	1	Tank Farm Chemical Storage And Dispensing System (9) Tanks, (3) 500 Gal, (6) 200 Gal
123	1	Sunnen Mbb-1650 Precision Honing Machine S/N 53328
124	1	Rack With Hone Mandrels And (2) Cabinets With Hone Tooling
125	1	Brown And Sharpe Surface Grinder With Centerless Grinder Attachment
126	1	Cincinnati Milacron Monoset Tool And Cutter Grinder Acu-Rite Digital Read Out S/N 3152A0180-005
127	1	Cincinnati Milacron Monoset Tool And Cutter Grinder Acu-Rite Digital Read Out S/N 3152A0179-0095
128	1	Sheffield 122A Micro Form Grinder With Digital Read Out And Scope
129	1	Sheffield 122A Micro Form Grinder With Digital Read Out And Scope
130	1	Cincinnati No. 2 Tool And Cutter Grinder S/N 31512T5Z-35
131	1	(2) Racks With Cutting Tools And Grinder Parts
132	1	Brown And Sharpe No. 10 Tool And Cutter Grinder
133	1	Black And Webster 95 Drill Point Grinder With Collets S/N 27389
134	1	Brown And Sharpe 618 Micromaster Surface Grinder Finesline Electromagnetic Chuck And Chuck Control, Coolant Tank And Pump, "Wet" Grinder S/N 52361814123
135	1	Acer Supra-618 6"X18" Surface Grinder, Finesline Electromagnetic Chuck And Chuck Control S/N N0121019
136	1	Leblond Engine Lathe Collet Chuck, Tool Post, Tailstock, 10" 3-Jaw Chuck, Taper Attachment, Acu-Rite Digital Read Out, With Collets S/N 4C1193
137	1	Bridgeport Ez-Trak Dx 2hp Milling Machine 2-Axis Cnc, Power Knee, 6" Kurt Vice, Collet Attachment, Power Drawbar S/N 270766E
138	1	Bridgeport 1-1/2 hp Milling Machine Acu-Rite Iii Digital Read Out, Power Feed Table And Knee, Kurt Vice, Collets And Tooling, Power Drawbar
139	1	Alliant RT2 2hp Vertical Milling Machine Acu-Rite Digital Read Out, Kurt Vice, Power Table Knee And Drawbar, Collets S/N 80312362
140	1	Sharpe 3hp Milling Machine Acu-Rite Digital Read Out, Power Feed Table, Knee, And Drawbar
141	1	Sharpe 1640-V Engine Lathe 10" 3-Jaw Chuck, Tool Post, Tailstock, Variable Speed S/N 911103
142	1	Yuasa CPCX-605 5C Collet Indexer With CPNC-100 Control And Rotary Table
143	1	Kalamazoo AH9AW Horizontal Band Saw S/N 7374
144	1	Amada HA250W Horizontal Band Saw Blade: 138" X 1.26" X 0.037" S/N 25350018
145	1	Universal Automatics AO Twin Spindle Secondary Operation Drill S/N 1149
146	1	Universal Automatics AO Twin Spindle Secondary Operation Drill S/N 1406
147	1	Special Purpose Welding Cell With Lincoln Electric Invertec STT II Surface Tension Transfer Process Power Supply With Wire Feeder
148	1	3-Headed Cross Drilling Machine

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

149	1	TCR Automation RD3 3-Spindle Rotary Transfer Machine With Dumore Heads S/N 87000
150	1	Sunstrand Rigid Mill
151	1	Brown And Sharpe No. 3 Ultramatic Chucker S/N 542-3-428
152	1	Mitutoyo PH-A14 14" Optical Comparator With Quadra Chek 200 Digital Read Out S/N 6J0015
153	1	Buehler 1600-6100 Hardness Tester S/N 532-MMT1-00277
154	1	Buehler Simplimet 2000 20-1430-115029 Automatic Mounting Press S/N 520-N2K-609
155	1	Metaserv C2348B Double Disk Polisher S/N 823296
156	1	(3) Microscopes, (2) Indicator Stands, And Granite Plate Table
157	1	Horizontal Band Saw S/N 840049
158	1	Rigid 500 Pipe Threader With Accessories
158A	1	Cabinet With Rigid Pipe Threader Tooling And Drills
159	1	Barrel Type Parts Washer
160	1	Barrel Type Parts Washer
161	1	Fastener Engineering WR-01-16 Wire Drawer S/N 10752398
162	1	Leblond Engine Lathe 12" 4-Jaw Chuck, Tailstock, Variable Speed S/N 6C704
163	1	Leblond Engine Lathe 8" 3-Jaw Chuck, Tool Post, Tailstock, Variable Speed S/N 9325
164	1	Leblond Engine Lathe 12" 3-Jaw Chuck, Tool Post, Tailstock, Variable Speed S/N 40698
165	1	Bridgeport 1hp Milling Machine 42X9 Table, Power Feed Table, Accu-Rite Digital Read Out S/N 225548
166	1	Rodgers KD85-8-1000 100 Ton Hydraulic Shop Press S/N CK
166A	1	Brown And Sharpe 618 Micrometer Surface Grinder S/N 523-6181-966
167	1	Doall 1613-2 Vertical Band Saw S/N 150-60107
168	1	Grob NS18 Vertical Band Saw S/N 4316
169	1	Clausing 2286 Drill Press S/N 507101
170	1	Dake 3 Arbor Press And Dake 1-1/2 Arbor Press
171	1	Roper Whitney Shear
172	1	Roper Whitney 414 Shear S/N 776 10 72
173	1	Miller Lmsw-52 Portable Spot Welding Machine S/N Kf809104
174	1	Millermatic 200 Dc Arc Welding Power Source S/N JH190239
175	1	Lincoln Electric 255C Power Mig Welder, S/N K2416-1 11192
176	1	Lincoln Electric 175 Square Wave Tig Welder
177	1	Hypertherm Powerwave 85 Welding Power Supply S/N PMX85-002145
178	1	Lincoln Electric Idealarc R3R-400 Dc Arc Welder S/N AC355863
179	1	2007 Coldjet Aero75 Dry Ice Blast Machine S/N 41L2-K-1246
180	1	Aercology AER Booth Welding Booth With Dust Collector S/N 51599
181	1	Torit Donaldson DMC-C/D1 Dust Collector S/N IG628935
182	1	Torit Donaldson DMC-D1 Dust Collector S/N I0507483
183	1	Torit Donaldson DMC-C/D1 Dust Collector S/N IG628935
184	1	Aercology MDV 3000 Dust Collector S/N 657058
185	1	KH Huppert ST Furnace S/N 286
186	1	(3) Arbor Presses Famco 6C, & (2) With Stands
187	1	Dake 51-105 Nortamatic Damaged S/N 163463

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

188	1	Hardinge HC Chucker Variable Speed S/N HC-2124F
189	1	Xybex Systems Sump Sucker 440V
189A	1	4-Spindle Cross Drilling Machine Tcr Automation Heads
190	1	Clifton 2B-200 200 Ton Hydraulic Press Platen Size 14" X 17", 8" Stroke
191	1	Brown And Sharpe No. 5 Tool And Cutter Grinder
192	1	Combi CE-10 Packaging System With Case Erector S/N CE10110298-500106
193	1	Kemac Parts Washer
194	1	Quincy SI04ACA3ME 100hp Air Compressor S/N 39237
195	1	Tollhurst 48" Chip Separator With Basket, Basket Cover, Lifting Yolk, Hydraulic Chip Pan Unloader, (2) Jib Cranes, 600 Rpm S/N T-13877A
196	1	Jones And Lampson PC-14 14" Optical Comparator With Digital Read Out
197	1	(5) Chip Hoppers On Casters With Fork Lift Slots
197A	1	(5) Chip Hoppers On Casters With Fork Lift Slots
197B	1	(5) Chip Hoppers On Casters With Fork Lift Slots
197C	1	(5) Chip Hoppers On Casters With Fork Lift Slots
197D	1	(5) Chip Hoppers On Casters With Fork Lift Slots
197E	1	(5) Chip Hoppers On Casters With Fork Lift Slots
197F	1	(5) Chip Hoppers On Casters With Fork Lift Slots
197G	1	(5) Chip Hoppers On Casters With Fork Lift Slots
197H	1	(5) Chip Hoppers On Casters With Fork Lift Slots
198	1	Barret Chip Baskets Approx. 30
199	1	Stoelting PM 4 Stage Parts Washing System 24" Belt, Stainless Steel
200	1	Hydraulic Lifting And Loading Device Crown Fork Lift Mast And Vickers Hydraulic Unit
201	1	Hardinge Dv-59 Tool Room Lathe S/N Dv-59-10809
202	1	Hardinge Dv-59 Tool Room Lathe S/N Dv-59-13403
203	1	Atlas Copco GA37 50hp Rotary Screw Air Compressor S/N H0L022041
204	1	Sullaire 16BS-75L ACAC 75hp Air Compressor S/N 003-73356
205	1	Zeks Heatsink Air Dryer
206	1	Aercology Cx-9 Dust Collector S/N 52736
207	1	Aercology Mdv 3000 Dust Collector
208	1	Aercology Mdv 3000 Dust Collector
209	1	Skarnes 4-Ton Free Standing Bridge Crane Approx. 36' X 36', Pendant And Radio Control, 4 Uprights, 2 Girders, Top Riding Crane With Hoist
209A	1	Challenger 3360 Crane Scale 10K Lbs. Max
210	1	Ipm Pallet Wrapping Machine With Plastic Wrap
211	1	Hyster E100XL 10000Lb Electric Fork Lift Side Shifter, Hang-On, 36V, 136" Max Height, Dead Battery S/N C098D01594S
212	1	Skyjack GS-1930 Scissor Lift 19Ft Max Height
213	1	Yale Ride Along 2800Lb Electric Fork Lift 24V, 190" Max Height, With Charger S/N A824N07294W
214	1	Crown SC4020-30TT226 2750Lb Electric Fork Lift Sc 4000 Series, Side Shifter, 226" Max Height, 36V, With Charger (Late Delivery) S/N 9A122322
215	1	Crown 30SCTT 2750Lb Electric Fork Lift 208" Max Height, Side Shifter, 36V, With Charger S/N 1A196857
216	1	Yale ERC030ACN36SE083 3000Lb Electric Fork Lift 3 Stage Mast, Side Shifter, 190" Max Height, 36V, With Charger S/N K533304

**Lot List Is A Guide Only, Inspection Is Encouraged. All Items Are Sold As Is-Where Is In Accordance
With The Terms Conditions**

217	1	Yale FRC050ZFN36SE084 5000Lb Electric Fork Lift 3 Stage Mast, Side Shifter, 194" Max Height, 36V, With Charger S/N E108V036005
218	1	Yale ER0050RAN48SE083 5000Lb Electric Fork Lift 3 Stage Mast, Side Shifter, 48V, 190" Max Height, Needs Repair S/N K550119
219	1	Caterpillar EP16KT 2750Lb Electric Fork Lift 3 Stage Mast, 188" Max Height, 36V, Needs Repair S/N ETB4B01261
220	1	Yale Ride Along 2800Lb Electric Fork Lift Side Shifter, 190" Max Height, 24V, With Charger S/N A824N07408X
221	1	2008 Chip Blaster EV13 High Pressure Coolant Unit S/N A127
222	1	Fanuc M-6i Part Handling Robot With Fanuc System RJ3 Controller, S/N E00Z00270
223	1	1998 Chevrolet 3500 Box Truck S/N 1Gbhg31R1X1024006
224	1	2005 Ford F-150 Heavy Duty Pick Up Truck Lariat 5.4 Triton V8, Quad Cab, Leather Seats, 4 X 4 Four Wheel Drive S/N 1Ftpw14595Kc75533
225	1	Rayfo C200Hp Trash Compactor S/N c200Hp353
226	1	Terrco 3100 20Hp Concrete Polishing Machine S/N 721
227	1	Eagle Power Fh381V 13.0Hp Concrete Polishing Machine
228	1	Tennant 7300 Floor Scrubber 36V S/N 7300-2848
229	1	Nobles Speedgleam Rider Sgr 36V With Built In Charger S/N 10603452
230	1	Wilson Rockwell B533-R Hardness Tester S/N 83093905
231	1	Buehler Specimen Mounting Press S/N 332-Fn-6376